

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

16 de junio de 2010  
Autor: José Luis Cunillera

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

## Contenido

INTRODUCCIÓN .....	2
INSTALACIÓN DE PENTAHO BI SERVER EN ORACLE.....	3
PASO 1. CREACIÓN DE LA UBICACIÓN DEL PRODUCTO .....	3
PASO 2. DESEMPAQUETAR EL PRODUCTO BI SERVER .....	3
PASO 3. CREACIÓN DE LOS USUARIOS ORACLE .....	3
PASO 4. CREACIÓN DE LAS TABLAS DE LOS USUARIOS .....	3
PASO 5. VARIABLES DE ENTORNO .....	3
PASO 6. ACTUALIZAR FICHERO: APPLICATIONCONTEXT-<FRAMEWORK>-SECURITY- HIBERNATE.PROPERTIES .....	4
PASO 7. ACTUALIZAR FICHERO: APPLICATIONCONTEXT-<FRAMEWORK>-SECURITY- JDBC.XML .....	4
PASO 8. ACTUALIZAR FICHERO: PUBLISHER_CONFIG.XML.....	5
PASO 9. ACTUALIZAR FICHERO: HIBERNATE-SETTINGS.XML.....	5
PASO 10. ACTUALIZAR FICHERO: ORACLE10G.HIBERNATE.CFG.XML .....	6
PASO 11. ACTUALIZAR FICHERO: QUARTZ.PROPERTIES.....	6
PASO 12. ACTUALIZAR FICHERO: WEB.XML.....	7
PASO 13. ACTUALIZAR FICHERO: CONTEXT.XML .....	8
PASO 14. ACTUALIZAR FICHERO: CONTEXT.XML .....	8
PASO 15. INSTALAR LOS DRIVERS DE ORACLE JDBC.....	9
PASO 16. ARRANCAR EL SERVIDOR Y LA CONSOLA DE ADMINISTRACIÓN. ....	10
ANEXOS.....	11
ANEXO 1. SCRIPT DE CREACIÓN DE LOS TABLESPACES DE ORACLE .....	11
ANEXO 2. SCRIPT DE CREACIÓN DE LOS USUARIOS DE ORACLE.....	12
ANEXO 3. SCRIPT DE CREACIÓN DE LAS TABLAS DE “PENTAHO_USER” .....	15
ANEXO 4. SCRIPT DE CREACIÓN DE LAS TABLAS DE “QUARTZ” .....	20
ANEXO 5. SCRIPT DE CREACIÓN DE LAS TABLAS DE “HIBUSER”.....	26
ANEXO 6. SCRIPT DE INSERCIÓN DE DATOS DE “PENTAHO_USER” .....	27
ANEXO 7. SCRIPT DE INSERCIÓN DE DATOS DE “QUARTZ” .....	159
ANEXO 8. SCRIPT DE INSERCIÓN DE DATOS DE “HIBUSER”.....	159

# Instalación de PENTAHO BI Server en ORACLE

---

Para versiones de ORACLE 11g R1 y R2

## Introducción

Este documento se presenta como una guía para la instalación del producto BI Server de PENTAHO con la base de datos ORACLE.

El objetivo es ser breve, conciso y completo por consiguiente se da paso a las instrucciones de instalación.

Es muy importante prestar especial atención a lo que es la dirección del servidor de ORACLE, puerto del listener de ORACLE e instancia de ORACLE. Importante también es prestar especial atención a la que es la dirección del propio servidor BI Server (TOMCAT) y en aquellos puntos donde se apunta una dirección IP, informar la IP correcta.

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

## Instalación de PENTAHO BI Server en ORACLE

En la instalación del producto se harán referencia a una serie de directorios y una serie de productos que pueden variar según el sistema operativo, o la voluntad del instalador, o la versión del producto a instalar. Por ejemplo si la versión estable del producto PENTAHO BI Server es otra que la 3.5.2, más nueva, se puede utilizar la más nueva. En cualquier caso es sólo una guía de referencia.

### PASO 1. Creación de la ubicación del producto

Crear el directorio siguiente:

```
C:\Pentaho\app\Product
```

### PASO 2. Desempaquetar el producto BI Server

Desempaquetar el fichero biserver-ce-3.5.2-STABLE.zip en el directorio del paso 1.

### PASO 3. Creación de los usuarios ORACLE

Para crear los usuarios de ORACLE antes deben crearse los TABLESPACES que albergarán las tablas y los índices.

En el ANEXO 1 se encuentra el script de creación de los TABLESPACES. En el ANEXO 2 se encuentra el script de creación de los usuarios que se necesitan.

### PASO 4. Creación de las tablas de los USUARIOS

En los ANEXOS 3, 4, 5, 6, 7 y 8 se detallan los scripts de creación de las tablas de cada usuario y también los datos iniciales que se deben insertar.

### PASO 5. Variables de entorno

Se deben fijar las variables de entorno siguientes:

VARIABLE	VALOR
CATALINA_BASE	C:\Pentaho\app\Product\biserver-ce\tomcat
CATALINA_HOME	C:\Pentaho\app\Product\biserver-ce\tomcat
CATALINA_OPTS	-Xms256m -Xmx768m -XX:MaxPermSize=256m -Dsun.rmi.dgc.client.gcInterval=3600000 -Dsun.rmi.dgc.server.gcInterval=3600000
CATALINA_TMPDIR	C:\Pentaho\app\Product\biserver-ce\tomcat\temp
JRE_HOME	C:\Archivos de programa\Java\jdk1.6.0_14\jre

Los valores de las variables deben ajustarse al sistema operativo y a la ubicación de los productos.

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

## PASO 6. Actualizar FICHERO: `applicationContext-<FRAMEWORK>-security-hibernate.properties`

En este paso se deben cambiar algunas líneas del archivo que se encuentra en el directorio

`C:\Pentaho\app\Product\biserver-ce\pentaho-solutions\system\`

y que puede tener diferentes nombres pero normalmente se nombra como:

`applicationContext-acegi-security-hibernate.properties`

o como:

`applicationContext-spring-security-hibernate.properties`

Contenido anterior

```
jdbc.driver=org.hsqldb.jdbcDriver
jdbc.url=jdbc:hsqldb:hsqldb://localhost:9001/hibernate
jdbc.username=hibuser
jdbc.password=password
hibernate.dialect=org.hibernate.dialect.HSQLDialect
```

Nuevo contenido

```
jdbc.driver=oracle.jdbc.driver.OracleDriver
jdbc.url=jdbc:oracle:thin:@localhost:1521:ORCL
jdbc.username=hibuser
jdbc.password=password
hibernate.dialect=org.hibernate.dialect.Oracle10gDialect
```

Suponiendo que en el localhost se encuentre el servidor de ORACLE, que el listener de ORACLE esté configurado en el puerto 1521 y que su SID sea ORCL. Si no es así se debe cambiar el servidor, el puerto y el SID según corresponda.

## PASO 7. Actualizar FICHERO: `applicationContext-<FRAMEWORK>-security-jdbc.xml`

En este paso se deben cambiar algunas líneas del archivo que se encuentra en el directorio

`C:\Pentaho\app\Product\biserver-ce\pentaho-solutions\system\`

y que puede tener diferentes nombres pero normalmente se nombra como:

`applicationContext-acegi-security-jdbc.xml`

o como:

`applicationContext-spring-security-jdbc.xml`

Contenido anterior

```
...
<!-- This is only for Hypersonic. Please update this section for any other database you are using -->
<bean id="dataSource"
      class="org.springframework.jdbc.datasource.DriverManagerDataSource">
  <property name="driverClassName" value="org.hsqldb.jdbcDriver" />
  <property name="url" />
</bean>
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
value="jdbc:hsqldb:hsq://localhost:9001/hibernate" />
<property name="username" value="hibuser" />
<property name="password" value="password" />
</bean>
...
```

Nuevo contenido

```
...
<bean id="dataSource"
class="org.springframework.jdbc.datasource.DriverManagerDataSource">
<property name="driverClassName" value="oracle.jdbc.driver.OracleDriver" />
<property name="url" value="jdbc:oracle:thin:@172.16.4.101:1521:ORCL" />
<property name="username" value="hibuser" />
<property name="password" value="password" />
</bean>
...
```

Notar que en este caso la dirección IP 172.16.4.101 es la dirección IP del host donde se encuentra ORACLE.

## PASO 8. Actualizar FICHERO: publisher\_config.xml

En este paso se deben cambiar algunas líneas del archivo que se encuentra en el directorio

**C:\Pentaho\app\Product\biserver-ce\pentaho-solutions\system\**

y se nombra como:

**publisher\_config.xml**

Contenido anterior

```
...
<publisher-config>
  <publisher-password></publisher-password>
</publisher-config>
...
```

Nuevo contenido

```
...
<publisher-config>
  <publisher-password>password</publisher-password>
</publisher-config>
...
```

## PASO 9. Actualizar FICHERO: hibernate-settings.xml

En este paso se deben cambiar algunas líneas del archivo que se encuentra en el directorio

**C:\Pentaho\app\Product\biserver-ce\pentaho-solutions\system\hibernate\**

y se nombra como:

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

## hibernate-settings.xml

Contenido anterior

```
...  
<config-file>system/hibernate/hsql.hibernate.cfg.xml</config-file>  
...
```

Nuevo contenido

```
...  
<config-file>system/hibernate/oracle10g.hibernate.cfg.xml</config-file>  
...
```

## PASO 10. Actualizar FICHERO: oracle10g.hibernate.cfg.xml

En este paso se deben cambiar algunas líneas del archivo que se encuentra en el directorio

**C : \Pentaho\app\Product\biserver-ce\pentaho-solutions\system\hibernate\**

y se nombra como:

**oracle10g.hibernate.cfg.xml**

Contenido anterior

```
...  
<property name="connection.url">jdbc:oracle:thin:@localhost:1521:pentaho</property>  
...
```

Nuevo contenido

```
...  
<property name="connection.url">jdbc:oracle:thin:@localhost:1521:ORCL</property>  
...
```

Suponiendo que en el localhost se encuentre el servidor de ORACLE, que el listener de ORACLE esté configurado en el puerto 1521 y que su SID sea ORCL. Si no es así se debe cambiar el servidor, el puerto y el SID según corresponda.

## PASO 11. Actualizar FICHERO: quartz.properties

En este paso se deben cambiar algunas líneas del archivo que se encuentra en el directorio

**C : \Pentaho\app\Product\biserver-ce\pentaho-solutions\system\quartz\**

y se nombra como:

**quartz.properties**

Contenido anterior

```
...
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
org.quartz.jobStore.driverDelegateClass = org.quartz.impl.jdbcjobstore.StdJDBCDelegate
...
```

Nuevo contenido

```
...
org.quartz.jobStore.driverDelegateClass = org.quartz.impl.jdbcjobstore.oracle.OracleDelegate
...
```

## PASO 12. Actualizar FICHERO: web.xml

En este paso se deben cambiar algunas líneas del archivo que se encuentra en el directorio

**C : \Pentaho\app\Product\biserver-ce\tomcat\webapps\pentaho\WEB-INF\**

y se nombra como:

**web.xml**

Contenido anterior

```
...
    <context-param>
      <param-name>base-url</param-name>
      <param-value>http://localhost:8080/pentaho/</param-value>
    </context-param>
...
      <param-name>TrustedIpAddr</param-name>
      <param-value>127.0.0.1</param-value>
      <description>Comma separated list of IP addresses of a trusted hosts.</description>
...
    <!-- insert additional resource-refs -->
...
```

Nuevo contenido

```
...
    <context-param>
      <param-name>base-url</param-name>
      <param-value>http://172.16.4.101:8080/pentaho/</param-value>
    </context-param>
...
      <param-name>TrustedIpAddr</param-name>
      <param-value>127.0.0.1,172.16.4.101</param-value>
      <description>Comma separated list of IP addresses of a trusted hosts.</description>
...
    <!-- insert additional resource-refs -->
...
    <security-role>
      <description>security role assignment</description>
      <role-name>PENTAHO_ADMIN</role-name>
    </security-role>
...
```

Notar que en este caso la dirección IP 172.16.4.101 es la dirección IP del localhost donde se encuentra el BI Server de Pentaho.



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

## PASO 13. Actualizar FICHERO: context.xml

En este paso se deben cambiar algunas líneas del archivo que se encuentra en el directorio

**C : \Pentaho\app\Product\biserver-ce\tomcat\webapps\pentaho\META-INF\**

y se nombra como:

**context.xml**

Contenido anterior

```
...
<Resource name="jdbc/Hibernate" auth="Container" type="javax.sql.DataSource"
  factory="org.apache.commons.dbcp.BasicDataSourceFactory" maxActive="20" maxIdle="5"
  maxWait="10000" username="hibuser" password="password"
  driverClassName="org.hsqldb.jdbcDriver" url="jdbc:hsqldb:hsqldb://localhost/hibernate"
  validationQuery="select count(*) from INFORMATION_SCHEMA.SYSTEM_SEQUENCES" />

<Resource name="jdbc/Quartz" auth="Container" type="javax.sql.DataSource"
  factory="org.apache.commons.dbcp.BasicDataSourceFactory" maxActive="20" maxIdle="5"
  maxWait="10000" username="pentaho_user" password="password"
  driverClassName="org.hsqldb.jdbcDriver" url="jdbc:hsqldb:hsqldb://localhost/quartz"
  validationQuery="select count(*) from INFORMATION_SCHEMA.SYSTEM_SEQUENCES"/>
...
```

Nuevo contenido

```
...
<Resource name="jdbc/Hibernate" auth="Container" type="javax.sql.DataSource"
  factory="org.apache.commons.dbcp.BasicDataSourceFactory" maxActive="20" maxIdle="5"
  maxWait="10000" username="hibuser" password="password"
  driverClassName="oracle.jdbc.driver.OracleDriver" url="jdbc:oracle:thin:@localhost:1521:ORCL"
  validationQuery="select count(*) from DUAL" />

<Resource name="jdbc/Quartz" auth="Container" type="javax.sql.DataSource"
  factory="org.apache.commons.dbcp.BasicDataSourceFactory" maxActive="20" maxIdle="5"
  maxWait="10000" username="quartz" password="password"
  driverClassName="oracle.jdbc.driver.OracleDriver" url="jdbc:oracle:thin:@localhost:1521:ORCL"
  validationQuery="select count(*) from DUAL"/>
...
```

Suponiendo que en el localhost se encuentre el servidor de ORACLE, que el listener de ORACLE esté configurado en el puerto 1521 y que su SID sea ORCL. Si no es así se debe cambiar el servidor, el puerto y el SID según corresponda.

## PASO 14. Actualizar FICHERO: context.xml

En este paso se deben cambiar algunas líneas del archivo que se encuentra en el directorio

**C : \Pentaho\app\Product\biserver-ce\tomcat\conf\**

y se nombra como:

**context.xml**

Contenido anterior

```
...
<Context>

  <!-- Default set of monitored resources -->
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
<WatchedResource>WEB-INF/web.xml</WatchedResource>

<!-- Uncomment this to disable session persistence across Tomcat restarts -->

<Manager pathname="" />

</Context>
...

```

Nuevo contenido

```
...
<Context>
  <!-- Default set of monitored resources -->
  <WatchedResource>WEB-INF/web.xml</WatchedResource>

  <!-- Uncomment this to disable session persistence across Tomcat restarts -->

  <Manager pathname="" />

  <Resource name="jdbc/Hibernate" auth="Container" type="javax.sql.DataSource"
    maxActive="20" maxIdle="5" maxWait="10000"
    username="hibuser" password="password" driverClassName="oracle.jdbc.driver.OracleDriver"
    url="jdbc:oracle:thin:@localhost:1521:ORCL"/>

  <Resource name="jdbc/Quartz" auth="Container" type="javax.sql.DataSource"
    maxActive="20" maxIdle="5" maxWait="10000"
    username="quartz" password="password" driverClassName="oracle.jdbc.driver.OracleDriver"
    url="jdbc:oracle:thin:@localhost:1521:ORCL"/>

</Context>
...

```

Suponiendo que en el localhost se encuentre el servidor de ORACLE, que el listener de ORACLE esté configurado en el puerto 1521 y que su SID sea ORCL. Si no es así se debe cambiar el servidor, el puerto y el SID según corresponda.

## PASO 15. Instalar los drivers de ORACLE jdbc

Si la versión de java es la 1.5 entonces hay que instalar los drivers de jdbc 1.5

```
cp %ORACLE_HOME%\jdbc\lib\ojdbc5.jar C:\Pentaho\app\Product\administration-console\jdbc\
cp %ORACLE_HOME%\jdbc\lib\ojdbc6.jar C:\Pentaho\app\Product\biserver-ce\tomcat\common\lib\
cp %ORACLE_HOME%\jlib\orai18n.jar C:\Pentaho\app\Product\biserver-ce\tomcat\common\i18n\
cp %ORACLE_HOME%\jlib\orai18n-mapping.jar C:\Pentaho\app\Product\biserver-ce\tomcat\common\i18n\

```

Si la versión de java es la 1.6 entonces hay que instalar los drivers de jdbc 1.6

```
cp %ORACLE_HOME%\jdbc\lib\ojdbc6.jar C:\Pentaho\app\Product\administration-console\jdbc\
cp %ORACLE_HOME%\jdbc\lib\ojdbc6.jar C:\Pentaho\app\Product\biserver-ce\tomcat\common\lib\
cp %ORACLE_HOME%\jlib\orai18n.jar C:\Pentaho\app\Product\biserver-ce\tomcat\common\i18n\
cp %ORACLE_HOME%\jlib\orai18n-mapping.jar C:\Pentaho\app\Product\biserver-ce\tomcat\common\i18n\

```

Es posible que si se está usando la versión de ORACLE 11g R1 se tenga una versión con un “bug” en las librerías jdbc.

# Instalación de PENTAHO BI Server en ORACLE

---

Para versiones de ORACLE 11g R1 y R2

Para comprobar estas librerías hay que lanzar el siguiente comando

```
> java -jar ojdbc6.jar
```

Si aparece el mensaje siguiente:

```
Oracle 11.1.0.6.0-Production JDBC 4.0 complied with JDK6
```

Y no aparece el mensaje siguiente:

```
Oracle 11.1.0.6.0-Production+ JDBC 4.0 complied with JDK6
```

Entonces hay que descargarse desde ORACLE la versión correcta de las librerías.

## PASO 16. Arrancar el servidor y la consola de administración.

Arrancar la consola de administración. Al arrancar la consola de administración se crearan unas tablas.

```
C:\Pentaho\app\Product\administration-console\startup.bat
```

Conectarse a la consola de administración a través de

consola

```
http://172.16.4.101:8099/
```

```
user: admin
```

```
password: password
```

Arrancar el BI Server de PENTAHO

```
C:\Pentaho\app\Product\biserver-ce\start-pentaho.bat
```

```
bi server PENTAHO
```

```
-----
```

```
http://172.16.4.101:8080/
```

Para parar la consola de administración:

```
D:\Pentaho\app\Product\administration-console\stop.bat
```

Para parar el BI server:

```
D:\Pentaho\app\Product\biserver-ce\stop-pentaho.bat
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

## ANEXOS

### ANEXO 1. SCRIPT DE CREACIÓN DE LOS TABLESPACES DE ORACLE

```
--  
-- TBSD_BG (Tablespace)  
--  
CREATE TABLESPACE TBSD_BG DATAFILE  
  'C:\ORACLE\APP\ORADATA\ORCL\TBSD_BG001.DBF' SIZE 1024M AUTOEXTEND ON NEXT 100M MAXSIZE 20480M  
LOGGING  
ONLINE  
PERMANENT  
EXTENT MANAGEMENT LOCAL UNIFORM SIZE 20M  
BLOCKSIZE 8K  
SEGMENT SPACE MANAGEMENT AUTO  
FLASHBACK ON  
/  
--  
-- TBSD_LT (Tablespace)  
--  
CREATE TABLESPACE TBSD_LT DATAFILE  
  'C:\ORACLE\APP\ORADATA\ORCL\TBSD_LT001.DBF' SIZE 1024M AUTOEXTEND ON NEXT 100M MAXSIZE 20480M  
LOGGING  
ONLINE  
PERMANENT  
EXTENT MANAGEMENT LOCAL UNIFORM SIZE 1M  
BLOCKSIZE 8K  
SEGMENT SPACE MANAGEMENT MANUAL  
FLASHBACK ON  
/  
--  
-- TBSD_MD (Tablespace)  
--  
CREATE TABLESPACE TBSD_MD DATAFILE  
  'C:\ORACLE\APP\ORADATA\ORCL\TBSD_MD001.DBF' SIZE 1024M AUTOEXTEND ON NEXT 100M MAXSIZE 20480M  
LOGGING  
ONLINE  
PERMANENT  
EXTENT MANAGEMENT LOCAL UNIFORM SIZE 1M  
BLOCKSIZE 8K  
SEGMENT SPACE MANAGEMENT AUTO  
FLASHBACK ON  
/  
--  
-- TBSI_BG (Tablespace)  
--  
CREATE TABLESPACE TBSI_BG DATAFILE  
  'C:\ORACLE\APP\ORADATA\ORCL\TBSI_BG001.DBF' SIZE 1024M AUTOEXTEND ON NEXT 100M MAXSIZE 20480M  
LOGGING  
ONLINE  
PERMANENT  
EXTENT MANAGEMENT LOCAL UNIFORM SIZE 20M  
BLOCKSIZE 8K  
SEGMENT SPACE MANAGEMENT AUTO  
FLASHBACK ON  
/  
--  
-- TBSI_LT (Tablespace)  
--  
CREATE TABLESPACE TBSI_LT DATAFILE  
  'C:\ORACLE\APP\ORADATA\ORCL\TBSI_LT001.DBF' SIZE 1024M AUTOEXTEND ON NEXT 100M MAXSIZE 20480M  
LOGGING  
ONLINE  
PERMANENT  
EXTENT MANAGEMENT LOCAL UNIFORM SIZE 1M  
BLOCKSIZE 8K  
SEGMENT SPACE MANAGEMENT MANUAL  
FLASHBACK ON  
/  
--  
-- TBSI_MD (Tablespace)  
--  
CREATE TABLESPACE TBSI_MD DATAFILE  
  'C:\ORACLE\APP\ORADATA\ORCL\TBSI_MD001.DBF' SIZE 1024M AUTOEXTEND ON NEXT 100M MAXSIZE 20480M  
LOGGING  
ONLINE  
PERMANENT  
EXTENT MANAGEMENT LOCAL UNIFORM SIZE 1M  
BLOCKSIZE 8K  
SEGMENT SPACE MANAGEMENT AUTO  
FLASHBACK ON  
/
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

## ANEXO 2. SCRIPT DE CREACIÓN DE LOS USUARIOS DE ORACLE

```
--
-- HIBUSER (User)
--
CREATE USER HIBUSER
IDENTIFIED BY "password"
DEFAULT TABLESPACE TBSD_LT
TEMPORARY TABLESPACE TEMP
PROFILE DEFAULT
ACCOUNT UNLOCK
/
-- 3 Roles for HIBUSER
GRANT SELECT_CATALOG_ROLE TO HIBUSER
/
GRANT CONNECT TO HIBUSER
/
GRANT RESOURCE TO HIBUSER
/
ALTER USER HIBUSER DEFAULT ROLE CONNECT, RESOURCE
/
-- 36 System Privileges for HIBUSER
GRANT CREATE ANY JOB TO HIBUSER
/
GRANT ANALYZE ANY TO HIBUSER
/
GRANT CREATE ANY INDEXTYPE TO HIBUSER
/
GRANT CREATE ANY DIRECTORY TO HIBUSER
/
GRANT CREATE MATERIALIZED VIEW TO HIBUSER WITH ADMIN OPTION
/
GRANT EXECUTE ANY PROCEDURE TO HIBUSER
/
GRANT CREATE SEQUENCE TO HIBUSER WITH ADMIN OPTION
/
GRANT ALTER SESSION TO HIBUSER
/
GRANT ADMINISTER SQL TUNING SET TO HIBUSER
/
GRANT EXECUTE ANY LIBRARY TO HIBUSER
/
GRANT SELECT ANY SEQUENCE TO HIBUSER
/
GRANT DROP ANY SEQUENCE TO HIBUSER
/
GRANT ALTER ANY SEQUENCE TO HIBUSER WITH ADMIN OPTION
/
GRANT DROP ANY INDEX TO HIBUSER
/
GRANT CREATE ANY INDEX TO HIBUSER
/
GRANT DEBUG CONNECT SESSION TO HIBUSER
/
GRANT CREATE ANY VIEW TO HIBUSER WITH ADMIN OPTION
/
GRANT CREATE VIEW TO HIBUSER
/
GRANT LOCK ANY TABLE TO HIBUSER
/
GRANT UNLIMITED TABLESPACE TO HIBUSER
/
GRANT IMPORT FULL DATABASE TO HIBUSER
/
GRANT CREATE LIBRARY TO HIBUSER WITH ADMIN OPTION
/
GRANT SELECT ANY TABLE TO HIBUSER
/
GRANT DROP ANY TABLE TO HIBUSER
/
GRANT SELECT ANY TRANSACTION TO HIBUSER
/
GRANT DEBUG ANY PROCEDURE TO HIBUSER
/
GRANT CREATE TYPE TO HIBUSER
/
GRANT ALTER ANY TABLE TO HIBUSER
/
GRANT CREATE ANY TABLE TO HIBUSER WITH ADMIN OPTION
/
GRANT CREATE TABLE TO HIBUSER
/
GRANT EXECUTE ANY PROGRAM TO HIBUSER
/
GRANT CREATE JOB TO HIBUSER WITH ADMIN OPTION
/
GRANT ON COMMIT REFRESH TO HIBUSER
/
GRANT CREATE TRIGGER TO HIBUSER
/
GRANT CREATE DATABASE LINK TO HIBUSER WITH ADMIN OPTION
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
/ GRANT SELECT ANY DICTIONARY TO HIBUSER
/
-- 6 Tablespace Quotas for HIBUSER
ALTER USER HIBUSER QUOTA UNLIMITED ON TBSI_MD
/
ALTER USER HIBUSER QUOTA UNLIMITED ON TBSD_LT
/
ALTER USER HIBUSER QUOTA UNLIMITED ON TBSI_BG
/
ALTER USER HIBUSER QUOTA UNLIMITED ON TBSD_BG
/
ALTER USER HIBUSER QUOTA UNLIMITED ON TBSD_MD
/
ALTER USER HIBUSER QUOTA UNLIMITED ON TBSI_LT
/

--
-- PENTAHO_USER (User)
--
CREATE USER PENTAHO_USER
  IDENTIFIED BY "password"
  DEFAULT TABLESPACE TBSD_LT
  TEMPORARY TABLESPACE TEMP
  PROFILE DEFAULT
  ACCOUNT UNLOCK
/

-- 3 Roles for PENTAHO_USER
GRANT SELECT_CATALOG_ROLE TO PENTAHO_USER
/
GRANT RESOURCE TO PENTAHO_USER
/
GRANT CONNECT TO PENTAHO_USER
/
ALTER USER PENTAHO_USER DEFAULT ROLE RESOURCE, CONNECT
/

-- 36 System Privileges for PENTAHO_USER
GRANT ON COMMIT REFRESH TO PENTAHO_USER
/
GRANT DROP ANY SEQUENCE TO PENTAHO_USER
/
GRANT SELECT ANY TABLE TO PENTAHO_USER
/
GRANT CREATE JOB TO PENTAHO_USER WITH ADMIN OPTION
/
GRANT IMPORT FULL DATABASE TO PENTAHO_USER
/
GRANT DEBUG CONNECT SESSION TO PENTAHO_USER
/
GRANT ALTER SESSION TO PENTAHO_USER
/
GRANT SELECT ANY DICTIONARY TO PENTAHO_USER
/
GRANT CREATE TYPE TO PENTAHO_USER
/
GRANT CREATE MATERIALIZED VIEW TO PENTAHO_USER WITH ADMIN OPTION
/
GRANT ALTER ANY SEQUENCE TO PENTAHO_USER WITH ADMIN OPTION
/
GRANT CREATE ANY INDEX TO PENTAHO_USER
/
GRANT CREATE ANY JOB TO PENTAHO_USER
/
GRANT CREATE ANY VIEW TO PENTAHO_USER WITH ADMIN OPTION
/
GRANT ALTER ANY TABLE TO PENTAHO_USER
/
GRANT DEBUG ANY PROCEDURE TO PENTAHO_USER
/
GRANT ANALYZE ANY TO PENTAHO_USER
/
GRANT LOCK ANY TABLE TO PENTAHO_USER
/
GRANT CREATE ANY INDEXTYPE TO PENTAHO_USER
/
GRANT SELECT ANY SEQUENCE TO PENTAHO_USER
/
GRANT CREATE VIEW TO PENTAHO_USER
/
GRANT DROP ANY INDEX TO PENTAHO_USER
/
GRANT EXECUTE ANY PROGRAM TO PENTAHO_USER
/
GRANT CREATE LIBRARY TO PENTAHO_USER WITH ADMIN OPTION
/
GRANT CREATE ANY DIRECTORY TO PENTAHO_USER
/
GRANT EXECUTE ANY PROCEDURE TO PENTAHO_USER
/
GRANT CREATE SEQUENCE TO PENTAHO_USER WITH ADMIN OPTION
/
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
GRANT DROP ANY TABLE TO PENTAHO_USER
/
GRANT CREATE ANY TABLE TO PENTAHO_USER WITH ADMIN OPTION
/
GRANT CREATE TABLE TO PENTAHO_USER
/
GRANT UNLIMITED TABLESPACE TO PENTAHO_USER
/
GRANT ADMINISTER SQL TUNING SET TO PENTAHO_USER
/
GRANT SELECT ANY TRANSACTION TO PENTAHO_USER
/
GRANT CREATE TRIGGER TO PENTAHO_USER
/
GRANT CREATE DATABASE LINK TO PENTAHO_USER WITH ADMIN OPTION
/
GRANT EXECUTE ANY LIBRARY TO PENTAHO_USER
/
-- 6 Tablespace Quotas for PENTAHO_USER
ALTER USER PENTAHO_USER QUOTA UNLIMITED ON TBSI_MD
/
ALTER USER PENTAHO_USER QUOTA UNLIMITED ON TBSD_LT
/
ALTER USER PENTAHO_USER QUOTA UNLIMITED ON TBSI_BG
/
ALTER USER PENTAHO_USER QUOTA UNLIMITED ON TBSD_BG
/
ALTER USER PENTAHO_USER QUOTA UNLIMITED ON TBSD_MD
/
ALTER USER PENTAHO_USER QUOTA UNLIMITED ON TBSI_LT
/
--
-- QUARTZ (User)
--
CREATE USER QUARTZ
  IDENTIFIED BY "password"
  DEFAULT TABLESPACE TBSD_LT
  TEMPORARY TABLESPACE TEMP
  PROFILE DEFAULT
  ACCOUNT UNLOCK
/
-- 3 Roles for QUARTZ
GRANT CONNECT TO QUARTZ
/
GRANT RESOURCE TO QUARTZ
/
GRANT SELECT_CATALOG_ROLE TO QUARTZ
/
ALTER USER QUARTZ DEFAULT ROLE CONNECT, RESOURCE
/
-- 36 System Privileges for QUARTZ
GRANT CREATE JOB TO QUARTZ WITH ADMIN OPTION
/
GRANT ALTER ANY TABLE TO QUARTZ
/
GRANT DROP ANY SEQUENCE TO QUARTZ
/
GRANT CREATE ANY INDEX TO QUARTZ
/
GRANT EXECUTE ANY PROGRAM TO QUARTZ
/
GRANT CREATE TRIGGER TO QUARTZ
/
GRANT CREATE ANY TABLE TO QUARTZ WITH ADMIN OPTION
/
GRANT CREATE ANY JOB TO QUARTZ
/
GRANT DEBUG CONNECT SESSION TO QUARTZ
/
GRANT EXECUTE ANY LIBRARY TO QUARTZ
/
GRANT CREATE TYPE TO QUARTZ
/
GRANT CREATE ANY DIRECTORY TO QUARTZ
/
GRANT CREATE MATERIALIZED VIEW TO QUARTZ WITH ADMIN OPTION
/
GRANT ANALYZE ANY TO QUARTZ
/
GRANT EXECUTE ANY PROCEDURE TO QUARTZ
/
GRANT CREATE SEQUENCE TO QUARTZ WITH ADMIN OPTION
/
GRANT DROP ANY INDEX TO QUARTZ
/
GRANT CREATE TABLE TO QUARTZ
/
GRANT UNLIMITED TABLESPACE TO QUARTZ
/
GRANT ALTER SESSION TO QUARTZ
/
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
GRANT DEBUG ANY PROCEDURE TO QUARTZ
/
GRANT SELECT ANY SEQUENCE TO QUARTZ
/
GRANT CREATE ANY VIEW TO QUARTZ WITH ADMIN OPTION
/
GRANT IMPORT FULL DATABASE TO QUARTZ
/
GRANT CREATE ANY INDEXTYPE TO QUARTZ
/
GRANT DROP ANY TABLE TO QUARTZ
/
GRANT SELECT ANY DICTIONARY TO QUARTZ
/
GRANT CREATE LIBRARY TO QUARTZ WITH ADMIN OPTION
/
GRANT SELECT ANY TABLE TO QUARTZ
/
GRANT ADMINISTER SQL TUNING SET TO QUARTZ
/
GRANT SELECT ANY TRANSACTION TO QUARTZ
/
GRANT ON COMMIT REFRESH TO QUARTZ
/
GRANT ALTER ANY SEQUENCE TO QUARTZ WITH ADMIN OPTION
/
GRANT CREATE VIEW TO QUARTZ
/
GRANT LOCK ANY TABLE TO QUARTZ
/
GRANT CREATE DATABASE LINK TO QUARTZ WITH ADMIN OPTION
/

-- 6 Tablespace Quotas for QUARTZ
ALTER USER QUARTZ QUOTA UNLIMITED ON TBSI_MD
/
ALTER USER QUARTZ QUOTA UNLIMITED ON TBSD_LT
/
ALTER USER QUARTZ QUOTA UNLIMITED ON TBSI_BG
/
ALTER USER QUARTZ QUOTA UNLIMITED ON TBSD_BG
/
ALTER USER QUARTZ QUOTA UNLIMITED ON TBSD_MD
/
ALTER USER QUARTZ QUOTA UNLIMITED ON TBSI_LT
/
```

## ANEXO 3. SCRIPT DE CREACIÓN DE LAS TABLAS DE “PENTAHO\_USER”

```
--
-- ORDERS (Table)
--
CREATE TABLE ORDERS
(
  ORDERNUMBER      NUMBER(38)           NOT NULL,
  ORDERDATE        DATE                 NOT NULL,
  REQUIREDDATE     DATE                 NOT NULL,
  SHIPPEDDATE      DATE,
  STATUS           VARCHAR2(15 BYTE)     NOT NULL,
  COMMENTS         LONG,
  CUSTOMERNUMBER   NUMBER(38)           NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- PAYMENTS (Table)
--
CREATE TABLE PAYMENTS
(
  CUSTOMERNUMBER   NUMBER(38)           NOT NULL,
  CHECKNUMBER      VARCHAR2(50 BYTE)     NOT NULL,
  PAYMENTDATE      DATE                 NOT NULL,
  AMOUNT           NUMBER(17)           NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
NOPARALLEL
MONITORING
/

--
-- CUSTOMER_W_TER (Table)
--
CREATE TABLE CUSTOMER_W_TER
(
  CUSTOMERNUMBER      NUMBER(38),
  CUSTOMERNAME        VARCHAR2(50 BYTE),
  CONTACTLASTNAME     VARCHAR2(50 BYTE),
  CONTACTFIRSTNAME    VARCHAR2(50 BYTE),
  PHONE                VARCHAR2(50 BYTE),
  ADDRESSLINE1        VARCHAR2(50 BYTE),
  ADDRESSLINE2        VARCHAR2(50 BYTE),
  CITY                 VARCHAR2(50 BYTE),
  STATE                VARCHAR2(50 BYTE),
  POSTALCODE          VARCHAR2(15 BYTE),
  COUNTRY              VARCHAR2(50 BYTE),
  EMPLOYEEENUMBER     NUMBER(38),
  CREDITLIMIT         NUMBER,
  TERRITORY           VARCHAR2(10 BYTE)
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- DIM_TIME (Table)
--
CREATE TABLE DIM_TIME
(
  TIME_ID              VARCHAR2(10 BYTE),
  MONTH_ID             NUMBER(38),
  QTR_ID               NUMBER(38),
  YEAR_ID              NUMBER(38),
  MONTH_NAME           CHAR(3 BYTE),
  MONTH_DESC           VARCHAR2(9 BYTE),
  QTR_NAME             VARCHAR2(4 BYTE),
  QTR_DESC             VARCHAR2(9 BYTE)
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- TRIAL_BALANCE (Table)
--
CREATE TABLE TRIAL_BALANCE
(
  "Type"              CHAR(1 BYTE),
  "Account_Num"       NUMBER(38),
  "Category"          VARCHAR2(57 BYTE),
  "Category2"         VARCHAR2(57 BYTE),
  "Detail"            VARCHAR2(57 BYTE),
  "Amount"            NUMBER(38)
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- PRODUCTS (Table)
--
CREATE TABLE PRODUCTS
(
  PRODUCTCODE         VARCHAR2(50 BYTE)          NOT NULL,
  PRODUCTNAME         VARCHAR2(70 BYTE)          NOT NULL,
  PRODUCTLINE         VARCHAR2(50 BYTE)          NOT NULL,
  PRODUCTSCALE        VARCHAR2(10 BYTE)          NOT NULL,
  PRODUCTVENDOR       VARCHAR2(50 BYTE)          NOT NULL,
  PRODUCTDESCRIPTION   LONG                      NOT NULL,
  QUANTITYINSTOCK     NUMBER(38)                 NOT NULL,
  BUYPRICE            NUMBER(17)                 NOT NULL,
  MSRP                NUMBER(17)                 NOT NULL
)
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- ORDERDETAILS (Table)
--
CREATE TABLE ORDERDETAILS
(
  ORDERNUMBER      NUMBER(38)           NOT NULL,
  PRODUCTCODE      VARCHAR2(50 BYTE)    NOT NULL,
  QUANTITYORDERED NUMBER(38)           NOT NULL,
  PRICEEACH        NUMBER(17)          NOT NULL,
  ORDERLINENUMBER  NUMBER(38)           NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- OFFICES (Table)
--
CREATE TABLE OFFICES
(
  OFFICECODE       VARCHAR2(50 BYTE)     NOT NULL,
  CITY             VARCHAR2(50 BYTE)     NOT NULL,
  PHONE           VARCHAR2(50 BYTE)     NOT NULL,
  ADDRESSLINE1    VARCHAR2(50 BYTE)     NOT NULL,
  ADDRESSLINE2    VARCHAR2(50 BYTE),
  STATE          VARCHAR2(50 BYTE),
  COUNTRY         VARCHAR2(50 BYTE)     NOT NULL,
  POSTALCODE      VARCHAR2(10 BYTE)     NOT NULL,
  TERRITORY       VARCHAR2(10 BYTE)     NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- EMPLOYEES (Table)
--
CREATE TABLE EMPLOYEES
(
  EMPLOYEEID       NUMBER(38)           NOT NULL,
  LASTNAME         VARCHAR2(50 BYTE)     NOT NULL,
  FIRSTNAME       VARCHAR2(50 BYTE)     NOT NULL,
  EXTENSION        VARCHAR2(10 BYTE)     NOT NULL,
  EMAIL           VARCHAR2(100 BYTE)    NOT NULL,
  OFFICECODE       VARCHAR2(20 BYTE)     NOT NULL,
  REPORTSTO        NUMBER(38),
  JOBTITLE         VARCHAR2(50 BYTE)     NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- CUSTOMERS (Table)
--
CREATE TABLE CUSTOMERS
(
  CUSTOMERID       NUMBER(38)           NOT NULL,
  CUSTOMERNAME     VARCHAR2(50 BYTE)     NOT NULL,
  CONTACTLASTNAME  VARCHAR2(50 BYTE)     NOT NULL,
  CONTACTFIRSTNAME VARCHAR2(50 BYTE)     NOT NULL,
  PHONE           VARCHAR2(50 BYTE)     NOT NULL,
  ADDRESSLINE1    VARCHAR2(50 BYTE)     NOT NULL,
  ADDRESSLINE2    VARCHAR2(50 BYTE),
  CITY            VARCHAR2(50 BYTE)     NOT NULL,
  STATE          VARCHAR2(50 BYTE),
  POSTALCODE      VARCHAR2(15 BYTE),

```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
COUNTRY                VARCHAR2(50 BYTE)    NOT NULL,
SALESREPEMPLOYEENUMBER NUMBER(38),
CREDITLIMIT            NUMBER(17)
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- DEPARTMENT_MANAGERS (Table)
--
CREATE TABLE DEPARTMENT_MANAGERS
(
  REGION                VARCHAR2(50 BYTE)    NOT NULL,
  MANAGER_NAME          VARCHAR2(50 BYTE)    NOT NULL,
  EMAIL                 VARCHAR2(50 BYTE)
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QUADRANT_ACTUALS (Table)
--
CREATE TABLE QUADRANT_ACTUALS
(
  REGION                VARCHAR2(50 BYTE)    NOT NULL,
  DEPARTMENT            VARCHAR2(50 BYTE)    NOT NULL,
  POSITIONTITLE          VARCHAR2(50 BYTE)    NOT NULL,
  ACTUAL                NUMBER(18,4),
  BUDGET                NUMBER(18,4),
  VARIANCE              NUMBER(18,4)
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- "index1" (Index)
--
CREATE UNIQUE INDEX "index1" ON CUSTOMER_W_TER
(CUSTOMERNUMBER)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- SYS_PK_ORDERDETAILS (Index)
--
CREATE UNIQUE INDEX SYS_PK_ORDERDETAILS ON ORDERDETAILS
(ORDERNUMBER, PRODUCTCODE)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- SYS_PK_PAYMENTS (Index)
--
CREATE UNIQUE INDEX SYS_PK_PAYMENTS ON PAYMENTS
(CUSTOMERNUMBER, CHECKNUMBER)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- ORDERFACT (Table)
--
CREATE TABLE ORDERFACT
(
  ORDERNUMBER           NUMBER(38),
  PRODUCTCODE           VARCHAR2(50 BYTE),
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
QUANTITYORDERED NUMBER(38),
PRICEEACH NUMBER,
ORDERLINENUMBER NUMBER(38),
TOTALPRICE NUMBER,
ORDERDATE DATE,
REQUIREDDATE DATE,
SHIPPEDDATE DATE,
STATUS VARCHAR2(15 BYTE),
COMMENTS LONG,
CUSTOMERNUMBER NUMBER(38),
TIME_ID VARCHAR2(10 BYTE),
QTR_ID NUMBER(38),
MONTH_ID NUMBER(38),
YEAR_ID NUMBER(38)
)
TABLESPACE TBSD_IT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- Non Foreign Key Constraints for Table ORDERS
--
ALTER TABLE ORDERS ADD (
  CONSTRAINT ORDERS_PK
  PRIMARY KEY
  (ORDERNUMBER))
/

--
-- Non Foreign Key Constraints for Table PAYMENTS
--
ALTER TABLE PAYMENTS ADD (
  CONSTRAINT PAYMENTS_PK
  PRIMARY KEY
  (CUSTOMERNUMBER, CHECKNUMBER))
/

--
-- Non Foreign Key Constraints for Table PRODUCTS
--
ALTER TABLE PRODUCTS ADD (
  CONSTRAINT PRODUCTS_PK
  PRIMARY KEY
  (PRODUCTCODE))
/

--
-- Non Foreign Key Constraints for Table ORDERDETAILS
--
ALTER TABLE ORDERDETAILS ADD (
  CONSTRAINT ORDERDETAILS_PK
  PRIMARY KEY
  (ORDERNUMBER, PRODUCTCODE))
/

--
-- Non Foreign Key Constraints for Table OFFICES
--
ALTER TABLE OFFICES ADD (
  CONSTRAINT OFFICES_PK
  PRIMARY KEY
  (OFFICECODE))
/

--
-- Non Foreign Key Constraints for Table EMPLOYEES
--
ALTER TABLE EMPLOYEES ADD (
  CONSTRAINT EMPLOYEES_PK
  PRIMARY KEY
  (EMPLOYEEENUNBER))
/

--
-- Non Foreign Key Constraints for Table CUSTOMERS
--
ALTER TABLE CUSTOMERS ADD (
  CONSTRAINT CUSTOMERS_PK
  PRIMARY KEY
  (CUSTOMERNUMBER))
/

--
-- Foreign Key Constraints for Table ORDERFACT
--
ALTER TABLE ORDERFACT ADD (
  CONSTRAINT SYS_FK_1
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
FOREIGN KEY (PRODUCTCODE)
REFERENCES PRODUCTS (PRODUCTCODE))
/
```

## ANEXO 4. SCRIPT DE CREACIÓN DE LAS TABLAS DE “QUARTZ”

```
--
-- QRTZ_JOB_DETAILS (Table)
--
CREATE TABLE QRTZ_JOB_DETAILS
(
  JOB_NAME          VARCHAR2(80 BYTE)          NOT NULL,
  JOB_GROUP         VARCHAR2(80 BYTE)          NOT NULL,
  DESCRIPTION       VARCHAR2(120 BYTE),
  JOB_CLASS_NAME    VARCHAR2(128 BYTE)         NOT NULL,
  IS_DURABLE        VARCHAR2(1 BYTE)          NOT NULL,
  IS_VOLATILE       VARCHAR2(1 BYTE)          NOT NULL,
  IS_STATEFUL       VARCHAR2(1 BYTE)          NOT NULL,
  REQUESTS_RECOVERY VARCHAR2(1 BYTE)          NOT NULL,
  JOB_DATA          BLOB
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
LOB (JOB_DATA) STORE AS
  ( TABLESPACE TBSD_LT
    ENABLE STORAGE IN ROW
    CHUNK 8192
    RETENTION
    NOCACHE
    INDEX (
      TABLESPACE TBSD_LT)
  )
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_CALENDARS (Table)
--
CREATE TABLE QRTZ_CALENDARS
(
  CALENDAR_NAME    VARCHAR2(80 BYTE)          NOT NULL,
  CALENDAR          BLOB                     NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
LOB (CALENDAR) STORE AS
  ( TABLESPACE TBSD_LT
    ENABLE STORAGE IN ROW
    CHUNK 8192
    RETENTION
    NOCACHE
    INDEX (
      TABLESPACE TBSD_LT)
  )
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_PAUSED_TRIGGER_GRPS (Table)
--
CREATE TABLE QRTZ_PAUSED_TRIGGER_GRPS
(
  TRIGGER_GROUP    VARCHAR2(80 BYTE)          NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_FIRED_TRIGGERS (Table)
--
CREATE TABLE QRTZ_FIRED_TRIGGERS
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
(
ENTRY_ID          VARCHAR2(95 BYTE)          NOT NULL,
TRIGGER_NAME      VARCHAR2(80 BYTE)          NOT NULL,
TRIGGER_GROUP     VARCHAR2(80 BYTE)          NOT NULL,
IS_VOLATILE       VARCHAR2(1 BYTE)          NOT NULL,
INSTANCE_NAME     VARCHAR2(80 BYTE)          NOT NULL,
FIRED_TIME        NUMBER(13)                 NOT NULL,
STATE             VARCHAR2(16 BYTE)          NOT NULL,
JOB_NAME          VARCHAR2(80 BYTE),
JOB_GROUP         VARCHAR2(80 BYTE),
IS_STATEFUL       VARCHAR2(1 BYTE),
REQUESTS_RECOVERY VARCHAR2(1 BYTE)
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_SCHEDULER_STATE (Table)
--
CREATE TABLE QRTZ_SCHEDULER_STATE
(
INSTANCE_NAME     VARCHAR2(80 BYTE)          NOT NULL,
LAST_CHECKIN TIME NUMBER(13)                 NOT NULL,
CHECKIN_INTERVAL  NUMBER(13)                 NOT NULL,
RECOVERER         VARCHAR2(80 BYTE)
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_LOCKS (Table)
--
CREATE TABLE QRTZ_LOCKS
(
LOCK_NAME         VARCHAR2(40 BYTE)          NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_CLD_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_CLD_PK ON QRTZ_CALENDARS
(CALENDAR_NAME)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_FIRED_TRG_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_FIRED_TRG_PK ON QRTZ_FIRED_TRIGGERS
(ENTRY_ID)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_JOB_DETAILS_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_JOB_DETAILS_PK ON QRTZ_JOB_DETAILS
(JOB_NAME, JOB_GROUP)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_LOCKS_PK (Index)

```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
--
CREATE UNIQUE INDEX QRTZ_LOCKS_PK ON QRTZ_LOCKS
(LOCK_NAME)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_P_TRIG_GRPS_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_P_TRIG_GRPS_PK ON QRTZ_PAUSED_TRIGGER_GRPS
(TRIGGER_GROUP)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_SCHED_ST_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_SCHED_ST_PK ON QRTZ_SCHEDULER_STATE
(INSTANCE_NAME)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_JOB_LISTENERS (Table)
--
CREATE TABLE QRTZ_JOB_LISTENERS
(
  JOB_NAME      VARCHAR2(80 BYTE)      NOT NULL,
  JOB_GROUP    VARCHAR2(80 BYTE)      NOT NULL,
  JOB_LISTENER VARCHAR2(80 BYTE)      NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_TRIGGERS (Table)
--
CREATE TABLE QRTZ_TRIGGERS
(
  TRIGGER_NAME  VARCHAR2(80 BYTE)      NOT NULL,
  TRIGGER_GROUP VARCHAR2(80 BYTE)      NOT NULL,
  JOB_NAME      VARCHAR2(80 BYTE)      NOT NULL,
  JOB_GROUP    VARCHAR2(80 BYTE)      NOT NULL,
  IS_VOLATILE  VARCHAR2(1 BYTE)       NOT NULL,
  DESCRIPTION   VARCHAR2(120 BYTE),
  NEXT_FIRE_TIME NUMBER(13),
  PREV_FIRE_TIME NUMBER(13),
  TRIGGER_STATE VARCHAR2(16 BYTE)      NOT NULL,
  TRIGGER_TYPE  VARCHAR2(8 BYTE)       NOT NULL,
  START_TIME    NUMBER(13),
  END_TIME      NUMBER(13),
  CALENDAR_NAME VARCHAR2(80 BYTE),
  MISFIRE_INSTR NUMBER(2),
  JOB_DATA      BLOB
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
LOB (JOB_DATA) STORE AS
(
  TABLESPACE TBSD_LT
  ENABLE STORAGE IN ROW
  CHUNK 8192
  RETENTION
  NOCACHE
  INDEX
  (
    TABLESPACE TBSD_LT
  )
)
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_JOB_LIST_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_JOB_LIST_PK ON QRTZ_JOB_LISTENERS
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
(JOB_NAME, JOB_GROUP, JOB_LISTENER)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_TG_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_TG_PK ON QRTZ_TRIGGERS
(TRIGGER_NAME, TRIGGER_GROUP)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_SIMPLE_TRIGGERS (Table)
--
CREATE TABLE QRTZ_SIMPLE_TRIGGERS
(
  TRIGGER_NAME      VARCHAR2(80 BYTE)      NOT NULL,
  TRIGGER_GROUP     VARCHAR2(80 BYTE)      NOT NULL,
  REPEAT_COUNT      NUMBER(7)              NOT NULL,
  REPEAT_INTERVAL   NUMBER(12)            NOT NULL,
  TIMES_TRIGGERED   NUMBER(7)              NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_CRON_TRIGGERS (Table)
--
CREATE TABLE QRTZ_CRON_TRIGGERS
(
  TRIGGER_NAME      VARCHAR2(80 BYTE)      NOT NULL,
  TRIGGER_GROUP     VARCHAR2(80 BYTE)      NOT NULL,
  CRON_EXPRESSION   VARCHAR2(80 BYTE)      NOT NULL,
  TIME_ZONE_ID      VARCHAR2(80 BYTE)
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_BLOB_TRIGGERS (Table)
--
CREATE TABLE QRTZ_BLOB_TRIGGERS
(
  TRIGGER_NAME      VARCHAR2(80 BYTE)      NOT NULL,
  TRIGGER_GROUP     VARCHAR2(80 BYTE)      NOT NULL,
  BLOB_DATA         BLOB
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
LOB (BLOB_DATA) STORE AS
(
  TABLESPACE TBSD_LT
  ENABLE STORAGE IN ROW
  CHUNK 8192
  RETENTION
  NOCACHE
  INDEX (
    TABLESPACE TBSD_LT
  )
)
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_TRIGGER_LISTENERS (Table)
--
CREATE TABLE QRTZ_TRIGGER_LISTENERS
(
  TRIGGER_NAME      VARCHAR2(80 BYTE)      NOT NULL,
  TRIGGER_GROUP     VARCHAR2(80 BYTE)      NOT NULL,
  TRIGGER_LISTENER  VARCHAR2(80 BYTE)      NOT NULL
)
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

--
-- QRTZ_BLOB_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_BLOB_PK ON QRTZ_BLOB_TRIGGERS
(TRIGGER_NAME, TRIGGER_GROUP)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_CRON_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_CRON_PK ON QRTZ_CRON_TRIGGERS
(TRIGGER_NAME, TRIGGER_GROUP)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_SM_TG_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_SM_TG_PK ON QRTZ_SIMPLE_TRIGGERS
(TRIGGER_NAME, TRIGGER_GROUP)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- QRTZ_TG_LST_PK (Index)
--
CREATE UNIQUE INDEX QRTZ_TG_LST_PK ON QRTZ_TRIGGER_LISTENERS
(TRIGGER_NAME, TRIGGER_GROUP, TRIGGER_LISTENER)
LOGGING
TABLESPACE TBSI_LT
NOPARALLEL
/

--
-- Non Foreign Key Constraints for Table QRTZ_JOB_DETAILS
--
ALTER TABLE QRTZ_JOB_DETAILS ADD (
  CONSTRAINT QRTZ_JOB_DETAILS_PK
  PRIMARY KEY
  (JOB_NAME, JOB_GROUP)
  USING INDEX
  TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_CALENDARS
--
ALTER TABLE QRTZ_CALENDARS ADD (
  CONSTRAINT QRTZ_CLD_PK
  PRIMARY KEY
  (CALENDAR_NAME)
  USING INDEX
  TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_PAUSED_TRIGGER_GRPS
--
ALTER TABLE QRTZ_PAUSED_TRIGGER_GRPS ADD (
  CONSTRAINT QRTZ_P_TRIG_GRPS_PK
  PRIMARY KEY
  (TRIGGER_GROUP)
  USING INDEX
  TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_FIRED_TRIGGERS
--
ALTER TABLE QRTZ_FIRED_TRIGGERS ADD (
  CONSTRAINT QRTZ_FIRED_TRG_PK
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
PRIMARY KEY
(ENTRY_ID)
USING INDEX
TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_SCHEDULER_STATE
--
ALTER TABLE QRTZ_SCHEDULER_STATE ADD (
CONSTRAINT QRTZ_SCHED_ST_PK
PRIMARY KEY
(INSTANCE_NAME)
USING INDEX
TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_LOCKS
--
ALTER TABLE QRTZ_LOCKS ADD (
CONSTRAINT QRTZ_LOCKS_PK
PRIMARY KEY
(LOCK_NAME)
USING INDEX
TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_JOB_LISTENERS
--
ALTER TABLE QRTZ_JOB_LISTENERS ADD (
CONSTRAINT QRTZ_JOB_LIST_PK
PRIMARY KEY
(JOB_NAME, JOB_GROUP, JOB_LISTENER)
USING INDEX
TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_TRIGGERS
--
ALTER TABLE QRTZ_TRIGGERS ADD (
CONSTRAINT QRTZ_TG_PK
PRIMARY KEY
(TRIGGER_NAME, TRIGGER_GROUP)
USING INDEX
TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_SIMPLE_TRIGGERS
--
ALTER TABLE QRTZ_SIMPLE_TRIGGERS ADD (
CONSTRAINT QRTZ_SM_TG_PK
PRIMARY KEY
(TRIGGER_NAME, TRIGGER_GROUP)
USING INDEX
TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_CRON_TRIGGERS
--
ALTER TABLE QRTZ_CRON_TRIGGERS ADD (
CONSTRAINT QRTZ_CRON_PK
PRIMARY KEY
(TRIGGER_NAME, TRIGGER_GROUP)
USING INDEX
TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_BLOB_TRIGGERS
--
ALTER TABLE QRTZ_BLOB_TRIGGERS ADD (
CONSTRAINT QRTZ_BLOB_PK
PRIMARY KEY
(TRIGGER_NAME, TRIGGER_GROUP)
USING INDEX
TABLESPACE TBSI_LT)
/

--
-- Non Foreign Key Constraints for Table QRTZ_TRIGGER_LISTENERS
--
ALTER TABLE QRTZ_TRIGGER_LISTENERS ADD (
CONSTRAINT QRTZ_TG_LST_PK
PRIMARY KEY
(TRIGGER_NAME, TRIGGER_GROUP, TRIGGER_LISTENER)
USING INDEX
TABLESPACE TBSI_LT)
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
/
--
-- Foreign Key Constraints for Table QRTZ_JOB_LISTENERS
--
ALTER TABLE QRTZ_JOB_LISTENERS ADD (
  CONSTRAINT JOB_LISTENER_FK
  FOREIGN KEY (JOB_NAME, JOB_GROUP)
  REFERENCES QRTZ_JOB_DETAILS (JOB_NAME, JOB_GROUP))
/

--
-- Foreign Key Constraints for Table QRTZ_TRIGGERS
--
ALTER TABLE QRTZ_TRIGGERS ADD (
  CONSTRAINT QRTZ_TG_FK
  FOREIGN KEY (JOB_NAME, JOB_GROUP)
  REFERENCES QRTZ_JOB_DETAILS (JOB_NAME, JOB_GROUP))
/

--
-- Foreign Key Constraints for Table QRTZ_SIMPLE_TRIGGERS
--
ALTER TABLE QRTZ_SIMPLE_TRIGGERS ADD (
  CONSTRAINT QRTZ_SM_TG_FK
  FOREIGN KEY (TRIGGER_NAME, TRIGGER_GROUP)
  REFERENCES QRTZ_TRIGGERS (TRIGGER_NAME, TRIGGER_GROUP))
/

--
-- Foreign Key Constraints for Table QRTZ_CRON_TRIGGERS
--
ALTER TABLE QRTZ_CRON_TRIGGERS ADD (
  CONSTRAINT QRTZ_CRON_FK
  FOREIGN KEY (TRIGGER_NAME, TRIGGER_GROUP)
  REFERENCES QRTZ_TRIGGERS (TRIGGER_NAME, TRIGGER_GROUP))
/

--
-- Foreign Key Constraints for Table QRTZ_BLOB_TRIGGERS
--
ALTER TABLE QRTZ_BLOB_TRIGGERS ADD (
  CONSTRAINT QRTZ_BLOB_FK
  FOREIGN KEY (TRIGGER_NAME, TRIGGER_GROUP)
  REFERENCES QRTZ_TRIGGERS (TRIGGER_NAME, TRIGGER_GROUP))
/

--
-- Foreign Key Constraints for Table QRTZ_TRIGGER_LISTENERS
--
ALTER TABLE QRTZ_TRIGGER_LISTENERS ADD (
  CONSTRAINT QRTZ_TG_LST_FK
  FOREIGN KEY (TRIGGER_NAME, TRIGGER_GROUP)
  REFERENCES QRTZ_TRIGGERS (TRIGGER_NAME, TRIGGER_GROUP))
/
```

## ANEXO 5. SCRIPT DE CREACIÓN DE LAS TABLAS DE “HIBUSER”

```
--
-- DATASOURCE (Table)
--
CREATE TABLE DATASOURCE
(
  NAME          VARCHAR2(50 BYTE)          NOT NULL,
  MAXACTCONN    NUMBER(38)                 NOT NULL,
  DRIVERCLASS   VARCHAR2(50 BYTE)         NOT NULL,
  IDLECONN      NUMBER(38)                 NOT NULL,
  USERNAME      VARCHAR2(50 BYTE),
  PASSWORD      VARCHAR2(150 BYTE),
  URL           VARCHAR2(512 BYTE)         NOT NULL,
  QUERY         VARCHAR2(100 BYTE),
  WAIT          NUMBER(38)                 NOT NULL
)
TABLESPACE TBSD_LT
LOGGING
NOCOMPRESS
NOCACHE
NOPARALLEL
MONITORING
/

ALTER TABLE DATASOURCE ADD (
  PRIMARY KEY
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
(NAME)
USING INDEX
TABLESPACE TBSD_LT)
/
```

## ANEXO 6. SCRIPT DE INSERCIÓN DE DATOS DE "PENTAHO\_USER"

```
INSERT INTO QUADRANT ACTUALS VALUES('Central','Sales','District Manager',682625,617250,-65375);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Sales','Senior Sales Rep',497223,484820,-12403);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Sales','Sales Rep',675975,612500,-63475);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Sales','Account Executive',409975,422500,12525);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Sales','Pre-Sales',649375,593500,-55875);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Executive Management','CEO',549625,522250,-27375);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Executive Management','SVP WW Operations',476000,725887,249887);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Executive Management','SVP Strategic Development',383242,403405,20163);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Executive Management','SVP Partnerships',367415,392100,24685);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Finance','CFO',770272,719855,-50417);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Finance','Administrative Assistant',827861,760990,-66871);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Finance','IS',570759,577346,6587);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Finance','Controller',570373,577070,6697);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Finance','Payroll',367415,432100,64685);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Human Resource','Administration',549625,552250,2625);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Human Resource','SVP HR',574895,570300,-4595);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Human Resource','HR Generalists',856190,771225,-84965);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Human Resource','HR Training',397473,443570,46097);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Human Resource','Sexual Harassment',530473,538570,8097);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Human Resource','EOE',530207,538380,8173);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Marketing' || chr(38) || 'Communication','CMO',827861,760990,-66871);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Marketing' || chr(38) || 'Communication','Product Marketing
Mgr',693531,665040,-28491);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Marketing' || chr(38) || 'Communication','Analyst
Relations',383375,443500,60125);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Marketing' || chr(38) || 'Communication','Press
Relations',497296,524872,27576);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Marketing' || chr(38) || 'Communication','Graphics',782375,728500,-53875);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Marketing' || chr(38) || 'Communication','Writer',405985,459650,53665);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Product Development','CTO',405985,459650,53665);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Product Development','VP Engineering',383242,443405,60163);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Product Development','Senior Engineer',770272,719855,-50417);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Product Development','Engineer',695925,666750,-29175);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Product Development','QA Manager',374863,437420,62557);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Product Development','QA Engineer',367415,432100,64685);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Professional Services','SVP Services',4042220,4180000,137780);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Professional Services','Services Mgr',4401586,4680000,278414);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Professional Services','Senior Consultant',3994859,3980000,-14859);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Professional Services','Staff Consultant',3824426,4180000,355574);
INSERT INTO QUADRANT ACTUALS VALUES('Central','Professional Services','Trainer',3804948,3380000,-424948);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Sales','District Manager',700000,700250,250);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Sales','Senior Sales Rep',421200,433299,12099);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Sales','Sales Rep',690000,690675,675);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Sales','Account Executive',290000,307675,17675);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Sales','Pre-Sales',650000,652375,2375);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Executive Management','CEO',500000,488750,-11250);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Executive Management','SVP WW Operations',249800,249184,-616);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Executive Management','SVP Strategic Development',226000,226395,395);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Executive Management','SVP Partnerships',531780,519179,-12601);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Finance','CFO',831800,816449,-15351);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Finance','Administrative Assistant',918400,899368,-19032);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Finance','IS',531780,529179,-2601);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Finance','Controller',531200,528624,-2576);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Finance','Payroll',226000,236395,10395);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Human Resource','Administration',500000,498750,-1250);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Human Resource','SVP HR',538000,535135,-2865);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Human Resource','HR Generalists',961000,940158,-20842);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Human Resource','HR Training',271200,279674,8474);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Human Resource','Sexual Harassment',471200,471174,-26);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Human Resource','EOE',470800,470791,-9);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Marketing' || chr(38) || 'Communication','CMO',918400,894368,-24032);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Marketing' || chr(38) || 'Communication','Product Marketing
Mgr',716400,700953,-15447);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Marketing' || chr(38) || 'Communication','Analyst
Relations',250000,254375,4375);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Marketing' || chr(38) || 'Communication','Press Relations',421310,418404,-
2906);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Marketing' || chr(38) || 'Communication','Graphics',850000,828875,-21125);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Marketing' || chr(38) || 'Communication','Writer',284000,286930,2930);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Product Development','CTO',284000,286930,2930);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Product Development','VP Engineering',249800,254184,4384);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Product Development','Senior Engineer',831800,811449,-20351);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Product Development','Engineer',720000,704400,-15600);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Product Development','QA Manager',237200,242119,4919);
INSERT INTO QUADRANT ACTUALS VALUES('Eastern','Product Development','QA Engineer',226000,231395,5395);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO QUADRANT_ACTUALS VALUES ('Eastern', 'Professional Services', 'SVP Services', 3793000, 3900000, 107000);
INSERT INTO QUADRANT_ACTUALS VALUES ('Eastern', 'Professional Services', 'Services Mgr', 4333400, 4500000, 166600);
INSERT INTO QUADRANT_ACTUALS VALUES ('Eastern', 'Professional Services', 'Senior Consultant', 3721780, 3900000, 178220);
INSERT INTO QUADRANT_ACTUALS VALUES ('Eastern', 'Professional Services', 'Staff Consultant', 3465490, 3500000, 34510);
INSERT INTO QUADRANT_ACTUALS VALUES ('Eastern', 'Professional Services', 'Trainer', 3436200, 3300000, -136200);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Sales', 'District Manager', 700000, 690250, -9750);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Sales', 'Senior Sales Rep', 421200, 423299, 2099);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Sales', 'Sales Rep', 690000, 680675, -9325);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Sales', 'Account Executive', 290000, 297675, 7675);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Sales', 'Pre-Sales', 650000, 642375, -7625);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Executive Management', 'CEO', 500000, 498750, -1250);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Executive Management', 'SVP WW Operations', 249800, 259184, 9384);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Executive Management', 'SVP Strategic Development', 226000, 236395, 10395);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Executive Management', 'SVP Partnerships', 531780, 529179, -2601);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Finance', 'CFO', 831800, 816449, -15351);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Finance', 'Administrative Assistant', 918400, 899368, -19032);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Finance', 'IS', 531780, 529179, -2601);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Finance', 'Controller', 531200, 528624, -2576);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Finance', 'Payroll', 226000, 236395, 10395);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Human Resource', 'Administration', 500000, 498750, -1250);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Human Resource', 'SVP HR', 538000, 535135, -2865);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Human Resource', 'HR Generalists', 961000, 940158, -20842);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Human Resource', 'HR Training', 271200, 279674, 8474);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Human Resource', 'Sexual Harassment', 471200, 471174, -26);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Human Resource', 'EOE', 470800, 470791, -9);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Marketing ' || chr(38) || ' Communication', 'CMO', 918400, 897368, -21032);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Marketing ' || chr(38) || ' Communication', 'Product Marketing
Mgr', 716400, 703953, -12447);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Marketing ' || chr(38) || ' Communication', 'Analyst
Relations', 250000, 257375, 7375);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Marketing ' || chr(38) || ' Communication', 'Press
Relations', 421310, 421404, 94);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Marketing ' || chr(38) || ' Communication', 'Graphics', 850000, 831875, -18125);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Marketing ' || chr(38) || ' Communication', 'Writer', 284000, 289930, 5930);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Product Development', 'CTO', 284000, 289930, 5930);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Product Development', 'VP Engineering', 249800, 257184, 7384);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Product Development', 'Senior Engineer', 831800, 814449, -17351);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Product Development', 'Engineer', 720000, 707400, -12600);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Product Development', 'QA Manager', 237200, 245119, 7919);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Product Development', 'QA Engineer', 226000, 234395, 8395);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Professional Services', 'SVP Services', 3793000, 3818000, 25000);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Professional Services', 'Services Mgr', 4333400, 4318000, -15400);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Professional Services', 'Senior Consultant', 3721780, 3718000, -3780);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Professional Services', 'Staff Consultant', 3465490, 3618000, 152510);
INSERT INTO QUADRANT_ACTUALS VALUES ('Southern', 'Professional Services', 'Trainer', 3436200, 2918000, -518200);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Sales', 'District Manager', 700000, 688250, -11750);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Sales', 'Senior Sales Rep', 421200, 421299, 99);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Sales', 'Sales Rep', 690000, 678675, -11325);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Sales', 'Account Executive', 290000, 295675, 5675);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Sales', 'Pre-Sales', 650000, 640375, -9625);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Executive Management', 'CEO', 500000, 478750, -21250);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Executive Management', 'SVP WW Operations', 249800, 239184, -10616);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Executive Management', 'SVP Strategic Development', 226000, 216395, -9605);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Executive Management', 'SVP Partnerships', 531780, 509179, -22601);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Finance', 'CFO', 831800, 814449, -17351);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Finance', 'Administrative Assistant', 918400, 897368, -21032);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Finance', 'IS', 531780, 527179, -4601);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Finance', 'Controller', 531200, 526624, -4576);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Finance', 'Payroll', 226000, 234395, 8395);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Human Resource', 'Administration', 500000, 496750, -3250);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Human Resource', 'SVP HR', 538000, 531135, -6865);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Human Resource', 'HR Generalists', 961000, 938158, -22842);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Human Resource', 'HR Training', 271200, 277674, 6474);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Human Resource', 'Sexual Harassment', 471200, 469174, -2026);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Human Resource', 'EOE', 470800, 468791, -2009);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Marketing ' || chr(38) || ' Communication', 'CMO', 918400, 897368, -21032);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Marketing ' || chr(38) || ' Communication', 'Product Marketing
Mgr', 716400, 703953, -12447);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Marketing ' || chr(38) || ' Communication', 'Analyst
Relations', 250000, 257375, 7375);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Marketing ' || chr(38) || ' Communication', 'Press
Relations', 421310, 421404, 94);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Marketing ' || chr(38) || ' Communication', 'Graphics', 850000, 831875, -18125);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Marketing ' || chr(38) || ' Communication', 'Writer', 284000, 289930, 5930);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Product Development', 'CTO', 284000, 289930, 5930);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Product Development', 'VP Engineering', 249800, 257184, 7384);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Product Development', 'Senior Engineer', 831800, 814449, -17351);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Product Development', 'Engineer', 720000, 707400, -12600);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Product Development', 'QA Manager', 237200, 245119, 7919);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Product Development', 'QA Engineer', 226000, 234395, 8395);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Professional Services', 'SVP Services', 3793000, 3818000, 25000);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Professional Services', 'Services Mgr', 4333400, 4418000, 84600);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Professional Services', 'Senior Consultant', 3721780, 3718000, -3780);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Professional Services', 'Staff Consultant', 3465490, 3336200, -129284);
INSERT INTO QUADRANT_ACTUALS VALUES ('Western', 'Professional Services', 'Trainer', 3436200, 2918000, -518200);
INSERT INTO DEPARTMENT MANAGERS VALUES ('Central', 'Joe Pentaho', 'joe@pentaho.org');
INSERT INTO DEPARTMENT MANAGERS VALUES ('Eastern', 'Suzy Pentaho', 'suzy@pentaho.org');
INSERT INTO DEPARTMENT MANAGERS VALUES ('Western', 'Pat Pentaho', 'pat@pentaho.org');
INSERT INTO DEPARTMENT MANAGERS VALUES ('Southern', 'Tiffany Pentaho', 'tiffany@pentaho.org');
INSERT INTO CUSTOMERS VALUES (103, 'Atelier graphique', 'Schmitt', 'Carine', '40.32.2555', '54, rue
Royale', NULL, 'Nantes', NULL, '44000', 'France', 1370, 21000.0);
INSERT INTO CUSTOMERS VALUES (112, 'Signal Gift Stores', 'Kang', 'Sue', '7025551838', '8489 Strong St.', NULL, 'Las
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
Vegas', 'NV', '83030', 'USA', 1166, 71800.0);
INSERT INTO CUSTOMERS VALUES (114, 'Australian Collectors, Co.', 'Ferguson', 'Peter', '03 9520 4555', '636 St Kilda Road', 'Level
3', 'Melbourne', 'Victoria', '3004', 'Australia', 1611, 117300.0);
INSERT INTO CUSTOMERS VALUES (119, 'La Rochelle Gifts', 'Labrunne', 'Janine', '40.67.8555', '67, rue des Cinquante
Otages', NULL, 'Nantes', NULL, '44000', 'France', 1370, 118200.0);
INSERT INTO CUSTOMERS VALUES (121, 'Baane Mini Imports', 'Bergulfsen', 'Jonas', '07-98 9555', 'Erling Skakkas gate
78', NULL, 'Stavern', NULL, '4110', 'Norway', 1504, 81700.0);
INSERT INTO CUSTOMERS VALUES (124, 'Mini Gifts Distributors Ltd.', 'Nelson', 'Valarie', '4155551450', '5677 Strong St.', NULL, 'San
Rafael', 'CA', '97562', 'USA', 1165, 210500.0);
INSERT INTO CUSTOMERS VALUES (125, 'Havel ' || chr(38) || ' Zbyszek Co', 'Piestrzeniewicz', 'Zbyszek', '(26) 642-7555', 'ul.
Filtrowa 68', NULL, 'Warszawa', NULL, '01-012', 'Poland', NULL, 0.0);
INSERT INTO CUSTOMERS VALUES (128, 'Blauer See Auto, Co.', 'Keitel', 'Roland', '+49 69 66 90 2555', 'Lyonerstr.
34', NULL, 'Frankfurt', NULL, '60528', 'Germany', 1504, 59700.0);
INSERT INTO CUSTOMERS VALUES (129, 'Mini Wheels Co.', 'Murphy', 'Julie', '6505555787', '5557 North Pendale Street', NULL, 'San
Francisco', 'CA', '94217', 'USA', 1165, 64600.0);
INSERT INTO CUSTOMERS VALUES (131, 'Land of Toys Inc.', 'Yu', 'Kwai', '2125557818', '897 Long Airport
Avenue', NULL, 'NYC', 'NY', '10022', 'USA', 1323, 114900.0);
INSERT INTO CUSTOMERS VALUES (141, 'Euro+ Shopping Channel', 'Freyre', 'Diego', '(91) 555 94 44', 'C/ Moralzarzal,
86', NULL, 'Madrid', NULL, '28034', 'Spain', 1370, 227600.0);
INSERT INTO CUSTOMERS VALUES (144, 'Volvo Model Replicas, Co', 'Berglund', 'Christina', '0921-12 3555', 'Berguvs\u00e4gen
8', NULL, 'Lule\u00e5', NULL, 'S-958 22', 'Sweden', 1504, 53100.0);
INSERT INTO CUSTOMERS VALUES (145, 'Danish Wholesale Imports', 'Petersen', 'Jytte', '31 12 3555', 'Vinb\u00e6ltet
34', NULL, 'Kobenhavn', NULL, '1734', 'Denmark', 1401, 83400.0);
INSERT INTO CUSTOMERS VALUES (146, 'Saveley ' || chr(38) || ' Henriot, Co.', 'Saveley', 'Mary', '78.32.5555', '2, rue du
Commerce', NULL, 'Lyon', NULL, '69004', 'France', 1337, 123900.0);
INSERT INTO CUSTOMERS VALUES (148, 'Dragon Souvenirs, Ltd.', 'Natividad', 'Eric', '+65 221 7555', 'Bronz Sok., Bronz Apt. 3/6
Tesvikiye', NULL, 'Singapore', NULL, '079903', 'Singapore', 1621, 103800.0);
INSERT INTO CUSTOMERS VALUES (151, 'Muscle Machine Inc', 'Young', 'Jeff', '2125557413', '4092 Furth Circle', 'Suite
400', 'NYC', 'NY', '10022', 'USA', 1286, 138500.0);
INSERT INTO CUSTOMERS VALUES (157, 'Diecast Classics Inc.', 'Yu', 'Kyung', '2155551555', '7586 Pompton
St.', NULL, 'Allentown', 'PA', '70267', 'USA', 1216, 100600.0);
INSERT INTO CUSTOMERS VALUES (161, 'Technics Stores Inc.', 'Hirano', 'Juri', '6505556809', '9408 Furth
Circle', NULL, 'Burlingame', 'CA', '94217', 'USA', 1165, 84600.0);
INSERT INTO CUSTOMERS VALUES (166, 'Handji Gifts ' || chr(38) || ' Co', 'Victorino', 'Wendy', '+65 224 1555', 'Village Close - 106
Linden Road Sandown', '2nd Floor', 'Singapore', NULL, '069045', 'Singapore', 1612, 97900.0);
INSERT INTO CUSTOMERS VALUES (167, 'Herku Gifts', 'Oestan', 'Veysel', '+47 2267 3215', 'Drammen 121, PR 744
Sentrum', NULL, 'Bergen', NULL, 'N 5804', 'Norway', 1504, 96800.0);
INSERT INTO CUSTOMERS VALUES (168, 'American Souvenirs Inc', 'Franco', 'Sue', '2035557845', '149 Spinnaker Dr.', 'Suite 101', 'New
Haven', 'CT', '97823', 'USA', 1286, 0.0);
INSERT INTO CUSTOMERS VALUES (169, 'Porto Imports Co.', 'de Castro', 'Isabel', '(1) 356-5555', 'Estrada da sa\u00fade n.
58', NULL, 'Lisboa', NULL, '1756', 'Portugal', NULL, 0.0);
INSERT INTO CUSTOMERS VALUES (171, 'Daedalus Designs Imports', 'Ranc\u00e9', 'Martine', '20.16.1555', '184, chauss\u00e9e de
Tournai', NULL, 'Lille', NULL, '59000', 'France', 1370, 82900.0);
INSERT INTO CUSTOMERS VALUES (172, 'La Corne D'abondance, Co.', 'Bertrand', 'Marie', '(1) 42.34.2555', '265, boulevard
Charonne', NULL, 'Paris', NULL, '75012', 'France', 1337, 84300.0);
INSERT INTO CUSTOMERS VALUES (173, 'Cambridge Collectables Co.', 'Tseng', 'Kyung', '6175555555', '4658 Baden
Av.', NULL, 'Cambridge', 'MA', '51247', 'USA', 1188, 43400.0);
INSERT INTO CUSTOMERS VALUES (175, 'Gift Depot Inc.', 'King', 'Julie', '2035552570', '25593 South Bay
Ln.', NULL, 'Bridgewater', 'CT', '97562', 'USA', 1323, 84300.0);
INSERT INTO CUSTOMERS VALUES (177, 'Osaka Souvenirs Co.', 'Kentary', 'Mory', '+81 06 6342 5555', 'Dojima Avanza 4F, 1-6-20
Dojima, Kita-ku', NULL, 'Osaka', 'Osaka', '530-0003', 'Japan', 1621, 81200.0);
INSERT INTO CUSTOMERS VALUES (181, 'Vitachrome Inc.', 'Frick', 'Michael', '2125551500', '2678 Kingston Rd.', 'Suite
101', 'NYC', 'NY', '10022', 'USA', 1286, 76400.0);
INSERT INTO CUSTOMERS VALUES (186, 'Toys of Finland, Co.', 'Karttunen', 'Matti', '90-224 8555', 'Keskuskatu
45', NULL, 'Helsinki', NULL, '21240', 'Finland', 1501, 96500.0);
INSERT INTO CUSTOMERS VALUES (187, 'AV Stores, Co.', 'Ashworth', 'Victoria', '(171) 555-1555', 'Fauntleroy
Circus', NULL, 'Manchester', NULL, 'EC2 5NT', 'UK', 1501, 136800.0);
INSERT INTO CUSTOMERS VALUES (189, 'Clover Collections, Co.', 'Cassidy', 'Dean', '+353 1862 1555', '25 Maiden Lane', 'Floor No.
4', 'Dublin', NULL, '2', 'Ireland', 1504, 69400.0);
INSERT INTO CUSTOMERS VALUES (198, 'Auto-Moto Classics Inc.', 'Taylor', 'Leslie', '6175558428', '16780 Pompton
St.', NULL, 'Brickhaven', 'MA', '58339', 'USA', 1216, 23000.0);
INSERT INTO CUSTOMERS VALUES (201, 'UK Collectables, Ltd.', 'Devon', 'Elizabeth', '(171) 555-2282', 'Berkeley Gardens 12
Brewery', NULL, 'Liverpool', NULL, 'WX1 6LT', 'UK', 1501, 92700.0);
INSERT INTO CUSTOMERS VALUES (202, 'Canadian Gift Exchange Network', 'Tannamuri', 'Yoshi', '(604) 555-3392', '1900 Oak
St.', NULL, 'Vancouver', 'BC', 'V3F 2K1', 'Canada', 1323, 90300.0);
INSERT INTO CUSTOMERS VALUES (204, 'Online Mini Collectables', 'Barajas', 'Miguel', '6175557555', '7635 Spinnaker
Dr.', NULL, 'Brickhaven', 'MA', '58339', 'USA', 1188, 68700.0);
INSERT INTO CUSTOMERS VALUES (205, 'Toys4GrownUps.com', 'Young', 'Julie', '6265557265', '78934 Hillside
Dr.', NULL, 'Pasadena', 'CA', '90003', 'USA', 1166, 90700.0);
INSERT INTO CUSTOMERS VALUES (206, 'Asian Shopping Network, Co', 'Walker', 'Brydey', '+612 9411 1555', 'Penthouse Level, Suntec
Tower Three, 8 Temasek', NULL, 'Singapore', NULL, '038988', 'Singapore', NULL, 0.0);
INSERT INTO CUSTOMERS VALUES (209, 'Mini Caravy', 'Citeaux', 'Fr\u00e9d\u00e9ric', '88.60.1555', '24, place
Kl\u00e9ber', NULL, 'Strasbourg', NULL, '67000', 'France', 1370, 53800.0);
INSERT INTO CUSTOMERS VALUES (211, 'King Kong Collectables, Co.', 'Sunwoo', 'Michael', '+852 2251 1555', 'Bank of China Tower, 1
Garden Road', 'Level 25', 'Central Hong Kong', NULL, 'Hong Kong', 1621, 58600.0);
INSERT INTO CUSTOMERS VALUES (216, 'Enaco Distributors', 'Saavedra', 'Eduardo', '(93) 203 4555', 'Rambla de Catalu\u00f1a,
23', NULL, 'Barcelona', NULL, '08022', 'Spain', 1702, 60300.0);
INSERT INTO CUSTOMERS VALUES (219, 'Boards ' || chr(38) || ' Toys Co.', 'Young', 'Leslie', '3105552373', '4097 Douglas
Av.', NULL, 'Glendale', 'CA', '92561', 'USA', 1166, 11000.0);
INSERT INTO CUSTOMERS VALUES (223, 'Nat\u00fcrlich Autos', 'Kloss', 'Horst', '0372-555188', 'Taucherstra\u00dfe
10', NULL, 'Cunewalde', NULL, '01307', 'Germany', NULL, 0.0);
INSERT INTO CUSTOMERS VALUES (227, 'Heintze Collectables', 'Ibsen', 'Palle', '86 21 3555', 'Smagsloget
45', NULL, 'Copenhagen', NULL, '8200', 'Denmark', 1401, 120800.0);
INSERT INTO CUSTOMERS VALUES (233, 'Qu\u00e9bec Home Shopping Network', 'Fresni\u00e8re', 'Jean', '(514) 555-8054', '43 rue St.
Laurent', NULL, 'Montr\u00e9al', 'Qu\u00e9bec', 'H1J 1C3', 'Canada', 1286, 48700.0);
INSERT INTO CUSTOMERS VALUES (237, 'ANG Resellers', 'Camino', 'Alejandra', '(91) 745 6555', 'Gran V\u00eda,
1', NULL, 'Madrid', NULL, '28001', 'Spain', NULL, 0.0);
INSERT INTO CUSTOMERS VALUES (239, 'Collectable Mini Designs Co.', 'Thompson', 'Valarie', '7605558146', '361 Furth
Circle', NULL, 'San Diego', 'CA', '92127', 'USA', 1166, 105000.0);
INSERT INTO CUSTOMERS VALUES (240, 'giftsbyemail.co.uk', 'Bennett', 'Helen', '(198) 555-8888', 'Garden House Crowther
Way', NULL, 'Coves', 'Isle of Wight', 'PO31 7PJ', 'UK', 1501, 93900.0);
INSERT INTO CUSTOMERS VALUES (242, 'Alpha Cognac', 'Roulet', 'Annette', '61.77.6555', '1 rue Alsace-
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
Lorraine',NULL,'Toulouse',NULL,'31000','France',1370,61100.0);
INSERT INTO CUSTOMERS VALUES(247,'Messner Shopping Network','Messner','Renate','069-0555984','Magazinweg
7',NULL,'Frankfurt',NULL,'60528','Germany',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(249,'Amica Models ' || chr(38) || ' Co.','Accorti','Paolo','011-4988555','Via Monte Bianco
34',NULL,'Torino',NULL,'10100','Italy',1401,113000.0);
INSERT INTO CUSTOMERS VALUES(250,'Lyon Souvenirs','Da Cunha','Daniel','+33 1 46 62 7555','27 rue du Colonel Pierre
Avia',NULL,'Paris',NULL,'75508','France',1337,68100.0);
INSERT INTO CUSTOMERS VALUES(256,'Auto Associ\u00e9s ' || chr(38) || ' Cie.','Tonini','Daniel','30.59.8555','67, avenue de
1','Europe',NULL,'Versailles',NULL,'78000','France',1370,77900.0);
INSERT INTO CUSTOMERS VALUES(259,'Toms Spezialit\u00e4ten, Ltd','Pfalzheim','Henriette','0221-5554327','Mehrheimerstr.
369',NULL,'K\u00f6ln',NULL,'50739','Germany',1504,120400.0);
INSERT INTO CUSTOMERS VALUES(260,'Royal Canadian Collectables, Ltd.','Lincoln','Elizabeth','(604) 555-4555','23 Tsawassen
Blvd.',NULL,'Tsawassen','BC','T2F 8M4','Canada',1323,89600.0);
INSERT INTO CUSTOMERS VALUES(273,'Franken Gifts, Co','Franken','Peter','089-0877555','Berliner Platz
43',NULL,'M\u00fcnchen',NULL,'80805','Germany',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(276,'Anna's Decorations, Ltd','O'Hara','Anna','02 9936 8555','201 Miller Street','Level
15','North Sydney','NSW','2060','Australia',1611,107800.0);
INSERT INTO CUSTOMERS VALUES(278,'Rovelli Gifts','Rovelli','Giovanni','035-640555','Via Ludovico il Moro
22',NULL,'Bergamo',NULL,'24100','Italy',1401,119600.0);
INSERT INTO CUSTOMERS VALUES(282,'Souvenirs And Things Co.','Huxley','Adrian','+61 2 9495 8555','Monitor Money Building,
815 Pacific Hwy','Level 6','Chatswood','NSW','2067','Australia',1611,93300.0);
INSERT INTO CUSTOMERS VALUES(286,'Marta's Replicas Co','Hernandez','Marta','6175558555','39323 Spinnaker
Dr.',NULL,'Cambridge','MA','51247','USA',1216,123700.0);
INSERT INTO CUSTOMERS VALUES(293,'BC ' || chr(38) || ' E Collectables','Pon','Ed','+41 26 425 50 01','Rte des Arsenaux
41',NULL,'Fribourg',NULL,'1700','Switzerland',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(298,'Vida Sport, Ltd','Holz','Michael','0897-034555','Grenzacherweg
237',NULL,'Gen\u00e8ve',NULL,'1203','Switzerland',1702,141300.0);
INSERT INTO CUSTOMERS VALUES(299,'Norway Gifts By Mail, Co.','Klaeboe','Jan','+47 2212 1555','Drammensveien 126 A, PB 744
Sentrum',NULL,'Oslo',NULL,'N 0106','Norway',1504,95100.0);
INSERT INTO CUSTOMERS VALUES(303,'Schuyler Imports','Schuyler','Bradley','+31 20 491 9555','Kingsfordweg
151',NULL,'Amsterdam',NULL,'1043 GR','Netherlands',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(307,'Der Hund Imports','Anders','Maria','030-0074555','Obere Str.
57',NULL,'Berlin',NULL,'12209','Germany',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(311,'Oulu Toy Supplies, Inc.','Koskitalo','Pirkko','981-443655','Torikatu
38',NULL,'Oulu',NULL,'90110','Finland',1501,90500.0);
INSERT INTO CUSTOMERS VALUES(314,'Petit Auto','Dewey','Catherine','(02) 5554 67','Rue Joseph-Bens
532',NULL,'Bruxelles',NULL,'B-1180','Belgium',1401,79900.0);
INSERT INTO CUSTOMERS VALUES(319,'Mini Classics','Frick','Steve','9145554562','3758 North Pendale Street',NULL,'White
Plains','NY','24067','USA',1323,102700.0);
INSERT INTO CUSTOMERS VALUES(320,'Mini Creations Ltd.','Tam','Wing C','5085559555','4575 Hillside Dr.',NULL,'New
Bedford','MA','50553','USA',1188,94500.0);
INSERT INTO CUSTOMERS VALUES(321,'Corporate Gift Ideas Co.','Brown','Julie','6505551386','7734 Strong St.',NULL,'San
Francisco','CA','94217','USA',1165,105000.0);
INSERT INTO CUSTOMERS VALUES(323,'Down Under Souvenirs, Inc','Graham','Mike','+64 9 312 5555','162-164 Grafton Road','Level
2','Auckland',NULL,'','New Zealand',1612,88000.0);
INSERT INTO CUSTOMERS VALUES(324,'Stylish Desk Decors, Co.','Brown','Ann','(171) 555-0297','35 King
George',NULL,'London',NULL,'WX3 6FW','UK',1501,77000.0);
INSERT INTO CUSTOMERS VALUES(328,'Tekni Collectables Inc.','Brown','William','2015559350','7476 Moss
Rd.',NULL,'Newark','NJ','94019','USA',1323,44100.0);
INSERT INTO CUSTOMERS VALUES(333,'Australian Gift Network, Co','Calaghan','Tony','61-7-3844-6555','31 Duncan St. West
End',NULL,'South Brisbane','Queensland','4101','Australia',1611,51600.0);
INSERT INTO CUSTOMERS VALUES(334,'Suominen Souvenirs','Suominen','Kalle','+358 9 8045 555','Software Engineering Center,
SEC Oy',NULL,'Espoo',NULL,'FIN-02271','Finland',1501,98800.0);
INSERT INTO CUSTOMERS VALUES(335,'Cramer Spezialit\u00e4ten, Ltd','Cramer','Philip','0555-09555','Maubelstr.
90',NULL,'Brandenburg',NULL,'14776','Germany',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(339,'Classic Gift Ideas, Inc','Cervantes','Francisca','2155554695','782 First
Street',NULL,'Philadelphia','PA','71270','USA',1188,81100.0);
INSERT INTO CUSTOMERS VALUES(344,'CAF Imports','Fernandez','Jesus','+34 913 728 555','Merchants House, 27-30 Merchant's
Quay',NULL,'Madrid',NULL,'28023','Spain',1702,59600.0);
INSERT INTO CUSTOMERS VALUES(347,'Men 'R' US Retailers, Ltd.','Chandler','Michael','2155554369','6047 Douglas
Av.',NULL,'Los Angeles','CA','91003','USA',1166,57700.0);
INSERT INTO CUSTOMERS VALUES(348,'Asian Treasures, Inc.','McKenna','Patricia','2967 555','8 Johnstown Road',NULL,'Cork','Co.
Cork',NULL,'Ireland',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(350,'Marseille Mini Autos','Lebihan','Laurence','91.24.4555','12, rue des
Bouchers',NULL,'Marseille',NULL,'13008','France',1337,65000.0);
INSERT INTO CUSTOMERS VALUES(353,'Reims Collectables','Henriot','Paul','26.47.1555','59 rue de
1','Abbaye',NULL,'Reims',NULL,'51100','France',1337,81100.0);
INSERT INTO CUSTOMERS VALUES(356,'SAR Distributors, Co','Kuger','Armand','+27 21 550 3555','Century City-Montague Gardens PO
Box 37177',NULL,'Chempet',NULL,'7442','South Africa',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(357,'GiftsForHim.com','MacKinlay','Wales','64-9-3763555','199 Great North
Road',NULL,'Auckland',NULL,'','New Zealand',1612,77700.0);
INSERT INTO CUSTOMERS VALUES(361,'Kommission Auto','Josephs','Karin','0251-555259','Luisenstr.
48',NULL,'M\u00fcnster',NULL,'44087','Germany',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(362,'Gifts4AllAges.com','Yoshido','Juri','6175559555','8616 Spinnaker
Dr.',NULL,'Boston','MA','51003','USA',1216,41900.0);
INSERT INTO CUSTOMERS VALUES(363,'Online Diecast Creations Co.','Young','Valarie','6035558647','2304 Long Airport
Avenue',NULL,'Nashua','NH','62005','USA',1216,114200.0);
INSERT INTO CUSTOMERS VALUES(369,'Lisboa Souvenirs, Inc','Rodriguez','Lino','(1) 354-2555','Jardim das rosas n.
32',NULL,'Lisboa',NULL,'1675','Portugal',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(376,'Precious Collectables','Wang','Yang','0452-076555','Hauptstr.
29',NULL,'Bern',NULL,'3012','Switzerland',1702,0.0);
INSERT INTO CUSTOMERS VALUES(379,'Collectables For Less Inc.','Nelson','Allen','6175558555','7825 Douglas
Av.',NULL,'Brickhaven','MA','58339','USA',1188,70700.0);
INSERT INTO CUSTOMERS VALUES(381,'Royale Belge','Cartrain','Pascale','(071) 23 67 2555','Boulevard Tirou,
255',NULL,'Charleroi',NULL,'B-6000','Belgium',1401,23500.0);
INSERT INTO CUSTOMERS VALUES(382,'Salzburg Collectables','Pipps','Georg','6562-9555','Geislweg
14',NULL,'Salzburg',NULL,'5020','Austria',1401,71700.0);
INSERT INTO CUSTOMERS VALUES(385,'Cruz ' || chr(38) || ' Sons Co.','Cruz','Arnold','+63 2 555 3587','15 McCallum Street -
NatWest Center #13-03',NULL,'Makati City',NULL,'1227 MM','Philippines',1621,81500.0);
INSERT INTO CUSTOMERS VALUES(386,'L'ordine Souvenirs','Moroni','Maurizio','0522-556555','Strada Provinciale
124',NULL,'Reggio Emilia',NULL,'42100','Italy',1401,121400.0);
INSERT INTO CUSTOMERS VALUES(398,'Tokyo Collectables, Ltd','Shimamura','Akiko','+81 3 3584 0555','2-2-8
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
Roppongi',NULL,'Minato-ku','Tokyo','106-0032','Japan',1621,94400.0);
INSERT INTO CUSTOMERS VALUES(406,'Auto Canal+ Petit','Perrier','Dominique','(1) 47.55.6555','25, rue
Lauriston',NULL,'Paris',NULL,'75016','France',1337,95000.0);
INSERT INTO CUSTOMERS VALUES(409,'Stuttgart Collectable Exchange','M\u00f6ccler','Rita','0711-555361','Adenauerallee
900',NULL,'Stuttgart',NULL,'70563','Germany',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(412,'Extreme Desk Decorations, Ltd','McRoy','Sarah','04 499 9555','101 Lambton Quay','Level
11','Wellington',NULL,'','New Zealand',1612,86800.0);
INSERT INTO CUSTOMERS VALUES(415,'Bavarian Collectables Imports, Co.','Donnermeyer','Michael','+49 89 61 08
9555','Hansastr. 15',NULL,'Munich',NULL,'80686','Germany',1504,77000.0);
INSERT INTO CUSTOMERS VALUES(424,'Classic Legends Inc.','Hernandez','Maria','2125558493','5905 Pompton St.','Suite
750','NYC','NY','10022','USA',1286,67500.0);
INSERT INTO CUSTOMERS VALUES(443,'Feuer Online Stores, Inc','Feuer','Alexander','0342-555176','Heerstr.
22',NULL,'Leipzig',NULL,'04179','Germany',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(447,'Gift Ideas Corp.','Lewis','Dan','2035554407','2440 Pompton
St.',NULL,'Glendale','CT','97561','USA',1323,49700.0);
INSERT INTO CUSTOMERS VALUES(448,'Scandinavian Gift Ideas','Larsson','Maria','0695-34 6555','\u00c5kergatan
24',NULL,'Br\u00e4cke',NULL,'S-844 67','Sweden',1504,116400.0);
INSERT INTO CUSTOMERS VALUES(450,'The Sharp Gifts Warehouse','Frick','Sue','4085553659','3086 Ingle Ln.',NULL,'San
Jose','CA','94217','USA',1165,77600.0);
INSERT INTO CUSTOMERS VALUES(452,'Mini Auto Werke','Mendel','Roland','7675-3555','Kirchgasse
6',NULL,'Graz',NULL,'8010','Austria',1401,45300.0);
INSERT INTO CUSTOMERS VALUES(455,'Super Scale Inc.','Murphy','Leslie','2035559545','567 North Pendale Street',NULL,'New
Haven','CT','97823','USA',1286,95400.0);
INSERT INTO CUSTOMERS VALUES(456,'Microscale Inc.','Kuo','Kee','2125551957','5290 North Pendale Street','Suite
200','NYC','NY','10022','USA',1286,39800.0);
INSERT INTO CUSTOMERS VALUES(458,'Corrida Auto Replicas, Ltd','Sommer','Mart\u00e9n','(91) 555 22 82','C/ Araquil,
67',NULL,'Madrid',NULL,'28023','Spain',1702,104600.0);
INSERT INTO CUSTOMERS VALUES(459,'Warburg Exchange','Ottlieb','Sven','0241-039123','Walserweg
21',NULL,'Aachen',NULL,'52066','Germany',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(462,'FunGiftIdeas.com','Benitez','Violeta','5085552555','1785 First Street',NULL,'New
Bedford','MA','50553','USA',1216,85800.0);
INSERT INTO CUSTOMERS VALUES(465,'Anton Designs, Ltd.','Anton','Carmen','+34 913 728555','c/ Gobelias, 19-1 Urb. La
Florida',NULL,'Madrid',NULL,'28023','Spain',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(471,'Australian Collectables, Ltd','Connery','Sean','61-9-3844-6555','7 Allen
Street',NULL,'Glen Waverly','Victoria','3150','Australia',1611,60300.0);
INSERT INTO CUSTOMERS VALUES(473,'Frau da Collezione','Ricotti','Franco','+39 022515555','20093 Cologno Monzese, via
Alessandro Volta 16',NULL,'Milan',NULL,'','Italy',1401,34800.0);
INSERT INTO CUSTOMERS VALUES(475,'West Coast Collectables Co.','Thompson','Steve','3105553722','3675 Furth
Circle',NULL,'Burbank','CA','94019','USA',1166,55400.0);
INSERT INTO CUSTOMERS VALUES(477,'Mit Vergn\u00f6gen || chr(38) || Co.','Moos','Hanna','0621-08555','Forsterstr.
57',NULL,'Mannheim',NULL,'68306','Germany',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(480,'Kremlin Collectables, Co.','Semenov','Alexander','+7 812 293 0521','2 Pobedy
Square',NULL,'Saint Petersburg',NULL,'196143','Russia',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(481,'Raanan Stores, Inc','Altagar,G M','Raanan','+ 972 9 959 8555','3 Hagalim
Blv.',NULL,'Herzlia',NULL,'47625','Israel',NULL,0.0);
INSERT INTO CUSTOMERS VALUES(484,'Iberia Gift Imports, Corp.','Roel','Jos\u00e9 Pedro','(95) 555 82 82','C/ Romero,
33',NULL,'Sevilla',NULL,'41101','Spain',1702,65700.0);
INSERT INTO CUSTOMERS VALUES(486,'Motor Mint Distributors Inc.','Hernandez','Rosa','2155559857','11328 Douglas
Av.',NULL,'Philadelphia','PA','71270','USA',1323,72600.0);
INSERT INTO CUSTOMERS VALUES(487,'Signal Collectibles Ltd.','Taylor','Sue','4155554312','2793 Furth
Circle',NULL,'Brisbane','CA','94217','USA',1165,60300.0);
INSERT INTO CUSTOMERS VALUES(489,'Double Decker Gift Stores, Ltd','Hardy','Thomas','(171) 555-7555','120 Hanover
Sq.',NULL,'London',NULL,'WAL 1DP','UK',1501,43300.0);
INSERT INTO CUSTOMERS VALUES(495,'Diecast Collectables','Franco','Valarie','6175552555','6251 Ingle
Ln.',NULL,'Boston','MA','51003','USA',1188,85100.0);
INSERT INTO CUSTOMERS VALUES(496,'Kelly's Gift Shop','Snowden','Tony','+64 9 5555500','Arenales 1938
3'A',NULL,'Auckland',NULL,'','New Zealand',1612,110000.0);
INSERT INTO EMPLOYEES VALUES(1002,'Murphy','Diane','x5800','dmurphy@classicmodelcars.com','1',NULL,'President');
INSERT INTO EMPLOYEES VALUES(1056,'Patterson','Mary','x4611','mpatterson@classicmodelcars.com','1',1002,'VP Sales');
INSERT INTO EMPLOYEES VALUES(1076,'Firrelli','Jeff','x9273','jfirrelli@classicmodelcars.com','1',1002,'VP Marketing');
INSERT INTO EMPLOYEES VALUES(1088,'Patterson','William','x4871','wpatterson@classicmodelcars.com','6',1056,'Sales Manager
(JAPAN, APAC)');
INSERT INTO EMPLOYEES VALUES(1102,'Bondur','Gerard','x5408','athompson@classicmodelcars.com','4',1056,'Sale Manager
(EMEA)');
INSERT INTO EMPLOYEES VALUES(1143,'Bow','Anthony','x5428','bhoward@classicmodelcars.com','1',1056,'Sales Manager (NA)');
INSERT INTO EMPLOYEES VALUES(1165,'Jennings','Leslie','x3291','ljennings@classicmodelcars.com','1',1143,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1166,'Thompson','Leslie','x4065','lthompson@classicmodelcars.com','1',1143,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1188,'Firrelli','Julie','x2173','jfirrelli@classicmodelcars.com','2',1143,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1216,'Patterson','Steve','x4334','spatterson@classicmodelcars.com','2',1143,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1286,'Tseng','Foon Yue','x2248','ftseng@classicmodelcars.com','3',1143,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1323,'Vanauf','George','x4102','gvanauf@classicmodelcars.com','3',1143,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1337,'Bondur','Loui','x6493','lbondur@classicmodelcars.com','4',1102,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1370,'Hernandez','Gerard','x2028','ghernande@classicmodelcars.com','4',1102,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1401,'Castillo','Pamela','x2759','pcastillo@classicmodelcars.com','4',1102,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1501,'Bott','Larry','x2311','lbott@classicmodelcars.com','7',1102,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1504,'Jones','Barry','x102','bjones@classicmodelcars.com','7',1102,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1611,'Fixter','Andy','x101','afixter@classicmodelcars.com','6',1088,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1612,'Marsh','Peter','x102','pmarsh@classicmodelcars.com','6',1088,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1619,'King','Tom','x103','tking@classicmodelcars.com','6',1088,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1621,'Nishi','Mami','x101','mnishi@classicmodelcars.com','5',1088,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1625,'Kato','Yoshimi','x102','ekato@classicmodelcars.com','5',1088,'Sales Rep');
INSERT INTO EMPLOYEES VALUES(1702,'Gerard','Martin','x2312','gmartin@classicmodelcars.com','4',1102,'Sales Rep');
INSERT INTO OFFICES VALUES('1','San Francisco','+1 650 219 4782','100 Market Street','Suite 300','CA','USA','94080','NA');
INSERT INTO OFFICES VALUES('2','Boston','+1 215 837 0825','1550 Court Place','Suite 102','MA','USA','02107','NA');
INSERT INTO OFFICES VALUES('3','NYC','+1 212 555 3000','523 East 53rd Street','apt. 5A','NY','USA','10022','NA');
INSERT INTO OFFICES VALUES('4','Paris','+33 14 723 4404','43 Rue Joffroy D'abbans',NULL,'','France','75017','EMEA');
INSERT INTO OFFICES VALUES('5','Tokyo','+81 33 224 5000','4-1 Kioicho',NULL,'Chiyoda-Ku','Japan','102-8578','Japan');
INSERT INTO OFFICES VALUES('6','Sydney','+61 2 9264 2451','5-11 Wentworth Avenue','Floor #2',NULL,'Australia','NSW
2010','APAC');
INSERT INTO OFFICES VALUES('7','London','+44 20 7877 2041','25 Old Broad Street','Level 7',NULL,'UK','EC2N 1HN','EMEA');
INSERT INTO ORDERDETAILS VALUES(10100,'S18 1749',30,171.7,3);
INSERT INTO ORDERDETAILS VALUES(10100,'S18 2248',50,67.8,2);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10100,'S18_4409',22,86.51,4);
INSERT INTO ORDERDETAILS VALUES (10100,'S24_3969',49,34.47,1);
INSERT INTO ORDERDETAILS VALUES (10101,'S18_2325',25,151.28,4);
INSERT INTO ORDERDETAILS VALUES (10101,'S18_2795',26,145.13,1);
INSERT INTO ORDERDETAILS VALUES (10101,'S24_1937',45,31.2,3);
INSERT INTO ORDERDETAILS VALUES (10101,'S24_2022',46,53.76,2);
INSERT INTO ORDERDETAILS VALUES (10102,'S18_1342',39,123.29,2);
INSERT INTO ORDERDETAILS VALUES (10102,'S18_1367',41,50.14,1);
INSERT INTO ORDERDETAILS VALUES (10103,'S10_1949',26,207.87,11);
INSERT INTO ORDERDETAILS VALUES (10103,'S10_4962',42,128.53,4);
INSERT INTO ORDERDETAILS VALUES (10103,'S12_1666',27,125.74,8);
INSERT INTO ORDERDETAILS VALUES (10103,'S18_1097',35,112.0,10);
INSERT INTO ORDERDETAILS VALUES (10103,'S18_2432',22,54.09,2);
INSERT INTO ORDERDETAILS VALUES (10103,'S18_2949',27,83.07,12);
INSERT INTO ORDERDETAILS VALUES (10103,'S18_2957',35,57.46,14);
INSERT INTO ORDERDETAILS VALUES (10103,'S18_3136',25,101.58,13);
INSERT INTO ORDERDETAILS VALUES (10103,'S18_3320',46,104.17,16);
INSERT INTO ORDERDETAILS VALUES (10103,'S18_4600',36,117.45,5);
INSERT INTO ORDERDETAILS VALUES (10103,'S18_4668',41,47.29,9);
INSERT INTO ORDERDETAILS VALUES (10103,'S24_2300',36,102.23,1);
INSERT INTO ORDERDETAILS VALUES (10103,'S24_4258',25,114.92,15);
INSERT INTO ORDERDETAILS VALUES (10103,'S32_1268',31,104.01,3);
INSERT INTO ORDERDETAILS VALUES (10103,'S32_3522',45,75.63,7);
INSERT INTO ORDERDETAILS VALUES (10103,'S700_2824',42,106.21,6);
INSERT INTO ORDERDETAILS VALUES (10104,'S12_3148',34,175.25,1);
INSERT INTO ORDERDETAILS VALUES (10104,'S12_4473',41,112.58,9);
INSERT INTO ORDERDETAILS VALUES (10104,'S18_2238',24,144.08,8);
INSERT INTO ORDERDETAILS VALUES (10104,'S18_2319',29,130.09,12);
INSERT INTO ORDERDETAILS VALUES (10104,'S18_3232',23,198.13,13);
INSERT INTO ORDERDETAILS VALUES (10104,'S18_4027',38,140.75,3);
INSERT INTO ORDERDETAILS VALUES (10104,'S24_1444',35,55.49,6);
INSERT INTO ORDERDETAILS VALUES (10104,'S24_2840',44,39.6,10);
INSERT INTO ORDERDETAILS VALUES (10104,'S24_4048',26,112.37,5);
INSERT INTO ORDERDETAILS VALUES (10104,'S32_2509',35,47.62,11);
INSERT INTO ORDERDETAILS VALUES (10104,'S32_3207',49,65.87,4);
INSERT INTO ORDERDETAILS VALUES (10104,'S50_1392',33,112.28,7);
INSERT INTO ORDERDETAILS VALUES (10104,'S50_1514',32,53.31,2);
INSERT INTO ORDERDETAILS VALUES (10105,'S10_4757',50,144.16,2);
INSERT INTO ORDERDETAILS VALUES (10105,'S12_1108',41,211.96,15);
INSERT INTO ORDERDETAILS VALUES (10105,'S12_3891',29,157.45,14);
INSERT INTO ORDERDETAILS VALUES (10105,'S18_3140',22,139.32,11);
INSERT INTO ORDERDETAILS VALUES (10105,'S18_3259',38,113.95,13);
INSERT INTO ORDERDETAILS VALUES (10105,'S18_4522',41,82.5,10);
INSERT INTO ORDERDETAILS VALUES (10105,'S24_2011',43,147.47,9);
INSERT INTO ORDERDETAILS VALUES (10105,'S24_3151',44,72.58,4);
INSERT INTO ORDERDETAILS VALUES (10105,'S24_3816',50,79.67,1);
INSERT INTO ORDERDETAILS VALUES (10105,'S700_1138',41,70.67,5);
INSERT INTO ORDERDETAILS VALUES (10105,'S700_1938',29,70.15,12);
INSERT INTO ORDERDETAILS VALUES (10105,'S700_2610',31,65.77,3);
INSERT INTO ORDERDETAILS VALUES (10105,'S700_3505',39,81.14,6);
INSERT INTO ORDERDETAILS VALUES (10105,'S700_3962',22,116.19,7);
INSERT INTO ORDERDETAILS VALUES (10105,'S72_3212',25,56.78,8);
INSERT INTO ORDERDETAILS VALUES (10106,'S18_1662',36,146.65,12);
INSERT INTO ORDERDETAILS VALUES (10106,'S18_2581',34,90.39,2);
INSERT INTO ORDERDETAILS VALUES (10106,'S18_3029',41,83.44,18);
INSERT INTO ORDERDETAILS VALUES (10106,'S18_3856',41,116.46,17);
INSERT INTO ORDERDETAILS VALUES (10106,'S24_1785',28,88.63,4);
INSERT INTO ORDERDETAILS VALUES (10106,'S24_2841',49,74.68,13);
INSERT INTO ORDERDETAILS VALUES (10106,'S24_3420',31,52.6,14);
INSERT INTO ORDERDETAILS VALUES (10106,'S24_3949',50,64.83,11);
INSERT INTO ORDERDETAILS VALUES (10106,'S24_4278',26,63.76,3);
INSERT INTO ORDERDETAILS VALUES (10106,'S32_4289',33,72.92,5);
INSERT INTO ORDERDETAILS VALUES (10106,'S50_1341',39,40.15,6);
INSERT INTO ORDERDETAILS VALUES (10106,'S700_1691',31,106.87,7);
INSERT INTO ORDERDETAILS VALUES (10106,'S700_2047',30,105.91,16);
INSERT INTO ORDERDETAILS VALUES (10106,'S700_2466',34,110.69,9);
INSERT INTO ORDERDETAILS VALUES (10106,'S700_2834',32,124.58,1);
INSERT INTO ORDERDETAILS VALUES (10106,'S700_3167',44,74.4,8);
INSERT INTO ORDERDETAILS VALUES (10106,'S700_4002',48,61.44,10);
INSERT INTO ORDERDETAILS VALUES (10106,'S72_1253',48,52.64,15);
INSERT INTO ORDERDETAILS VALUES (10107,'S10_1678',30,95.7,2);
INSERT INTO ORDERDETAILS VALUES (10107,'S10_2016',39,99.91,5);
INSERT INTO ORDERDETAILS VALUES (10107,'S10_4698',27,224.65,4);
INSERT INTO ORDERDETAILS VALUES (10107,'S12_2823',21,144.6,1);
INSERT INTO ORDERDETAILS VALUES (10107,'S18_2625',29,70.87,6);
INSERT INTO ORDERDETAILS VALUES (10107,'S24_1578',25,113.83,3);
INSERT INTO ORDERDETAILS VALUES (10107,'S24_2000',38,83.03,7);
INSERT INTO ORDERDETAILS VALUES (10107,'S32_1374',20,92.9,8);
INSERT INTO ORDERDETAILS VALUES (10108,'S12_1099',33,159.55,6);
INSERT INTO ORDERDETAILS VALUES (10108,'S12_3380',45,136.23,4);
INSERT INTO ORDERDETAILS VALUES (10108,'S12_3990',39,89.38,7);
INSERT INTO ORDERDETAILS VALUES (10108,'S12_4675',36,103.64,3);
INSERT INTO ORDERDETAILS VALUES (10108,'S18_1889',38,82.39,2);
INSERT INTO ORDERDETAILS VALUES (10108,'S18_3278',26,68.35,9);
INSERT INTO ORDERDETAILS VALUES (10108,'S18_3482',29,139.64,8);
INSERT INTO ORDERDETAILS VALUES (10108,'S18_3782',43,67.77,12);
INSERT INTO ORDERDETAILS VALUES (10108,'S18_4721',44,126.48,11);
INSERT INTO ORDERDETAILS VALUES (10108,'S24_2360',35,58.87,15);
INSERT INTO ORDERDETAILS VALUES (10108,'S24_3371',30,63.07,5);
INSERT INTO ORDERDETAILS VALUES (10108,'S24_3856',40,136.22,1);
INSERT INTO ORDERDETAILS VALUES (10108,'S24_4620',31,68.71,10);
INSERT INTO ORDERDETAILS VALUES (10108,'S32_2206',27,43.45,13);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10108,'S32_4485',31,118.38,16);
INSERT INTO ORDERDETAILS VALUES (10108,'S50_4713',34,82.99,14);
INSERT INTO ORDERDETAILS VALUES (10109,'S18_1129',26,168.43,4);
INSERT INTO ORDERDETAILS VALUES (10109,'S18_1984',38,116.65,3);
INSERT INTO ORDERDETAILS VALUES (10109,'S18_2870',26,121.44,1);
INSERT INTO ORDERDETAILS VALUES (10109,'S18_3232',46,179.5,5);
INSERT INTO ORDERDETAILS VALUES (10109,'S18_3685',47,132.8,2);
INSERT INTO ORDERDETAILS VALUES (10109,'S24_2972',29,32.1,6);
INSERT INTO ORDERDETAILS VALUES (10110,'S18_1589',37,146.84,16);
INSERT INTO ORDERDETAILS VALUES (10110,'S18_1749',42,144.5,7);
INSERT INTO ORDERDETAILS VALUES (10110,'S18_2248',32,50.25,6);
INSERT INTO ORDERDETAILS VALUES (10110,'S18_2325',33,116.96,4);
INSERT INTO ORDERDETAILS VALUES (10110,'S18_2795',31,163.69,1);
INSERT INTO ORDERDETAILS VALUES (10110,'S18_4409',28,89.27,8);
INSERT INTO ORDERDETAILS VALUES (10110,'S18_4933',42,61.29,9);
INSERT INTO ORDERDETAILS VALUES (10110,'S24_1046',36,85.25,13);
INSERT INTO ORDERDETAILS VALUES (10110,'S24_1628',29,59.37,15);
INSERT INTO ORDERDETAILS VALUES (10110,'S24_1937',20,35.51,3);
INSERT INTO ORDERDETAILS VALUES (10110,'S24_2022',39,44.35,2);
INSERT INTO ORDERDETAILS VALUES (10110,'S24_2766',43,78.15,11);
INSERT INTO ORDERDETAILS VALUES (10110,'S24_2887',46,129.18,10);
INSERT INTO ORDERDETAILS VALUES (10110,'S24_3191',27,73.62,12);
INSERT INTO ORDERDETAILS VALUES (10110,'S24_3432',37,100.66,14);
INSERT INTO ORDERDETAILS VALUES (10110,'S24_3969',48,34.47,5);
INSERT INTO ORDERDETAILS VALUES (10111,'S18_1342',33,99.66,6);
INSERT INTO ORDERDETAILS VALUES (10111,'S18_1367',48,49.06,5);
INSERT INTO ORDERDETAILS VALUES (10111,'S18_2957',28,64.33,2);
INSERT INTO ORDERDETAILS VALUES (10111,'S18_3136',43,112.05,1);
INSERT INTO ORDERDETAILS VALUES (10111,'S18_3320',39,107.15,4);
INSERT INTO ORDERDETAILS VALUES (10111,'S24_4258',26,86.68,3);
INSERT INTO ORDERDETAILS VALUES (10112,'S10_1949',29,248.59,1);
INSERT INTO ORDERDETAILS VALUES (10112,'S18_2949',23,110.43,2);
INSERT INTO ORDERDETAILS VALUES (10113,'S12_1666',21,162.64,2);
INSERT INTO ORDERDETAILS VALUES (10113,'S18_1097',49,100.34,4);
INSERT INTO ORDERDETAILS VALUES (10113,'S18_4668',50,49.81,3);
INSERT INTO ORDERDETAILS VALUES (10113,'S32_3522',23,68.52,1);
INSERT INTO ORDERDETAILS VALUES (10114,'S10_4962',31,138.88,8);
INSERT INTO ORDERDETAILS VALUES (10114,'S18_2319',39,106.78,3);
INSERT INTO ORDERDETAILS VALUES (10114,'S18_2432',45,68.67,6);
INSERT INTO ORDERDETAILS VALUES (10114,'S18_3232',48,171.03,4);
INSERT INTO ORDERDETAILS VALUES (10114,'S18_4600',41,117.45,9);
INSERT INTO ORDERDETAILS VALUES (10114,'S24_2300',21,139.29,5);
INSERT INTO ORDERDETAILS VALUES (10114,'S24_2840',24,30.06,1);
INSERT INTO ORDERDETAILS VALUES (10114,'S32_1268',32,114.61,7);
INSERT INTO ORDERDETAILS VALUES (10114,'S32_2509',28,55.73,2);
INSERT INTO ORDERDETAILS VALUES (10114,'S700_2824',42,113.29,10);
INSERT INTO ORDERDETAILS VALUES (10115,'S12_4473',46,124.43,5);
INSERT INTO ORDERDETAILS VALUES (10115,'S18_2238',46,160.46,4);
INSERT INTO ORDERDETAILS VALUES (10115,'S24_1444',47,69.36,2);
INSERT INTO ORDERDETAILS VALUES (10115,'S24_4048',44,126.56,1);
INSERT INTO ORDERDETAILS VALUES (10115,'S50_1392',27,105.33,3);
INSERT INTO ORDERDETAILS VALUES (10116,'S32_3207',27,63.38,1);
INSERT INTO ORDERDETAILS VALUES (10117,'S12_1108',33,182.86,9);
INSERT INTO ORDERDETAILS VALUES (10117,'S12_3148',43,137.48,10);
INSERT INTO ORDERDETAILS VALUES (10117,'S12_3891',39,152.26,8);
INSERT INTO ORDERDETAILS VALUES (10117,'S18_3140',26,136.59,5);
INSERT INTO ORDERDETAILS VALUES (10117,'S18_3259',21,95.8,7);
INSERT INTO ORDERDETAILS VALUES (10117,'S18_4027',22,126.39,12);
INSERT INTO ORDERDETAILS VALUES (10117,'S18_4522',23,97.42,4);
INSERT INTO ORDERDETAILS VALUES (10117,'S24_2011',41,126.58,3);
INSERT INTO ORDERDETAILS VALUES (10117,'S50_1514',21,49.21,11);
INSERT INTO ORDERDETAILS VALUES (10117,'S700_1938',38,79.68,6);
INSERT INTO ORDERDETAILS VALUES (10117,'S700_3962',45,83.42,1);
INSERT INTO ORDERDETAILS VALUES (10117,'S72_3212',50,43.68,2);
INSERT INTO ORDERDETAILS VALUES (10118,'S700_3505',36,117.2,1);
INSERT INTO ORDERDETAILS VALUES (10119,'S10_4757',46,108.8,11);
INSERT INTO ORDERDETAILS VALUES (10119,'S18_1662',43,160.84,3);
INSERT INTO ORDERDETAILS VALUES (10119,'S18_3029',21,89.46,9);
INSERT INTO ORDERDETAILS VALUES (10119,'S18_3856',27,99.52,8);
INSERT INTO ORDERDETAILS VALUES (10119,'S24_2841',41,59.6,4);
INSERT INTO ORDERDETAILS VALUES (10119,'S24_3151',35,87.62,13);
INSERT INTO ORDERDETAILS VALUES (10119,'S24_3420',20,72.98,5);
INSERT INTO ORDERDETAILS VALUES (10119,'S24_3816',35,90.57,10);
INSERT INTO ORDERDETAILS VALUES (10119,'S24_3949',28,70.29,2);
INSERT INTO ORDERDETAILS VALUES (10119,'S700_1138',25,76.67,14);
INSERT INTO ORDERDETAILS VALUES (10119,'S700_2047',29,94.14,7);
INSERT INTO ORDERDETAILS VALUES (10119,'S700_2610',38,65.77,12);
INSERT INTO ORDERDETAILS VALUES (10119,'S700_4002',26,59.22,1);
INSERT INTO ORDERDETAILS VALUES (10119,'S72_1253',28,48.17,6);
INSERT INTO ORDERDETAILS VALUES (10120,'S10_2016',29,96.34,3);
INSERT INTO ORDERDETAILS VALUES (10120,'S10_4698',46,201.41,2);
INSERT INTO ORDERDETAILS VALUES (10120,'S18_2581',29,71.81,8);
INSERT INTO ORDERDETAILS VALUES (10120,'S18_2625',46,58.15,4);
INSERT INTO ORDERDETAILS VALUES (10120,'S24_1578',35,98.05,1);
INSERT INTO ORDERDETAILS VALUES (10120,'S24_1785',39,119.27,10);
INSERT INTO ORDERDETAILS VALUES (10120,'S24_2000',34,83.79,5);
INSERT INTO ORDERDETAILS VALUES (10120,'S24_4278',29,85.49,9);
INSERT INTO ORDERDETAILS VALUES (10120,'S32_1374',22,111.88,6);
INSERT INTO ORDERDETAILS VALUES (10120,'S32_4289',29,72.23,11);
INSERT INTO ORDERDETAILS VALUES (10120,'S50_1341',49,50.62,12);
INSERT INTO ORDERDETAILS VALUES (10120,'S700_1691',47,82.21,13);
INSERT INTO ORDERDETAILS VALUES (10120,'S700_2466',24,107.7,15);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10120,'S700_2834',24,142.38,7);
INSERT INTO ORDERDETAILS VALUES (10120,'S700_3167',43,76.0,14);
INSERT INTO ORDERDETAILS VALUES (10121,'S10_1678',34,81.35,5);
INSERT INTO ORDERDETAILS VALUES (10121,'S12_2823',50,165.68,4);
INSERT INTO ORDERDETAILS VALUES (10121,'S24_2360',32,76.88,2);
INSERT INTO ORDERDETAILS VALUES (10121,'S32_4485',25,86.74,3);
INSERT INTO ORDERDETAILS VALUES (10121,'S50_4713',44,74.85,1);
INSERT INTO ORDERDETAILS VALUES (10122,'S12_1099',42,180.95,10);
INSERT INTO ORDERDETAILS VALUES (10122,'S12_3380',37,99.82,8);
INSERT INTO ORDERDETAILS VALUES (10122,'S12_3990',32,63.84,11);
INSERT INTO ORDERDETAILS VALUES (10122,'S12_4675',20,107.1,7);
INSERT INTO ORDERDETAILS VALUES (10122,'S18_1129',34,147.2,2);
INSERT INTO ORDERDETAILS VALUES (10122,'S18_1889',43,72.38,6);
INSERT INTO ORDERDETAILS VALUES (10122,'S18_1984',31,132.29,1);
INSERT INTO ORDERDETAILS VALUES (10122,'S18_3232',25,143.94,3);
INSERT INTO ORDERDETAILS VALUES (10122,'S18_3278',21,73.17,13);
INSERT INTO ORDERDETAILS VALUES (10122,'S18_3482',21,117.59,12);
INSERT INTO ORDERDETAILS VALUES (10122,'S18_3782',35,49.74,16);
INSERT INTO ORDERDETAILS VALUES (10122,'S18_4721',28,127.97,15);
INSERT INTO ORDERDETAILS VALUES (10122,'S24_2972',39,30.96,4);
INSERT INTO ORDERDETAILS VALUES (10122,'S24_3371',34,50.21,9);
INSERT INTO ORDERDETAILS VALUES (10122,'S24_3856',43,127.79,5);
INSERT INTO ORDERDETAILS VALUES (10122,'S24_4620',29,71.14,14);
INSERT INTO ORDERDETAILS VALUES (10122,'S32_2206',31,44.66,17);
INSERT INTO ORDERDETAILS VALUES (10123,'S18_1589',26,118.22,2);
INSERT INTO ORDERDETAILS VALUES (10123,'S18_2870',46,112.2,3);
INSERT INTO ORDERDETAILS VALUES (10123,'S18_3685',34,156.82,4);
INSERT INTO ORDERDETAILS VALUES (10123,'S24_1628',50,59.87,1);
INSERT INTO ORDERDETAILS VALUES (10124,'S18_1749',21,136.0,6);
INSERT INTO ORDERDETAILS VALUES (10124,'S18_2248',42,53.88,5);
INSERT INTO ORDERDETAILS VALUES (10124,'S18_2325',42,105.52,3);
INSERT INTO ORDERDETAILS VALUES (10124,'S18_4409',36,85.59,7);
INSERT INTO ORDERDETAILS VALUES (10124,'S18_4933',23,57.73,8);
INSERT INTO ORDERDETAILS VALUES (10124,'S24_1046',22,77.9,12);
INSERT INTO ORDERDETAILS VALUES (10124,'S24_1937',45,37.84,2);
INSERT INTO ORDERDETAILS VALUES (10124,'S24_2022',22,45.25,1);
INSERT INTO ORDERDETAILS VALUES (10124,'S24_2766',32,72.7,10);
INSERT INTO ORDERDETAILS VALUES (10124,'S24_2887',25,93.95,9);
INSERT INTO ORDERDETAILS VALUES (10124,'S24_3191',49,83.04,11);
INSERT INTO ORDERDETAILS VALUES (10124,'S24_3432',43,121.0,13);
INSERT INTO ORDERDETAILS VALUES (10124,'S24_3969',46,33.23,4);
INSERT INTO ORDERDETAILS VALUES (10125,'S18_1342',32,101.71,1);
INSERT INTO ORDERDETAILS VALUES (10125,'S18_2795',34,190.69,2);
INSERT INTO ORDERDETAILS VALUES (10126,'S10_1949',38,192.87,11);
INSERT INTO ORDERDETAILS VALUES (10126,'S10_4962',22,152.17,4);
INSERT INTO ORDERDETAILS VALUES (10126,'S12_1666',21,116.17,8);
INSERT INTO ORDERDETAILS VALUES (10126,'S18_1097',38,101.5,10);
INSERT INTO ORDERDETAILS VALUES (10126,'S18_1367',42,54.99,17);
INSERT INTO ORDERDETAILS VALUES (10126,'S18_2432',43,65.02,2);
INSERT INTO ORDERDETAILS VALUES (10126,'S18_2949',31,90.17,12);
INSERT INTO ORDERDETAILS VALUES (10126,'S18_2957',46,73.7,14);
INSERT INTO ORDERDETAILS VALUES (10126,'S18_3136',30,97.39,13);
INSERT INTO ORDERDETAILS VALUES (10126,'S18_3320',38,82.34,16);
INSERT INTO ORDERDETAILS VALUES (10126,'S18_4600',50,141.66,5);
INSERT INTO ORDERDETAILS VALUES (10126,'S18_4668',43,53.83,9);
INSERT INTO ORDERDETAILS VALUES (10126,'S24_2300',27,126.51,1);
INSERT INTO ORDERDETAILS VALUES (10126,'S24_4258',34,105.18,15);
INSERT INTO ORDERDETAILS VALUES (10126,'S32_1268',43,96.31,3);
INSERT INTO ORDERDETAILS VALUES (10126,'S32_3522',26,62.7,7);
INSERT INTO ORDERDETAILS VALUES (10126,'S700_2824',45,102.16,6);
INSERT INTO ORDERDETAILS VALUES (10127,'S12_1108',46,245.2,2);
INSERT INTO ORDERDETAILS VALUES (10127,'S12_3148',46,160.14,3);
INSERT INTO ORDERDETAILS VALUES (10127,'S12_3891',42,193.78,1);
INSERT INTO ORDERDETAILS VALUES (10127,'S12_4473',24,106.65,11);
INSERT INTO ORDERDETAILS VALUES (10127,'S18_2238',45,158.82,10);
INSERT INTO ORDERDETAILS VALUES (10127,'S18_2319',45,139.91,14);
INSERT INTO ORDERDETAILS VALUES (10127,'S18_3232',22,174.42,15);
INSERT INTO ORDERDETAILS VALUES (10127,'S18_4027',25,137.88,5);
INSERT INTO ORDERDETAILS VALUES (10127,'S24_1444',20,60.69,8);
INSERT INTO ORDERDETAILS VALUES (10127,'S24_2840',39,38.19,12);
INSERT INTO ORDERDETAILS VALUES (10127,'S24_4048',20,96.99,7);
INSERT INTO ORDERDETAILS VALUES (10127,'S32_2509',45,51.95,13);
INSERT INTO ORDERDETAILS VALUES (10127,'S32_3207',29,70.84,6);
INSERT INTO ORDERDETAILS VALUES (10127,'S50_1392',46,134.27,9);
INSERT INTO ORDERDETAILS VALUES (10127,'S50_1514',46,69.12,4);
INSERT INTO ORDERDETAILS VALUES (10128,'S18_3140',41,135.22,2);
INSERT INTO ORDERDETAILS VALUES (10128,'S18_3259',41,117.98,4);
INSERT INTO ORDERDETAILS VALUES (10128,'S18_4522',43,92.16,1);
INSERT INTO ORDERDETAILS VALUES (10128,'S700_1938',32,97.0,3);
INSERT INTO ORDERDETAILS VALUES (10129,'S10_4757',33,133.28,2);
INSERT INTO ORDERDETAILS VALUES (10129,'S24_2011',45,133.95,9);
INSERT INTO ORDERDETAILS VALUES (10129,'S24_3151',41,94.71,4);
INSERT INTO ORDERDETAILS VALUES (10129,'S24_3816',50,77.99,1);
INSERT INTO ORDERDETAILS VALUES (10129,'S700_1138',31,60.0,5);
INSERT INTO ORDERDETAILS VALUES (10129,'S700_2610',45,85.29,3);
INSERT INTO ORDERDETAILS VALUES (10129,'S700_3505',42,91.15,6);
INSERT INTO ORDERDETAILS VALUES (10129,'S700_3962',30,85.41,7);
INSERT INTO ORDERDETAILS VALUES (10129,'S72_3212',32,64.97,8);
INSERT INTO ORDERDETAILS VALUES (10130,'S18_3029',40,96.34,2);
INSERT INTO ORDERDETAILS VALUES (10130,'S18_3856',33,103.75,1);
INSERT INTO ORDERDETAILS VALUES (10131,'S18_1662',21,132.46,4);
INSERT INTO ORDERDETAILS VALUES (10131,'S24_2841',35,67.14,5);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10131,'S24_3420',29,59.18,6);
INSERT INTO ORDERDETAILS VALUES (10131,'S24_3949',50,81.89,3);
INSERT INTO ORDERDETAILS VALUES (10131,'S700_2047',22,85.99,8);
INSERT INTO ORDERDETAILS VALUES (10131,'S700_2466',40,110.69,1);
INSERT INTO ORDERDETAILS VALUES (10131,'S700_4002',26,85.13,2);
INSERT INTO ORDERDETAILS VALUES (10131,'S72_1253',21,41.71,7);
INSERT INTO ORDERDETAILS VALUES (10132,'S700_3167',36,68.8,1);
INSERT INTO ORDERDETAILS VALUES (10133,'S18_2581',49,69.27,3);
INSERT INTO ORDERDETAILS VALUES (10133,'S24_1785',41,94.1,5);
INSERT INTO ORDERDETAILS VALUES (10133,'S24_4278',46,77.52,4);
INSERT INTO ORDERDETAILS VALUES (10133,'S32_1374',23,114.87,1);
INSERT INTO ORDERDETAILS VALUES (10133,'S32_4289',49,57.1,6);
INSERT INTO ORDERDETAILS VALUES (10133,'S50_1341',27,50.19,7);
INSERT INTO ORDERDETAILS VALUES (10133,'S700_1691',24,77.64,8);
INSERT INTO ORDERDETAILS VALUES (10133,'S700_2834',27,99.67,2);
INSERT INTO ORDERDETAILS VALUES (10134,'S10_1678',41,94.74,2);
INSERT INTO ORDERDETAILS VALUES (10134,'S10_2016',27,122.51,5);
INSERT INTO ORDERDETAILS VALUES (10134,'S10_4698',31,226.58,4);
INSERT INTO ORDERDETAILS VALUES (10134,'S12_2823',20,135.56,1);
INSERT INTO ORDERDETAILS VALUES (10134,'S18_2625',30,61.78,6);
INSERT INTO ORDERDETAILS VALUES (10134,'S24_1578',35,93.54,3);
INSERT INTO ORDERDETAILS VALUES (10134,'S24_2000',43,83.03,7);
INSERT INTO ORDERDETAILS VALUES (10135,'S12_1099',42,190.68,7);
INSERT INTO ORDERDETAILS VALUES (10135,'S12_3380',48,125.66,5);
INSERT INTO ORDERDETAILS VALUES (10135,'S12_3990',24,75.01,8);
INSERT INTO ORDERDETAILS VALUES (10135,'S12_4675',29,97.89,4);
INSERT INTO ORDERDETAILS VALUES (10135,'S18_1889',48,79.31,3);
INSERT INTO ORDERDETAILS VALUES (10135,'S18_3278',45,78.0,10);
INSERT INTO ORDERDETAILS VALUES (10135,'S18_3482',42,129.35,9);
INSERT INTO ORDERDETAILS VALUES (10135,'S18_3782',45,50.36,13);
INSERT INTO ORDERDETAILS VALUES (10135,'S18_4721',31,151.78,12);
INSERT INTO ORDERDETAILS VALUES (10135,'S24_2360',29,61.64,16);
INSERT INTO ORDERDETAILS VALUES (10135,'S24_2972',20,35.87,1);
INSERT INTO ORDERDETAILS VALUES (10135,'S24_3371',27,66.13,6);
INSERT INTO ORDERDETAILS VALUES (10135,'S24_3856',47,134.81,2);
INSERT INTO ORDERDETAILS VALUES (10135,'S24_4620',23,87.31,11);
INSERT INTO ORDERDETAILS VALUES (10135,'S32_2206',33,40.23,14);
INSERT INTO ORDERDETAILS VALUES (10135,'S32_4485',30,89.8,17);
INSERT INTO ORDERDETAILS VALUES (10135,'S50_4713',44,96.0,15);
INSERT INTO ORDERDETAILS VALUES (10136,'S18_1129',25,145.79,2);
INSERT INTO ORDERDETAILS VALUES (10136,'S18_1984',36,146.52,1);
INSERT INTO ORDERDETAILS VALUES (10136,'S18_3232',41,203.21,3);
INSERT INTO ORDERDETAILS VALUES (10137,'S18_1589',44,99.55,2);
INSERT INTO ORDERDETAILS VALUES (10137,'S18_2870',37,117.48,3);
INSERT INTO ORDERDETAILS VALUES (10137,'S18_3685',31,165.3,4);
INSERT INTO ORDERDETAILS VALUES (10137,'S24_1628',26,49.81,1);
INSERT INTO ORDERDETAILS VALUES (10138,'S18_1749',33,161.5,6);
INSERT INTO ORDERDETAILS VALUES (10138,'S18_2248',22,48.43,5);
INSERT INTO ORDERDETAILS VALUES (10138,'S18_2325',38,108.06,3);
INSERT INTO ORDERDETAILS VALUES (10138,'S18_4409',47,100.31,7);
INSERT INTO ORDERDETAILS VALUES (10138,'S18_4933',23,66.99,8);
INSERT INTO ORDERDETAILS VALUES (10138,'S24_1046',45,84.51,12);
INSERT INTO ORDERDETAILS VALUES (10138,'S24_1937',22,29.21,2);
INSERT INTO ORDERDETAILS VALUES (10138,'S24_2022',33,43.01,1);
INSERT INTO ORDERDETAILS VALUES (10138,'S24_2766',28,104.5,10);
INSERT INTO ORDERDETAILS VALUES (10138,'S24_2887',30,138.58,9);
INSERT INTO ORDERDETAILS VALUES (10138,'S24_3191',49,90.75,11);
INSERT INTO ORDERDETAILS VALUES (10138,'S24_3432',21,118.86,13);
INSERT INTO ORDERDETAILS VALUES (10138,'S24_3969',29,38.16,4);
INSERT INTO ORDERDETAILS VALUES (10139,'S18_1342',31,102.74,7);
INSERT INTO ORDERDETAILS VALUES (10139,'S18_1367',49,43.13,6);
INSERT INTO ORDERDETAILS VALUES (10139,'S18_2795',41,194.06,8);
INSERT INTO ORDERDETAILS VALUES (10139,'S18_2949',46,120.56,1);
INSERT INTO ORDERDETAILS VALUES (10139,'S18_2957',20,71.2,3);
INSERT INTO ORDERDETAILS VALUES (10139,'S18_3136',20,90.06,2);
INSERT INTO ORDERDETAILS VALUES (10139,'S18_3320',30,103.18,5);
INSERT INTO ORDERDETAILS VALUES (10139,'S24_4258',29,112.97,4);
INSERT INTO ORDERDETAILS VALUES (10140,'S10_1949',37,199.3,11);
INSERT INTO ORDERDETAILS VALUES (10140,'S10_4962',26,122.62,4);
INSERT INTO ORDERDETAILS VALUES (10140,'S12_1666',38,127.1,8);
INSERT INTO ORDERDETAILS VALUES (10140,'S18_1097',32,130.67,10);
INSERT INTO ORDERDETAILS VALUES (10140,'S18_2432',46,61.99,2);
INSERT INTO ORDERDETAILS VALUES (10140,'S18_4600',40,115.03,5);
INSERT INTO ORDERDETAILS VALUES (10140,'S18_4668',29,43.27,9);
INSERT INTO ORDERDETAILS VALUES (10140,'S24_2300',47,108.62,1);
INSERT INTO ORDERDETAILS VALUES (10140,'S32_1268',26,108.83,3);
INSERT INTO ORDERDETAILS VALUES (10140,'S32_3522',28,60.76,7);
INSERT INTO ORDERDETAILS VALUES (10140,'S700_2824',36,114.3,6);
INSERT INTO ORDERDETAILS VALUES (10141,'S12_4473',21,101.91,5);
INSERT INTO ORDERDETAILS VALUES (10141,'S18_2238',39,152.27,4);
INSERT INTO ORDERDETAILS VALUES (10141,'S18_2319',47,133.78,8);
INSERT INTO ORDERDETAILS VALUES (10141,'S18_3232',34,142.25,9);
INSERT INTO ORDERDETAILS VALUES (10141,'S24_1444',20,54.33,2);
INSERT INTO ORDERDETAILS VALUES (10141,'S24_2840',21,42.43,6);
INSERT INTO ORDERDETAILS VALUES (10141,'S24_4048',40,94.62,1);
INSERT INTO ORDERDETAILS VALUES (10141,'S32_2509',24,45.99,7);
INSERT INTO ORDERDETAILS VALUES (10141,'S50_1392',44,125.01,3);
INSERT INTO ORDERDETAILS VALUES (10142,'S12_1108',33,243.13,12);
INSERT INTO ORDERDETAILS VALUES (10142,'S12_3148',33,151.08,13);
INSERT INTO ORDERDETAILS VALUES (10142,'S12_3891',46,205.89,11);
INSERT INTO ORDERDETAILS VALUES (10142,'S18_3140',47,128.39,8);
INSERT INTO ORDERDETAILS VALUES (10142,'S18_3259',22,97.81,10);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10142,'S18_4027',24,157.98,15);
INSERT INTO ORDERDETAILS VALUES (10142,'S18_4522',24,70.22,7);
INSERT INTO ORDERDETAILS VALUES (10142,'S24_2011',33,102.0,6);
INSERT INTO ORDERDETAILS VALUES (10142,'S24_3151',49,98.25,1);
INSERT INTO ORDERDETAILS VALUES (10142,'S32_3207',42,74.57,16);
INSERT INTO ORDERDETAILS VALUES (10142,'S50_1514',42,49.79,14);
INSERT INTO ORDERDETAILS VALUES (10142,'S700_1138',41,64.0,2);
INSERT INTO ORDERDETAILS VALUES (10142,'S700_1938',43,84.01,9);
INSERT INTO ORDERDETAILS VALUES (10142,'S700_3505',21,111.19,3);
INSERT INTO ORDERDETAILS VALUES (10142,'S700_3962',38,85.41,4);
INSERT INTO ORDERDETAILS VALUES (10142,'S72_3212',39,44.23,5);
INSERT INTO ORDERDETAILS VALUES (10143,'S10_4757',49,114.24,15);
INSERT INTO ORDERDETAILS VALUES (10143,'S18_1662',32,164.0,7);
INSERT INTO ORDERDETAILS VALUES (10143,'S18_3029',46,74.84,13);
INSERT INTO ORDERDETAILS VALUES (10143,'S18_3856',34,101.64,12);
INSERT INTO ORDERDETAILS VALUES (10143,'S24_2841',27,60.97,8);
INSERT INTO ORDERDETAILS VALUES (10143,'S24_3420',33,77.59,9);
INSERT INTO ORDERDETAILS VALUES (10143,'S24_3816',23,80.51,14);
INSERT INTO ORDERDETAILS VALUES (10143,'S24_3949',28,66.19,6);
INSERT INTO ORDERDETAILS VALUES (10143,'S50_1341',34,36.66,1);
INSERT INTO ORDERDETAILS VALUES (10143,'S700_1691',36,109.61,2);
INSERT INTO ORDERDETAILS VALUES (10143,'S700_2047',26,100.48,11);
INSERT INTO ORDERDETAILS VALUES (10143,'S700_2466',26,82.77,4);
INSERT INTO ORDERDETAILS VALUES (10143,'S700_2610',31,85.29,16);
INSERT INTO ORDERDETAILS VALUES (10143,'S700_3167',28,96.0,3);
INSERT INTO ORDERDETAILS VALUES (10143,'S700_4002',34,85.87,5);
INSERT INTO ORDERDETAILS VALUES (10143,'S72_1253',37,50.65,10);
INSERT INTO ORDERDETAILS VALUES (10144,'S32_4289',20,81.86,1);
INSERT INTO ORDERDETAILS VALUES (10145,'S10_1678',45,83.26,6);
INSERT INTO ORDERDETAILS VALUES (10145,'S10_2016',37,140.35,9);
INSERT INTO ORDERDETAILS VALUES (10145,'S10_4698',33,156.86,8);
INSERT INTO ORDERDETAILS VALUES (10145,'S12_2823',49,170.2,5);
INSERT INTO ORDERDETAILS VALUES (10145,'S18_2581',30,85.32,14);
INSERT INTO ORDERDETAILS VALUES (10145,'S18_2625',30,49.67,10);
INSERT INTO ORDERDETAILS VALUES (10145,'S24_1578',43,95.8,7);
INSERT INTO ORDERDETAILS VALUES (10145,'S24_1785',40,87.54,16);
INSERT INTO ORDERDETAILS VALUES (10145,'S24_2000',47,83.03,11);
INSERT INTO ORDERDETAILS VALUES (10145,'S24_2360',27,60.95,3);
INSERT INTO ORDERDETAILS VALUES (10145,'S24_4278',33,84.77,15);
INSERT INTO ORDERDETAILS VALUES (10145,'S32_1374',33,93.9,12);
INSERT INTO ORDERDETAILS VALUES (10145,'S32_2206',31,35.8,1);
INSERT INTO ORDERDETAILS VALUES (10145,'S32_4485',27,120.42,4);
INSERT INTO ORDERDETAILS VALUES (10145,'S50_4713',38,81.36,2);
INSERT INTO ORDERDETAILS VALUES (10145,'S700_2834',20,137.63,13);
INSERT INTO ORDERDETAILS VALUES (10146,'S18_3782',47,67.14,2);
INSERT INTO ORDERDETAILS VALUES (10146,'S18_4721',29,153.26,1);
INSERT INTO ORDERDETAILS VALUES (10147,'S12_1099',48,192.62,7);
INSERT INTO ORDERDETAILS VALUES (10147,'S12_3380',31,112.74,5);
INSERT INTO ORDERDETAILS VALUES (10147,'S12_3990',21,63.84,8);
INSERT INTO ORDERDETAILS VALUES (10147,'S12_4675',33,97.89,4);
INSERT INTO ORDERDETAILS VALUES (10147,'S18_1889',26,82.39,3);
INSERT INTO ORDERDETAILS VALUES (10147,'S18_3278',36,86.04,10);
INSERT INTO ORDERDETAILS VALUES (10147,'S18_3482',37,119.06,9);
INSERT INTO ORDERDETAILS VALUES (10147,'S24_2972',25,42.67,1);
INSERT INTO ORDERDETAILS VALUES (10147,'S24_3371',30,68.58,6);
INSERT INTO ORDERDETAILS VALUES (10147,'S24_3856',23,126.39,2);
INSERT INTO ORDERDETAILS VALUES (10147,'S24_4620',31,64.67,11);
INSERT INTO ORDERDETAILS VALUES (10148,'S18_1129',23,117.48,13);
INSERT INTO ORDERDETAILS VALUES (10148,'S18_1589',47,124.44,9);
INSERT INTO ORDERDETAILS VALUES (10148,'S18_1984',25,169.28,12);
INSERT INTO ORDERDETAILS VALUES (10148,'S18_2870',27,130.68,10);
INSERT INTO ORDERDETAILS VALUES (10148,'S18_3232',32,169.34,14);
INSERT INTO ORDERDETAILS VALUES (10148,'S18_3685',28,129.98,11);
INSERT INTO ORDERDETAILS VALUES (10148,'S18_4409',34,105.83,1);
INSERT INTO ORDERDETAILS VALUES (10148,'S18_4933',29,81.25,2);
INSERT INTO ORDERDETAILS VALUES (10148,'S24_1046',25,60.26,6);
INSERT INTO ORDERDETAILS VALUES (10148,'S24_1628',47,56.85,8);
INSERT INTO ORDERDETAILS VALUES (10148,'S24_2766',21,73.6,4);
INSERT INTO ORDERDETAILS VALUES (10148,'S24_2887',34,129.18,3);
INSERT INTO ORDERDETAILS VALUES (10148,'S24_3191',31,73.62,5);
INSERT INTO ORDERDETAILS VALUES (10148,'S24_3432',27,128.5,7);
INSERT INTO ORDERDETAILS VALUES (10149,'S18_1342',50,118.15,4);
INSERT INTO ORDERDETAILS VALUES (10149,'S18_1367',30,58.22,3);
INSERT INTO ORDERDETAILS VALUES (10149,'S18_1749',34,158.1,11);
INSERT INTO ORDERDETAILS VALUES (10149,'S18_2248',24,62.36,10);
INSERT INTO ORDERDETAILS VALUES (10149,'S18_2325',33,150.01,8);
INSERT INTO ORDERDETAILS VALUES (10149,'S18_2795',23,183.94,5);
INSERT INTO ORDERDETAILS VALUES (10149,'S18_3320',42,94.25,2);
INSERT INTO ORDERDETAILS VALUES (10149,'S24_1937',36,33.19,7);
INSERT INTO ORDERDETAILS VALUES (10149,'S24_2022',49,49.28,6);
INSERT INTO ORDERDETAILS VALUES (10149,'S24_3969',26,38.98,9);
INSERT INTO ORDERDETAILS VALUES (10149,'S24_4258',20,90.57,1);
INSERT INTO ORDERDETAILS VALUES (10150,'S10_1949',45,244.3,8);
INSERT INTO ORDERDETAILS VALUES (10150,'S10_4962',20,159.56,1);
INSERT INTO ORDERDETAILS VALUES (10150,'S12_1666',30,136.67,5);
INSERT INTO ORDERDETAILS VALUES (10150,'S18_1097',34,136.5,7);
INSERT INTO ORDERDETAILS VALUES (10150,'S18_2949',47,91.18,9);
INSERT INTO ORDERDETAILS VALUES (10150,'S18_2957',30,49.97,11);
INSERT INTO ORDERDETAILS VALUES (10150,'S18_3136',26,107.86,10);
INSERT INTO ORDERDETAILS VALUES (10150,'S18_4600',49,131.98,2);
INSERT INTO ORDERDETAILS VALUES (10150,'S18_4668',30,42.76,6);
INSERT INTO ORDERDETAILS VALUES (10150,'S32_3522',49,58.18,4);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10150,'S700_2824',20,105.2,3);
INSERT INTO ORDERDETAILS VALUES (10151,'S12_4473',24,138.65,3);
INSERT INTO ORDERDETAILS VALUES (10151,'S18_2238',43,165.37,2);
INSERT INTO ORDERDETAILS VALUES (10151,'S18_2319',49,110.46,6);
INSERT INTO ORDERDETAILS VALUES (10151,'S18_2432',39,69.28,9);
INSERT INTO ORDERDETAILS VALUES (10151,'S18_3232',21,177.81,7);
INSERT INTO ORDERDETAILS VALUES (10151,'S24_2300',42,121.4,8);
INSERT INTO ORDERDETAILS VALUES (10151,'S24_2840',30,40.31,4);
INSERT INTO ORDERDETAILS VALUES (10151,'S32_1268',27,113.65,10);
INSERT INTO ORDERDETAILS VALUES (10151,'S32_2509',41,63.85,5);
INSERT INTO ORDERDETAILS VALUES (10151,'S50_1392',26,123.85,1);
INSERT INTO ORDERDETAILS VALUES (10152,'S18_4027',35,129.26,1);
INSERT INTO ORDERDETAILS VALUES (10152,'S24_1444',25,65.31,4);
INSERT INTO ORDERDETAILS VALUES (10152,'S24_4048',23,121.83,3);
INSERT INTO ORDERDETAILS VALUES (10152,'S32_3207',33,50.95,2);
INSERT INTO ORDERDETAILS VALUES (10153,'S12_1108',20,245.2,11);
INSERT INTO ORDERDETAILS VALUES (10153,'S12_3148',42,128.42,12);
INSERT INTO ORDERDETAILS VALUES (10153,'S12_3891',49,143.61,10);
INSERT INTO ORDERDETAILS VALUES (10153,'S18_3140',31,117.47,7);
INSERT INTO ORDERDETAILS VALUES (10153,'S18_3259',29,88.74,9);
INSERT INTO ORDERDETAILS VALUES (10153,'S18_4522',22,83.38,6);
INSERT INTO ORDERDETAILS VALUES (10153,'S24_2011',40,136.41,5);
INSERT INTO ORDERDETAILS VALUES (10153,'S50_1514',31,57.41,13);
INSERT INTO ORDERDETAILS VALUES (10153,'S700_1138',43,64.67,1);
INSERT INTO ORDERDETAILS VALUES (10153,'S700_1938',31,87.48,8);
INSERT INTO ORDERDETAILS VALUES (10153,'S700_3505',50,88.15,2);
INSERT INTO ORDERDETAILS VALUES (10153,'S700_3962',20,110.23,3);
INSERT INTO ORDERDETAILS VALUES (10153,'S72_3212',50,60.06,4);
INSERT INTO ORDERDETAILS VALUES (10154,'S24_3151',31,91.17,2);
INSERT INTO ORDERDETAILS VALUES (10154,'S700_2610',36,64.33,1);
INSERT INTO ORDERDETAILS VALUES (10155,'S10_4757',32,141.44,13);
INSERT INTO ORDERDETAILS VALUES (10155,'S18_1662',38,171.88,5);
INSERT INTO ORDERDETAILS VALUES (10155,'S18_3029',44,79.14,11);
INSERT INTO ORDERDETAILS VALUES (10155,'S18_3856',29,124.93,10);
INSERT INTO ORDERDETAILS VALUES (10155,'S24_2841',23,72.62,6);
INSERT INTO ORDERDETAILS VALUES (10155,'S24_3420',34,55.89,7);
INSERT INTO ORDERDETAILS VALUES (10155,'S24_3816',37,67.93,12);
INSERT INTO ORDERDETAILS VALUES (10155,'S24_3949',44,77.11,4);
INSERT INTO ORDERDETAILS VALUES (10155,'S700_2047',32,91.43,9);
INSERT INTO ORDERDETAILS VALUES (10155,'S700_2466',20,117.67,2);
INSERT INTO ORDERDETAILS VALUES (10155,'S700_3167',43,86.4,1);
INSERT INTO ORDERDETAILS VALUES (10155,'S700_4002',44,85.87,3);
INSERT INTO ORDERDETAILS VALUES (10155,'S72_1253',34,49.16,8);
INSERT INTO ORDERDETAILS VALUES (10156,'S50_1341',20,41.02,1);
INSERT INTO ORDERDETAILS VALUES (10156,'S700_1691',48,103.21,2);
INSERT INTO ORDERDETAILS VALUES (10157,'S18_2581',33,78.57,3);
INSERT INTO ORDERDETAILS VALUES (10157,'S24_1785',40,102.85,5);
INSERT INTO ORDERDETAILS VALUES (10157,'S24_4278',33,86.22,4);
INSERT INTO ORDERDETAILS VALUES (10157,'S32_1374',34,118.87,1);
INSERT INTO ORDERDETAILS VALUES (10157,'S32_4289',28,74.98,6);
INSERT INTO ORDERDETAILS VALUES (10157,'S700_2834',48,124.58,2);
INSERT INTO ORDERDETAILS VALUES (10158,'S24_2000',22,67.03,1);
INSERT INTO ORDERDETAILS VALUES (10159,'S10_1678',49,106.23,14);
INSERT INTO ORDERDETAILS VALUES (10159,'S10_2016',37,135.59,17);
INSERT INTO ORDERDETAILS VALUES (10159,'S10_4698',22,187.85,16);
INSERT INTO ORDERDETAILS VALUES (10159,'S12_1099',41,202.35,2);
INSERT INTO ORDERDETAILS VALUES (10159,'S12_2823',38,164.18,13);
INSERT INTO ORDERDETAILS VALUES (10159,'S12_3990',24,73.42,3);
INSERT INTO ORDERDETAILS VALUES (10159,'S18_2625',42,51.48,18);
INSERT INTO ORDERDETAILS VALUES (10159,'S18_3278',21,81.21,5);
INSERT INTO ORDERDETAILS VALUES (10159,'S18_3482',25,145.52,4);
INSERT INTO ORDERDETAILS VALUES (10159,'S18_3782',21,64.66,8);
INSERT INTO ORDERDETAILS VALUES (10159,'S18_4721',32,144.34,7);
INSERT INTO ORDERDETAILS VALUES (10159,'S24_1578',44,121.72,15);
INSERT INTO ORDERDETAILS VALUES (10159,'S24_2360',27,80.34,11);
INSERT INTO ORDERDETAILS VALUES (10159,'S24_3371',50,69.8,1);
INSERT INTO ORDERDETAILS VALUES (10159,'S24_4620',23,67.1,6);
INSERT INTO ORDERDETAILS VALUES (10159,'S32_2206',35,35.4,9);
INSERT INTO ORDERDETAILS VALUES (10159,'S32_4485',23,102.05,12);
INSERT INTO ORDERDETAILS VALUES (10159,'S50_4713',31,71.6,10);
INSERT INTO ORDERDETAILS VALUES (10160,'S12_3380',46,115.09,6);
INSERT INTO ORDERDETAILS VALUES (10160,'S12_4675',50,103.64,5);
INSERT INTO ORDERDETAILS VALUES (10160,'S18_1889',38,88.55,4);
INSERT INTO ORDERDETAILS VALUES (10160,'S18_3232',20,199.82,1);
INSERT INTO ORDERDETAILS VALUES (10160,'S24_2972',42,37.0,2);
INSERT INTO ORDERDETAILS VALUES (10160,'S24_3856',35,136.22,3);
INSERT INTO ORDERDETAILS VALUES (10161,'S18_1129',28,134.46,12);
INSERT INTO ORDERDETAILS VALUES (10161,'S18_1589',43,143.11,8);
INSERT INTO ORDERDETAILS VALUES (10161,'S18_1984',48,128.03,11);
INSERT INTO ORDERDETAILS VALUES (10161,'S18_2870',23,138.6,9);
INSERT INTO ORDERDETAILS VALUES (10161,'S18_3685',36,154.0,10);
INSERT INTO ORDERDETAILS VALUES (10161,'S18_4933',25,80.54,1);
INSERT INTO ORDERDETAILS VALUES (10161,'S24_1046',37,72.76,5);
INSERT INTO ORDERDETAILS VALUES (10161,'S24_1628',23,53.33,7);
INSERT INTO ORDERDETAILS VALUES (10161,'S24_2766',20,107.23,3);
INSERT INTO ORDERDETAILS VALUES (10161,'S24_2887',25,110.39,2);
INSERT INTO ORDERDETAILS VALUES (10161,'S24_3191',20,77.05,4);
INSERT INTO ORDERDETAILS VALUES (10161,'S24_3432',30,104.94,6);
INSERT INTO ORDERDETAILS VALUES (10162,'S18_1342',48,91.44,2);
INSERT INTO ORDERDETAILS VALUES (10162,'S18_1367',45,51.21,1);
INSERT INTO ORDERDETAILS VALUES (10162,'S18_1749',29,178.5,9);
INSERT INTO ORDERDETAILS VALUES (10162,'S18_2248',27,69.62,8);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10162,'S18_2325',38,113.15,6);
INSERT INTO ORDERDETAILS VALUES (10162,'S18_2795',48,150.19,3);
INSERT INTO ORDERDETAILS VALUES (10162,'S18_4409',39,100.31,10);
INSERT INTO ORDERDETAILS VALUES (10162,'S24_1937',37,27.22,5);
INSERT INTO ORDERDETAILS VALUES (10162,'S24_2022',43,36.29,4);
INSERT INTO ORDERDETAILS VALUES (10162,'S24_3969',37,38.98,7);
INSERT INTO ORDERDETAILS VALUES (10163,'S10_1949',21,231.44,1);
INSERT INTO ORDERDETAILS VALUES (10163,'S18_2949',31,107.39,2);
INSERT INTO ORDERDETAILS VALUES (10163,'S18_2957',48,69.96,4);
INSERT INTO ORDERDETAILS VALUES (10163,'S18_3136',40,122.52,3);
INSERT INTO ORDERDETAILS VALUES (10163,'S18_3320',43,116.08,6);
INSERT INTO ORDERDETAILS VALUES (10163,'S24_4258',42,91.55,5);
INSERT INTO ORDERDETAILS VALUES (10164,'S10_4962',21,168.42,2);
INSERT INTO ORDERDETAILS VALUES (10164,'S12_1666',49,133.94,6);
INSERT INTO ORDERDETAILS VALUES (10164,'S18_1097',36,99.17,8);
INSERT INTO ORDERDETAILS VALUES (10164,'S18_4600',45,111.39,3);
INSERT INTO ORDERDETAILS VALUES (10164,'S18_4668',25,53.83,7);
INSERT INTO ORDERDETAILS VALUES (10164,'S32_1268',24,109.79,1);
INSERT INTO ORDERDETAILS VALUES (10164,'S32_3522',49,54.94,5);
INSERT INTO ORDERDETAILS VALUES (10164,'S700_2824',39,81.93,4);
INSERT INTO ORDERDETAILS VALUES (10165,'S12_1108',44,195.33,3);
INSERT INTO ORDERDETAILS VALUES (10165,'S12_3148',34,143.53,4);
INSERT INTO ORDERDETAILS VALUES (10165,'S12_3891',27,205.89,2);
INSERT INTO ORDERDETAILS VALUES (10165,'S12_4473',48,142.2,12);
INSERT INTO ORDERDETAILS VALUES (10165,'S18_2238',29,173.55,11);
INSERT INTO ORDERDETAILS VALUES (10165,'S18_2319',46,130.09,15);
INSERT INTO ORDERDETAILS VALUES (10165,'S18_2432',31,71.1,18);
INSERT INTO ORDERDETAILS VALUES (10165,'S18_3232',47,186.27,16);
INSERT INTO ORDERDETAILS VALUES (10165,'S18_3259',50,106.89,1);
INSERT INTO ORDERDETAILS VALUES (10165,'S18_4027',28,119.2,6);
INSERT INTO ORDERDETAILS VALUES (10165,'S24_1444',25,69.36,9);
INSERT INTO ORDERDETAILS VALUES (10165,'S24_2300',32,145.68,17);
INSERT INTO ORDERDETAILS VALUES (10165,'S24_2840',27,31.82,13);
INSERT INTO ORDERDETAILS VALUES (10165,'S24_4048',24,99.36,8);
INSERT INTO ORDERDETAILS VALUES (10165,'S32_2509',48,45.99,14);
INSERT INTO ORDERDETAILS VALUES (10165,'S32_3207',44,53.44,7);
INSERT INTO ORDERDETAILS VALUES (10165,'S50_1392',48,94.92,10);
INSERT INTO ORDERDETAILS VALUES (10165,'S50_1514',38,66.78,5);
INSERT INTO ORDERDETAILS VALUES (10166,'S18_3140',43,161.18,2);
INSERT INTO ORDERDETAILS VALUES (10166,'S18_4522',26,73.73,1);
INSERT INTO ORDERDETAILS VALUES (10166,'S700_1938',29,103.93,3);
INSERT INTO ORDERDETAILS VALUES (10167,'S10_4757',44,134.64,9);
INSERT INTO ORDERDETAILS VALUES (10167,'S18_1662',43,134.04,1);
INSERT INTO ORDERDETAILS VALUES (10167,'S18_3029',46,73.12,7);
INSERT INTO ORDERDETAILS VALUES (10167,'S18_3856',34,105.87,6);
INSERT INTO ORDERDETAILS VALUES (10167,'S24_2011',33,115.52,16);
INSERT INTO ORDERDETAILS VALUES (10167,'S24_2841',21,69.88,2);
INSERT INTO ORDERDETAILS VALUES (10167,'S24_3151',20,79.66,11);
INSERT INTO ORDERDETAILS VALUES (10167,'S24_3420',32,63.12,3);
INSERT INTO ORDERDETAILS VALUES (10167,'S24_3816',29,83.86,8);
INSERT INTO ORDERDETAILS VALUES (10167,'S700_1138',43,75.34,12);
INSERT INTO ORDERDETAILS VALUES (10167,'S700_2047',29,101.38,5);
INSERT INTO ORDERDETAILS VALUES (10167,'S700_2610',46,70.11,10);
INSERT INTO ORDERDETAILS VALUES (10167,'S700_3505',24,117.2,13);
INSERT INTO ORDERDETAILS VALUES (10167,'S700_3962',28,107.25,14);
INSERT INTO ORDERDETAILS VALUES (10167,'S72_1253',40,41.71,4);
INSERT INTO ORDERDETAILS VALUES (10167,'S72_3212',38,48.59,15);
INSERT INTO ORDERDETAILS VALUES (10168,'S10_1678',36,96.66,1);
INSERT INTO ORDERDETAILS VALUES (10168,'S10_2016',27,135.59,4);
INSERT INTO ORDERDETAILS VALUES (10168,'S10_4698',20,209.15,3);
INSERT INTO ORDERDETAILS VALUES (10168,'S18_2581',21,70.96,9);
INSERT INTO ORDERDETAILS VALUES (10168,'S18_2625',46,61.18,5);
INSERT INTO ORDERDETAILS VALUES (10168,'S24_1578',50,114.95,2);
INSERT INTO ORDERDETAILS VALUES (10168,'S24_1785',49,131.3,11);
INSERT INTO ORDERDETAILS VALUES (10168,'S24_2000',29,75.41,6);
INSERT INTO ORDERDETAILS VALUES (10168,'S24_3949',27,73.02,18);
INSERT INTO ORDERDETAILS VALUES (10168,'S24_4278',48,78.25,10);
INSERT INTO ORDERDETAILS VALUES (10168,'S32_1374',28,115.87,7);
INSERT INTO ORDERDETAILS VALUES (10168,'S32_4289',31,73.61,12);
INSERT INTO ORDERDETAILS VALUES (10168,'S50_1341',48,51.93,13);
INSERT INTO ORDERDETAILS VALUES (10168,'S700_1691',28,98.65,14);
INSERT INTO ORDERDETAILS VALUES (10168,'S700_2466',31,110.69,16);
INSERT INTO ORDERDETAILS VALUES (10168,'S700_2834',36,125.77,8);
INSERT INTO ORDERDETAILS VALUES (10168,'S700_3167',48,96.0,15);
INSERT INTO ORDERDETAILS VALUES (10168,'S700_4002',39,82.91,17);
INSERT INTO ORDERDETAILS VALUES (10169,'S12_1099',30,167.33,2);
INSERT INTO ORDERDETAILS VALUES (10169,'S12_2823',35,132.55,13);
INSERT INTO ORDERDETAILS VALUES (10169,'S12_3990',36,63.84,3);
INSERT INTO ORDERDETAILS VALUES (10169,'S18_3278',32,70.76,5);
INSERT INTO ORDERDETAILS VALUES (10169,'S18_3482',36,123.47,4);
INSERT INTO ORDERDETAILS VALUES (10169,'S18_3782',38,68.39,8);
INSERT INTO ORDERDETAILS VALUES (10169,'S18_4721',33,148.8,7);
INSERT INTO ORDERDETAILS VALUES (10169,'S24_2360',38,74.11,11);
INSERT INTO ORDERDETAILS VALUES (10169,'S24_3371',34,50.21,1);
INSERT INTO ORDERDETAILS VALUES (10169,'S24_4620',24,94.58,6);
INSERT INTO ORDERDETAILS VALUES (10169,'S32_2206',26,39.83,9);
INSERT INTO ORDERDETAILS VALUES (10169,'S32_4485',34,115.32,12);
INSERT INTO ORDERDETAILS VALUES (10169,'S50_4713',48,80.55,10);
INSERT INTO ORDERDETAILS VALUES (10170,'S12_3380',47,116.27,4);
INSERT INTO ORDERDETAILS VALUES (10170,'S12_4675',41,107.1,3);
INSERT INTO ORDERDETAILS VALUES (10170,'S18_1889',20,63.14,2);
INSERT INTO ORDERDETAILS VALUES (10170,'S24_3856',34,112.34,1);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10171,'S18_1129',35,128.8,2);
INSERT INTO ORDERDETAILS VALUES (10171,'S18_1984',35,133.72,1);
INSERT INTO ORDERDETAILS VALUES (10171,'S18_3232',39,140.55,3);
INSERT INTO ORDERDETAILS VALUES (10171,'S24_2972',36,35.49,4);
INSERT INTO ORDERDETAILS VALUES (10172,'S18_1589',42,118.22,6);
INSERT INTO ORDERDETAILS VALUES (10172,'S18_2870',39,154.44,7);
INSERT INTO ORDERDETAILS VALUES (10172,'S18_3685',48,114.44,8);
INSERT INTO ORDERDETAILS VALUES (10172,'S24_1046',32,75.69,3);
INSERT INTO ORDERDETAILS VALUES (10172,'S24_1628',34,42.76,5);
INSERT INTO ORDERDETAILS VALUES (10172,'S24_2766',22,74.51,1);
INSERT INTO ORDERDETAILS VALUES (10172,'S24_3191',24,81.33,2);
INSERT INTO ORDERDETAILS VALUES (10172,'S24_3432',22,98.51,4);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_1342',43,117.12,6);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_1367',48,44.21,5);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_1749',24,146.2,13);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_2248',26,57.51,12);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_2325',31,144.93,10);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_2795',22,156.94,7);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_2957',28,53.72,2);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_3136',31,89.01,1);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_3320',29,95.24,4);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_4409',21,75.46,14);
INSERT INTO ORDERDETAILS VALUES (10173,'S18_4933',39,71.98,15);
INSERT INTO ORDERDETAILS VALUES (10173,'S24_1937',31,31.53,9);
INSERT INTO ORDERDETAILS VALUES (10173,'S24_2022',27,41.22,8);
INSERT INTO ORDERDETAILS VALUES (10173,'S24_2887',23,118.61,16);
INSERT INTO ORDERDETAILS VALUES (10173,'S24_3969',35,33.23,11);
INSERT INTO ORDERDETAILS VALUES (10173,'S24_4258',22,116.87,3);
INSERT INTO ORDERDETAILS VALUES (10174,'S10_1949',34,235.73,4);
INSERT INTO ORDERDETAILS VALUES (10174,'S12_1666',43,158.54,1);
INSERT INTO ORDERDETAILS VALUES (10174,'S18_1097',48,93.34,3);
INSERT INTO ORDERDETAILS VALUES (10174,'S18_2949',46,121.57,5);
INSERT INTO ORDERDETAILS VALUES (10174,'S18_4668',49,44.78,2);
INSERT INTO ORDERDETAILS VALUES (10175,'S10_4962',33,162.51,9);
INSERT INTO ORDERDETAILS VALUES (10175,'S12_4473',26,136.28,1);
INSERT INTO ORDERDETAILS VALUES (10175,'S18_2319',48,122.73,4);
INSERT INTO ORDERDETAILS VALUES (10175,'S18_2432',41,69.28,7);
INSERT INTO ORDERDETAILS VALUES (10175,'S18_3232',29,152.41,5);
INSERT INTO ORDERDETAILS VALUES (10175,'S18_4600',47,108.97,10);
INSERT INTO ORDERDETAILS VALUES (10175,'S24_2300',28,106.07,6);
INSERT INTO ORDERDETAILS VALUES (10175,'S24_2840',37,31.12,2);
INSERT INTO ORDERDETAILS VALUES (10175,'S32_1268',22,110.76,8);
INSERT INTO ORDERDETAILS VALUES (10175,'S32_2509',50,63.31,3);
INSERT INTO ORDERDETAILS VALUES (10175,'S32_3522',29,74.98,12);
INSERT INTO ORDERDETAILS VALUES (10175,'S700_2824',42,85.98,11);
INSERT INTO ORDERDETAILS VALUES (10176,'S12_1108',33,226.5,2);
INSERT INTO ORDERDETAILS VALUES (10176,'S12_3148',47,178.27,3);
INSERT INTO ORDERDETAILS VALUES (10176,'S12_3891',50,157.45,1);
INSERT INTO ORDERDETAILS VALUES (10176,'S18_2238',20,183.38,10);
INSERT INTO ORDERDETAILS VALUES (10176,'S18_4027',36,153.67,5);
INSERT INTO ORDERDETAILS VALUES (10176,'S24_1444',27,68.78,8);
INSERT INTO ORDERDETAILS VALUES (10176,'S24_4048',29,100.54,7);
INSERT INTO ORDERDETAILS VALUES (10176,'S32_3207',22,64.0,6);
INSERT INTO ORDERDETAILS VALUES (10176,'S50_1392',23,135.43,9);
INSERT INTO ORDERDETAILS VALUES (10176,'S50_1514',38,64.44,4);
INSERT INTO ORDERDETAILS VALUES (10177,'S18_3140',23,159.81,9);
INSERT INTO ORDERDETAILS VALUES (10177,'S18_3259',29,105.88,11);
INSERT INTO ORDERDETAILS VALUES (10177,'S18_4522',35,74.6,8);
INSERT INTO ORDERDETAILS VALUES (10177,'S24_2011',50,121.66,7);
INSERT INTO ORDERDETAILS VALUES (10177,'S24_3151',45,72.58,2);
INSERT INTO ORDERDETAILS VALUES (10177,'S700_1138',24,76.0,3);
INSERT INTO ORDERDETAILS VALUES (10177,'S700_1938',31,88.34,10);
INSERT INTO ORDERDETAILS VALUES (10177,'S700_2610',32,76.62,1);
INSERT INTO ORDERDETAILS VALUES (10177,'S700_3505',44,92.16,4);
INSERT INTO ORDERDETAILS VALUES (10177,'S700_3962',24,105.27,5);
INSERT INTO ORDERDETAILS VALUES (10177,'S72_3212',40,50.23,6);
INSERT INTO ORDERDETAILS VALUES (10178,'S10_4757',24,145.52,12);
INSERT INTO ORDERDETAILS VALUES (10178,'S18_1662',42,154.54,4);
INSERT INTO ORDERDETAILS VALUES (10178,'S18_3029',41,81.72,10);
INSERT INTO ORDERDETAILS VALUES (10178,'S18_3856',48,112.22,9);
INSERT INTO ORDERDETAILS VALUES (10178,'S24_2841',34,80.84,5);
INSERT INTO ORDERDETAILS VALUES (10178,'S24_3420',27,73.64,6);
INSERT INTO ORDERDETAILS VALUES (10178,'S24_3816',21,72.12,11);
INSERT INTO ORDERDETAILS VALUES (10178,'S24_3949',30,72.33,3);
INSERT INTO ORDERDETAILS VALUES (10178,'S700_2047',34,96.86,8);
INSERT INTO ORDERDETAILS VALUES (10178,'S700_2466',22,87.75,1);
INSERT INTO ORDERDETAILS VALUES (10178,'S700_4002',45,76.25,2);
INSERT INTO ORDERDETAILS VALUES (10178,'S72_1253',45,51.15,7);
INSERT INTO ORDERDETAILS VALUES (10179,'S18_2581',24,78.57,3);
INSERT INTO ORDERDETAILS VALUES (10179,'S24_1785',47,124.74,5);
INSERT INTO ORDERDETAILS VALUES (10179,'S24_4278',27,84.77,4);
INSERT INTO ORDERDETAILS VALUES (10179,'S32_1374',45,119.87,1);
INSERT INTO ORDERDETAILS VALUES (10179,'S32_4289',24,72.23,6);
INSERT INTO ORDERDETAILS VALUES (10179,'S50_1341',34,42.77,7);
INSERT INTO ORDERDETAILS VALUES (10179,'S700_1691',23,107.78,8);
INSERT INTO ORDERDETAILS VALUES (10179,'S700_2834',25,105.6,2);
INSERT INTO ORDERDETAILS VALUES (10179,'S700_3167',39,68.8,9);
INSERT INTO ORDERDETAILS VALUES (10180,'S10_1678',29,86.13,9);
INSERT INTO ORDERDETAILS VALUES (10180,'S10_2016',42,111.8,12);
INSERT INTO ORDERDETAILS VALUES (10180,'S10_4698',41,216.9,11);
INSERT INTO ORDERDETAILS VALUES (10180,'S12_2823',40,168.69,8);
INSERT INTO ORDERDETAILS VALUES (10180,'S18_2625',25,64.2,13);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10180,'S18_3782',21,50.36,3);
INSERT INTO ORDERDETAILS VALUES (10180,'S18_4721',44,126.48,2);
INSERT INTO ORDERDETAILS VALUES (10180,'S24_1578',48,111.57,10);
INSERT INTO ORDERDETAILS VALUES (10180,'S24_2000',28,68.55,14);
INSERT INTO ORDERDETAILS VALUES (10180,'S24_2360',35,72.03,6);
INSERT INTO ORDERDETAILS VALUES (10180,'S24_4620',28,71.14,1);
INSERT INTO ORDERDETAILS VALUES (10180,'S32_2206',34,45.46,4);
INSERT INTO ORDERDETAILS VALUES (10180,'S32_4485',22,114.3,7);
INSERT INTO ORDERDETAILS VALUES (10180,'S50_4713',21,93.56,5);
INSERT INTO ORDERDETAILS VALUES (10181,'S12_1099',27,200.41,14);
INSERT INTO ORDERDETAILS VALUES (10181,'S12_3380',28,102.17,12);
INSERT INTO ORDERDETAILS VALUES (10181,'S12_3990',20,81.4,15);
INSERT INTO ORDERDETAILS VALUES (10181,'S12_4675',36,124.37,11);
INSERT INTO ORDERDETAILS VALUES (10181,'S18_1129',44,123.14,6);
INSERT INTO ORDERDETAILS VALUES (10181,'S18_1589',42,129.42,2);
INSERT INTO ORDERDETAILS VALUES (10181,'S18_1889',22,73.92,10);
INSERT INTO ORDERDETAILS VALUES (10181,'S18_1984',21,156.48,5);
INSERT INTO ORDERDETAILS VALUES (10181,'S18_2870',27,143.88,3);
INSERT INTO ORDERDETAILS VALUES (10181,'S18_3232',45,140.55,7);
INSERT INTO ORDERDETAILS VALUES (10181,'S18_3278',30,82.82,17);
INSERT INTO ORDERDETAILS VALUES (10181,'S18_3482',22,154.34,16);
INSERT INTO ORDERDETAILS VALUES (10181,'S18_3685',39,148.34,4);
INSERT INTO ORDERDETAILS VALUES (10181,'S24_1628',34,53.83,1);
INSERT INTO ORDERDETAILS VALUES (10181,'S24_2972',37,42.67,8);
INSERT INTO ORDERDETAILS VALUES (10181,'S24_3371',23,65.52,13);
INSERT INTO ORDERDETAILS VALUES (10181,'S24_3856',25,154.47,9);
INSERT INTO ORDERDETAILS VALUES (10182,'S18_1342',25,87.33,3);
INSERT INTO ORDERDETAILS VALUES (10182,'S18_1367',32,54.45,2);
INSERT INTO ORDERDETAILS VALUES (10182,'S18_1749',44,171.7,10);
INSERT INTO ORDERDETAILS VALUES (10182,'S18_2248',38,61.15,9);
INSERT INTO ORDERDETAILS VALUES (10182,'S18_2325',20,110.6,7);
INSERT INTO ORDERDETAILS VALUES (10182,'S18_2795',21,145.13,4);
INSERT INTO ORDERDETAILS VALUES (10182,'S18_3320',33,86.31,1);
INSERT INTO ORDERDETAILS VALUES (10182,'S18_4409',36,109.52,11);
INSERT INTO ORDERDETAILS VALUES (10182,'S18_4933',44,69.84,12);
INSERT INTO ORDERDETAILS VALUES (10182,'S24_1046',47,74.22,16);
INSERT INTO ORDERDETAILS VALUES (10182,'S24_1937',39,36.84,6);
INSERT INTO ORDERDETAILS VALUES (10182,'S24_2022',31,36.74,5);
INSERT INTO ORDERDETAILS VALUES (10182,'S24_2766',36,73.6,14);
INSERT INTO ORDERDETAILS VALUES (10182,'S24_2887',20,119.79,13);
INSERT INTO ORDERDETAILS VALUES (10182,'S24_3191',33,94.17,15);
INSERT INTO ORDERDETAILS VALUES (10182,'S24_3432',49,127.43,17);
INSERT INTO ORDERDETAILS VALUES (10182,'S24_3969',23,42.26,8);
INSERT INTO ORDERDETAILS VALUES (10183,'S10_1949',23,233.59,8);
INSERT INTO ORDERDETAILS VALUES (10183,'S10_4962',28,122.62,1);
INSERT INTO ORDERDETAILS VALUES (10183,'S12_1666',41,150.34,5);
INSERT INTO ORDERDETAILS VALUES (10183,'S18_1097',21,96.84,7);
INSERT INTO ORDERDETAILS VALUES (10183,'S18_2949',37,89.15,9);
INSERT INTO ORDERDETAILS VALUES (10183,'S18_2957',39,68.08,11);
INSERT INTO ORDERDETAILS VALUES (10183,'S18_3136',22,113.1,10);
INSERT INTO ORDERDETAILS VALUES (10183,'S18_4600',21,116.24,2);
INSERT INTO ORDERDETAILS VALUES (10183,'S18_4668',40,49.3,6);
INSERT INTO ORDERDETAILS VALUES (10183,'S24_4258',47,107.13,12);
INSERT INTO ORDERDETAILS VALUES (10183,'S32_3522',49,64.64,4);
INSERT INTO ORDERDETAILS VALUES (10183,'S700_2824',23,86.99,3);
INSERT INTO ORDERDETAILS VALUES (10184,'S12_4473',37,122.06,6);
INSERT INTO ORDERDETAILS VALUES (10184,'S18_2238',46,160.46,5);
INSERT INTO ORDERDETAILS VALUES (10184,'S18_2319',46,130.09,9);
INSERT INTO ORDERDETAILS VALUES (10184,'S18_2432',44,60.16,12);
INSERT INTO ORDERDETAILS VALUES (10184,'S18_3232',28,157.49,10);
INSERT INTO ORDERDETAILS VALUES (10184,'S24_1444',31,60.11,3);
INSERT INTO ORDERDETAILS VALUES (10184,'S24_2300',24,145.68,11);
INSERT INTO ORDERDETAILS VALUES (10184,'S24_2840',42,31.82,7);
INSERT INTO ORDERDETAILS VALUES (10184,'S24_4048',49,118.28,2);
INSERT INTO ORDERDETAILS VALUES (10184,'S32_1268',46,100.16,13);
INSERT INTO ORDERDETAILS VALUES (10184,'S32_2509',33,62.77,8);
INSERT INTO ORDERDETAILS VALUES (10184,'S32_3207',48,50.95,1);
INSERT INTO ORDERDETAILS VALUES (10184,'S50_1392',45,109.96,4);
INSERT INTO ORDERDETAILS VALUES (10185,'S12_1108',21,184.94,13);
INSERT INTO ORDERDETAILS VALUES (10185,'S12_3148',33,122.37,14);
INSERT INTO ORDERDETAILS VALUES (10185,'S12_3891',43,183.4,12);
INSERT INTO ORDERDETAILS VALUES (10185,'S18_3140',28,122.93,9);
INSERT INTO ORDERDETAILS VALUES (10185,'S18_3259',49,80.67,11);
INSERT INTO ORDERDETAILS VALUES (10185,'S18_4027',39,130.69,16);
INSERT INTO ORDERDETAILS VALUES (10185,'S18_4522',47,77.24,8);
INSERT INTO ORDERDETAILS VALUES (10185,'S24_2011',30,105.69,7);
INSERT INTO ORDERDETAILS VALUES (10185,'S24_3151',33,74.35,2);
INSERT INTO ORDERDETAILS VALUES (10185,'S50_1514',20,48.62,15);
INSERT INTO ORDERDETAILS VALUES (10185,'S700_1138',21,54.0,3);
INSERT INTO ORDERDETAILS VALUES (10185,'S700_1938',30,94.4,10);
INSERT INTO ORDERDETAILS VALUES (10185,'S700_2610',39,57.82,1);
INSERT INTO ORDERDETAILS VALUES (10185,'S700_3505',37,105.18,4);
INSERT INTO ORDERDETAILS VALUES (10185,'S700_3962',22,79.45,5);
INSERT INTO ORDERDETAILS VALUES (10185,'S72_3212',28,64.43,6);
INSERT INTO ORDERDETAILS VALUES (10186,'S10_4757',26,148.24,9);
INSERT INTO ORDERDETAILS VALUES (10186,'S18_1662',32,187.65,1);
INSERT INTO ORDERDETAILS VALUES (10186,'S18_3029',32,89.46,7);
INSERT INTO ORDERDETAILS VALUES (10186,'S18_3856',46,106.93,6);
INSERT INTO ORDERDETAILS VALUES (10186,'S24_2841',22,69.2,2);
INSERT INTO ORDERDETAILS VALUES (10186,'S24_3420',21,69.04,3);
INSERT INTO ORDERDETAILS VALUES (10186,'S24_3816',36,85.54,8);
INSERT INTO ORDERDETAILS VALUES (10186,'S700_2047',24,99.57,5);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10186,'S72_1253',28,52.14,4);
INSERT INTO ORDERDETAILS VALUES (10187,'S18_2581',45,93.77,1);
INSERT INTO ORDERDETAILS VALUES (10187,'S24_1785',46,95.2,3);
INSERT INTO ORDERDETAILS VALUES (10187,'S24_3949',43,58.0,10);
INSERT INTO ORDERDETAILS VALUES (10187,'S24_4278',33,59.41,2);
INSERT INTO ORDERDETAILS VALUES (10187,'S32_4289',31,60.54,4);
INSERT INTO ORDERDETAILS VALUES (10187,'S50_1341',41,38.84,5);
INSERT INTO ORDERDETAILS VALUES (10187,'S700_1691',34,92.25,6);
INSERT INTO ORDERDETAILS VALUES (10187,'S700_2466',44,105.7,8);
INSERT INTO ORDERDETAILS VALUES (10187,'S700_3167',34,88.0,7);
INSERT INTO ORDERDETAILS VALUES (10187,'S700_4002',44,71.81,9);
INSERT INTO ORDERDETAILS VALUES (10188,'S10_1678',48,114.84,1);
INSERT INTO ORDERDETAILS VALUES (10188,'S10_2016',38,96.34,4);
INSERT INTO ORDERDETAILS VALUES (10188,'S10_4698',45,193.66,3);
INSERT INTO ORDERDETAILS VALUES (10188,'S18_2625',32,65.42,5);
INSERT INTO ORDERDETAILS VALUES (10188,'S24_1578',25,101.43,2);
INSERT INTO ORDERDETAILS VALUES (10188,'S24_2000',40,91.4,6);
INSERT INTO ORDERDETAILS VALUES (10188,'S32_1374',44,98.89,7);
INSERT INTO ORDERDETAILS VALUES (10188,'S700_2834',29,136.45,8);
INSERT INTO ORDERDETAILS VALUES (10189,'S12_2823',28,161.16,1);
INSERT INTO ORDERDETAILS VALUES (10190,'S24_2360',42,76.19,3);
INSERT INTO ORDERDETAILS VALUES (10190,'S32_2206',46,32.99,1);
INSERT INTO ORDERDETAILS VALUES (10190,'S32_4485',42,85.72,4);
INSERT INTO ORDERDETAILS VALUES (10190,'S50_4713',40,66.72,2);
INSERT INTO ORDERDETAILS VALUES (10191,'S12_1099',21,182.9,3);
INSERT INTO ORDERDETAILS VALUES (10191,'S12_3380',40,139.75,1);
INSERT INTO ORDERDETAILS VALUES (10191,'S12_3990',30,64.64,4);
INSERT INTO ORDERDETAILS VALUES (10191,'S18_3278',36,94.88,6);
INSERT INTO ORDERDETAILS VALUES (10191,'S18_3482',23,148.46,5);
INSERT INTO ORDERDETAILS VALUES (10191,'S18_3782',43,72.74,9);
INSERT INTO ORDERDETAILS VALUES (10191,'S18_4721',32,132.43,8);
INSERT INTO ORDERDETAILS VALUES (10191,'S24_3371',48,60.01,2);
INSERT INTO ORDERDETAILS VALUES (10191,'S24_4620',44,66.29,7);
INSERT INTO ORDERDETAILS VALUES (10192,'S12_4675',27,131.28,16);
INSERT INTO ORDERDETAILS VALUES (10192,'S18_1129',22,150.03,11);
INSERT INTO ORDERDETAILS VALUES (10192,'S18_1589',29,146.84,7);
INSERT INTO ORDERDETAILS VALUES (10192,'S18_1889',45,90.86,15);
INSERT INTO ORDERDETAILS VALUES (10192,'S18_1984',47,157.9,10);
INSERT INTO ORDERDETAILS VALUES (10192,'S18_2870',38,130.68,8);
INSERT INTO ORDERDETAILS VALUES (10192,'S18_3232',26,150.71,12);
INSERT INTO ORDERDETAILS VALUES (10192,'S18_3685',45,118.68,9);
INSERT INTO ORDERDETAILS VALUES (10192,'S24_1046',37,69.82,4);
INSERT INTO ORDERDETAILS VALUES (10192,'S24_1628',47,53.83,6);
INSERT INTO ORDERDETAILS VALUES (10192,'S24_2766',46,83.6,2);
INSERT INTO ORDERDETAILS VALUES (10192,'S24_2887',23,132.71,1);
INSERT INTO ORDERDETAILS VALUES (10192,'S24_2972',30,30.59,13);
INSERT INTO ORDERDETAILS VALUES (10192,'S24_3191',32,72.77,3);
INSERT INTO ORDERDETAILS VALUES (10192,'S24_3432',46,121.0,5);
INSERT INTO ORDERDETAILS VALUES (10192,'S24_3856',45,140.43,14);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_1342',28,110.96,7);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_1367',46,53.37,6);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_1749',21,149.6,14);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_2248',42,59.33,13);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_2325',44,105.52,11);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_2795',22,167.06,8);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_2949',28,93.21,1);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_2957',24,51.84,3);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_3136',23,120.43,2);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_3320',32,79.37,5);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_4409',24,97.55,15);
INSERT INTO ORDERDETAILS VALUES (10193,'S18_4933',25,76.26,16);
INSERT INTO ORDERDETAILS VALUES (10193,'S24_1937',26,29.21,10);
INSERT INTO ORDERDETAILS VALUES (10193,'S24_2022',20,50.62,9);
INSERT INTO ORDERDETAILS VALUES (10193,'S24_3969',22,41.03,12);
INSERT INTO ORDERDETAILS VALUES (10193,'S24_4258',20,113.95,4);
INSERT INTO ORDERDETAILS VALUES (10194,'S10_1949',42,173.58,11);
INSERT INTO ORDERDETAILS VALUES (10194,'S10_4962',26,163.99,4);
INSERT INTO ORDERDETAILS VALUES (10194,'S12_1666',38,129.84,8);
INSERT INTO ORDERDETAILS VALUES (10194,'S18_1097',21,93.34,10);
INSERT INTO ORDERDETAILS VALUES (10194,'S18_2432',45,70.49,2);
INSERT INTO ORDERDETAILS VALUES (10194,'S18_4600',32,133.19,5);
INSERT INTO ORDERDETAILS VALUES (10194,'S18_4668',41,44.78,9);
INSERT INTO ORDERDETAILS VALUES (10194,'S24_2300',49,117.57,1);
INSERT INTO ORDERDETAILS VALUES (10194,'S32_1268',37,97.27,3);
INSERT INTO ORDERDETAILS VALUES (10194,'S32_3522',39,54.94,7);
INSERT INTO ORDERDETAILS VALUES (10194,'S700_2824',26,89.01,6);
INSERT INTO ORDERDETAILS VALUES (10195,'S12_4473',49,131.54,6);
INSERT INTO ORDERDETAILS VALUES (10195,'S18_2238',27,189.93,5);
INSERT INTO ORDERDETAILS VALUES (10195,'S18_2319',35,103.09,9);
INSERT INTO ORDERDETAILS VALUES (10195,'S18_3232',50,152.41,10);
INSERT INTO ORDERDETAILS VALUES (10195,'S24_1444',44,66.47,3);
INSERT INTO ORDERDETAILS VALUES (10195,'S24_2840',32,28.29,7);
INSERT INTO ORDERDETAILS VALUES (10195,'S24_4048',34,108.82,2);
INSERT INTO ORDERDETAILS VALUES (10195,'S32_2509',32,43.29,8);
INSERT INTO ORDERDETAILS VALUES (10195,'S32_3207',33,54.68,1);
INSERT INTO ORDERDETAILS VALUES (10195,'S50_1392',49,105.33,4);
INSERT INTO ORDERDETAILS VALUES (10196,'S12_1108',47,189.1,5);
INSERT INTO ORDERDETAILS VALUES (10196,'S12_3148',24,158.63,6);
INSERT INTO ORDERDETAILS VALUES (10196,'S12_3891',38,190.32,4);
INSERT INTO ORDERDETAILS VALUES (10196,'S18_3140',49,140.69,1);
INSERT INTO ORDERDETAILS VALUES (10196,'S18_3259',35,101.85,3);
INSERT INTO ORDERDETAILS VALUES (10196,'S18_4027',27,168.04,8);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10196,'S50_1514',46,62.09,7);
INSERT INTO ORDERDETAILS VALUES (10196,'S700_1938',50,94.4,2);
INSERT INTO ORDERDETAILS VALUES (10197,'S10_4757',45,118.32,6);
INSERT INTO ORDERDETAILS VALUES (10197,'S18_3029',46,87.74,4);
INSERT INTO ORDERDETAILS VALUES (10197,'S18_3856',22,115.4,3);
INSERT INTO ORDERDETAILS VALUES (10197,'S18_4522',50,101.81,14);
INSERT INTO ORDERDETAILS VALUES (10197,'S24_2011',41,110.6,13);
INSERT INTO ORDERDETAILS VALUES (10197,'S24_3151',47,83.2,8);
INSERT INTO ORDERDETAILS VALUES (10197,'S24_3816',22,86.38,5);
INSERT INTO ORDERDETAILS VALUES (10197,'S700_1138',23,64.67,9);
INSERT INTO ORDERDETAILS VALUES (10197,'S700_2047',24,90.52,2);
INSERT INTO ORDERDETAILS VALUES (10197,'S700_2610',50,78.79,7);
INSERT INTO ORDERDETAILS VALUES (10197,'S700_3505',27,92.16,10);
INSERT INTO ORDERDETAILS VALUES (10197,'S700_3962',35,93.35,11);
INSERT INTO ORDERDETAILS VALUES (10197,'S72_1253',29,41.71,1);
INSERT INTO ORDERDETAILS VALUES (10197,'S72_3212',42,50.23,12);
INSERT INTO ORDERDETAILS VALUES (10198,'S18_1662',42,178.19,4);
INSERT INTO ORDERDETAILS VALUES (10198,'S24_2841',48,67.82,5);
INSERT INTO ORDERDETAILS VALUES (10198,'S24_3420',27,71.67,6);
INSERT INTO ORDERDETAILS VALUES (10198,'S24_3949',43,66.19,3);
INSERT INTO ORDERDETAILS VALUES (10198,'S700_2466',42,113.68,1);
INSERT INTO ORDERDETAILS VALUES (10198,'S700_4002',40,63.67,2);
INSERT INTO ORDERDETAILS VALUES (10199,'S50_1341',29,38.4,1);
INSERT INTO ORDERDETAILS VALUES (10199,'S700_1691',48,83.12,2);
INSERT INTO ORDERDETAILS VALUES (10199,'S700_3167',38,82.4,3);
INSERT INTO ORDERDETAILS VALUES (10200,'S18_2581',28,92.93,3);
INSERT INTO ORDERDETAILS VALUES (10200,'S24_1785',33,98.48,5);
INSERT INTO ORDERDETAILS VALUES (10200,'S24_4278',39,72.45,4);
INSERT INTO ORDERDETAILS VALUES (10200,'S32_1374',35,109.88,1);
INSERT INTO ORDERDETAILS VALUES (10200,'S32_4289',27,67.41,6);
INSERT INTO ORDERDETAILS VALUES (10200,'S700_2834',39,102.04,2);
INSERT INTO ORDERDETAILS VALUES (10201,'S10_1678',22,98.57,2);
INSERT INTO ORDERDETAILS VALUES (10201,'S10_2016',24,126.08,5);
INSERT INTO ORDERDETAILS VALUES (10201,'S10_4698',49,164.61,4);
INSERT INTO ORDERDETAILS VALUES (10201,'S12_2823',25,161.16,1);
INSERT INTO ORDERDETAILS VALUES (10201,'S18_2625',30,64.81,6);
INSERT INTO ORDERDETAILS VALUES (10201,'S24_1578',39,111.57,3);
INSERT INTO ORDERDETAILS VALUES (10201,'S24_2000',25,73.88,7);
INSERT INTO ORDERDETAILS VALUES (10202,'S18_3782',30,54.71,3);
INSERT INTO ORDERDETAILS VALUES (10202,'S18_4721',43,136.9,2);
INSERT INTO ORDERDETAILS VALUES (10202,'S24_2360',50,69.26,6);
INSERT INTO ORDERDETAILS VALUES (10202,'S24_4620',50,87.31,1);
INSERT INTO ORDERDETAILS VALUES (10202,'S32_2206',27,44.25,4);
INSERT INTO ORDERDETAILS VALUES (10202,'S32_4485',31,102.05,7);
INSERT INTO ORDERDETAILS VALUES (10202,'S50_4713',40,89.5,5);
INSERT INTO ORDERDETAILS VALUES (10203,'S12_1099',20,196.52,8);
INSERT INTO ORDERDETAILS VALUES (10203,'S12_3380',20,112.74,6);
INSERT INTO ORDERDETAILS VALUES (10203,'S12_3990',44,82.99,9);
INSERT INTO ORDERDETAILS VALUES (10203,'S12_4675',47,110.55,5);
INSERT INTO ORDERDETAILS VALUES (10203,'S18_1889',45,85.47,4);
INSERT INTO ORDERDETAILS VALUES (10203,'S18_3232',48,172.73,1);
INSERT INTO ORDERDETAILS VALUES (10203,'S18_3278',33,86.04,11);
INSERT INTO ORDERDETAILS VALUES (10203,'S18_3482',32,160.22,10);
INSERT INTO ORDERDETAILS VALUES (10203,'S24_2972',21,37.0,2);
INSERT INTO ORDERDETAILS VALUES (10203,'S24_3371',34,64.9,7);
INSERT INTO ORDERDETAILS VALUES (10203,'S24_3856',47,148.86,3);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_1129',42,147.2,17);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_1589',40,100.8,13);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_1749',33,178.5,4);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_1984',38,169.28,16);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_2248',23,71.44,3);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_2325',26,123.32,1);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_2870',27,154.44,14);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_3685',35,163.88,15);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_4409',29,85.59,5);
INSERT INTO ORDERDETAILS VALUES (10204,'S18_4933',45,76.26,6);
INSERT INTO ORDERDETAILS VALUES (10204,'S24_1046',20,62.47,10);
INSERT INTO ORDERDETAILS VALUES (10204,'S24_1628',45,49.81,12);
INSERT INTO ORDERDETAILS VALUES (10204,'S24_2766',47,96.32,8);
INSERT INTO ORDERDETAILS VALUES (10204,'S24_2887',42,101.0,7);
INSERT INTO ORDERDETAILS VALUES (10204,'S24_3191',40,79.62,9);
INSERT INTO ORDERDETAILS VALUES (10204,'S24_3432',48,91.02,11);
INSERT INTO ORDERDETAILS VALUES (10204,'S24_3969',39,33.23,2);
INSERT INTO ORDERDETAILS VALUES (10205,'S18_1342',36,103.77,2);
INSERT INTO ORDERDETAILS VALUES (10205,'S18_1367',48,63.61,1);
INSERT INTO ORDERDETAILS VALUES (10205,'S18_2795',40,187.31,3);
INSERT INTO ORDERDETAILS VALUES (10205,'S24_1937',32,37.17,5);
INSERT INTO ORDERDETAILS VALUES (10205,'S24_2022',24,38.08,4);
INSERT INTO ORDERDETAILS VALUES (10206,'S10_1949',47,192.87,6);
INSERT INTO ORDERDETAILS VALUES (10206,'S12_1666',28,144.87,3);
INSERT INTO ORDERDETAILS VALUES (10206,'S18_1097',34,116.67,5);
INSERT INTO ORDERDETAILS VALUES (10206,'S18_2949',37,90.17,7);
INSERT INTO ORDERDETAILS VALUES (10206,'S18_2957',28,67.46,9);
INSERT INTO ORDERDETAILS VALUES (10206,'S18_3136',30,119.38,8);
INSERT INTO ORDERDETAILS VALUES (10206,'S18_3320',28,87.3,11);
INSERT INTO ORDERDETAILS VALUES (10206,'S18_4668',21,53.33,4);
INSERT INTO ORDERDETAILS VALUES (10206,'S24_4258',33,97.39,10);
INSERT INTO ORDERDETAILS VALUES (10206,'S32_3522',36,58.82,2);
INSERT INTO ORDERDETAILS VALUES (10206,'S700_2824',33,117.33,1);
INSERT INTO ORDERDETAILS VALUES (10207,'S10_4962',31,131.49,15);
INSERT INTO ORDERDETAILS VALUES (10207,'S12_4473',34,99.54,7);
INSERT INTO ORDERDETAILS VALUES (10207,'S18_2238',44,160.46,6);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10207,'S18_2319',43,133.78,10);
INSERT INTO ORDERDETAILS VALUES (10207,'S18_2432',37,69.89,13);
INSERT INTO ORDERDETAILS VALUES (10207,'S18_3232',25,157.49,11);
INSERT INTO ORDERDETAILS VALUES (10207,'S18_4027',40,153.67,1);
INSERT INTO ORDERDETAILS VALUES (10207,'S18_4600',47,141.66,16);
INSERT INTO ORDERDETAILS VALUES (10207,'S24_1444',49,46.82,4);
INSERT INTO ORDERDETAILS VALUES (10207,'S24_2300',46,148.24,12);
INSERT INTO ORDERDETAILS VALUES (10207,'S24_2840',42,29.7,8);
INSERT INTO ORDERDETAILS VALUES (10207,'S24_4048',28,106.45,3);
INSERT INTO ORDERDETAILS VALUES (10207,'S32_1268',49,80.9,14);
INSERT INTO ORDERDETAILS VALUES (10207,'S32_2509',27,60.06,9);
INSERT INTO ORDERDETAILS VALUES (10207,'S32_3207',45,56.55,2);
INSERT INTO ORDERDETAILS VALUES (10207,'S50_1392',28,94.92,5);
INSERT INTO ORDERDETAILS VALUES (10208,'S12_1108',46,187.02,13);
INSERT INTO ORDERDETAILS VALUES (10208,'S12_3148',26,120.86,14);
INSERT INTO ORDERDETAILS VALUES (10208,'S12_3891',20,155.72,12);
INSERT INTO ORDERDETAILS VALUES (10208,'S18_3140',24,109.27,9);
INSERT INTO ORDERDETAILS VALUES (10208,'S18_3259',48,116.97,11);
INSERT INTO ORDERDETAILS VALUES (10208,'S18_4522',45,87.77,8);
INSERT INTO ORDERDETAILS VALUES (10208,'S24_2011',35,122.89,7);
INSERT INTO ORDERDETAILS VALUES (10208,'S24_3151',20,89.4,2);
INSERT INTO ORDERDETAILS VALUES (10208,'S50_1514',30,65.61,15);
INSERT INTO ORDERDETAILS VALUES (10208,'S700_1138',38,74.67,3);
INSERT INTO ORDERDETAILS VALUES (10208,'S700_1938',40,80.55,10);
INSERT INTO ORDERDETAILS VALUES (10208,'S700_2610',46,74.45,1);
INSERT INTO ORDERDETAILS VALUES (10208,'S700_3505',37,120.2,4);
INSERT INTO ORDERDETAILS VALUES (10208,'S700_3962',33,85.41,5);
INSERT INTO ORDERDETAILS VALUES (10208,'S72_3212',42,63.88,6);
INSERT INTO ORDERDETAILS VALUES (10209,'S10_4757',39,133.28,8);
INSERT INTO ORDERDETAILS VALUES (10209,'S18_3029',28,100.64,6);
INSERT INTO ORDERDETAILS VALUES (10209,'S18_3856',20,124.93,5);
INSERT INTO ORDERDETAILS VALUES (10209,'S24_2841',43,82.21,1);
INSERT INTO ORDERDETAILS VALUES (10209,'S24_3420',36,77.59,2);
INSERT INTO ORDERDETAILS VALUES (10209,'S24_3816',22,89.73,7);
INSERT INTO ORDERDETAILS VALUES (10209,'S700_2047',33,88.71,4);
INSERT INTO ORDERDETAILS VALUES (10209,'S72_1253',48,44.69,3);
INSERT INTO ORDERDETAILS VALUES (10210,'S10_2016',23,130.83,2);
INSERT INTO ORDERDETAILS VALUES (10210,'S10_4698',34,180.1,1);
INSERT INTO ORDERDETAILS VALUES (10210,'S18_1662',31,184.5,17);
INSERT INTO ORDERDETAILS VALUES (10210,'S18_2581',50,76.88,7);
INSERT INTO ORDERDETAILS VALUES (10210,'S18_2625',40,49.67,3);
INSERT INTO ORDERDETAILS VALUES (10210,'S24_1785',27,98.48,9);
INSERT INTO ORDERDETAILS VALUES (10210,'S24_2000',30,61.7,4);
INSERT INTO ORDERDETAILS VALUES (10210,'S24_3949',29,69.6,16);
INSERT INTO ORDERDETAILS VALUES (10210,'S24_4278',40,71.0,8);
INSERT INTO ORDERDETAILS VALUES (10210,'S32_1374',46,79.91,5);
INSERT INTO ORDERDETAILS VALUES (10210,'S32_4289',39,59.16,10);
INSERT INTO ORDERDETAILS VALUES (10210,'S50_1341',43,41.02,11);
INSERT INTO ORDERDETAILS VALUES (10210,'S700_1691',21,78.55,12);
INSERT INTO ORDERDETAILS VALUES (10210,'S700_2466',26,99.72,14);
INSERT INTO ORDERDETAILS VALUES (10210,'S700_2834',25,112.72,6);
INSERT INTO ORDERDETAILS VALUES (10210,'S700_3167',31,86.4,13);
INSERT INTO ORDERDETAILS VALUES (10210,'S700_4002',42,70.33,15);
INSERT INTO ORDERDETAILS VALUES (10211,'S10_1678',41,114.84,14);
INSERT INTO ORDERDETAILS VALUES (10211,'S12_1099',41,182.9,2);
INSERT INTO ORDERDETAILS VALUES (10211,'S12_2823',36,132.55,13);
INSERT INTO ORDERDETAILS VALUES (10211,'S12_3990',28,92.57,3);
INSERT INTO ORDERDETAILS VALUES (10211,'S18_3278',35,78.0,5);
INSERT INTO ORDERDETAILS VALUES (10211,'S18_3482',28,133.76,4);
INSERT INTO ORDERDETAILS VALUES (10211,'S18_3782',46,54.09,8);
INSERT INTO ORDERDETAILS VALUES (10211,'S18_4721',41,138.38,7);
INSERT INTO ORDERDETAILS VALUES (10211,'S24_1578',25,90.16,15);
INSERT INTO ORDERDETAILS VALUES (10211,'S24_2360',21,63.72,11);
INSERT INTO ORDERDETAILS VALUES (10211,'S24_3371',48,48.98,1);
INSERT INTO ORDERDETAILS VALUES (10211,'S24_4620',22,92.16,6);
INSERT INTO ORDERDETAILS VALUES (10211,'S32_2206',41,42.24,9);
INSERT INTO ORDERDETAILS VALUES (10211,'S32_4485',37,109.19,12);
INSERT INTO ORDERDETAILS VALUES (10211,'S50_4713',40,80.55,10);
INSERT INTO ORDERDETAILS VALUES (10212,'S12_3380',39,126.84,16);
INSERT INTO ORDERDETAILS VALUES (10212,'S12_4675',33,126.68,15);
INSERT INTO ORDERDETAILS VALUES (10212,'S18_1129',29,144.37,10);
INSERT INTO ORDERDETAILS VALUES (10212,'S18_1589',38,118.22,6);
INSERT INTO ORDERDETAILS VALUES (10212,'S18_1889',20,66.99,14);
INSERT INTO ORDERDETAILS VALUES (10212,'S18_1984',41,118.07,9);
INSERT INTO ORDERDETAILS VALUES (10212,'S18_2870',40,122.76,7);
INSERT INTO ORDERDETAILS VALUES (10212,'S18_3232',40,138.86,11);
INSERT INTO ORDERDETAILS VALUES (10212,'S18_3685',45,141.28,8);
INSERT INTO ORDERDETAILS VALUES (10212,'S24_1046',41,82.31,3);
INSERT INTO ORDERDETAILS VALUES (10212,'S24_1628',45,53.33,5);
INSERT INTO ORDERDETAILS VALUES (10212,'S24_2766',45,88.14,1);
INSERT INTO ORDERDETAILS VALUES (10212,'S24_2972',34,43.42,12);
INSERT INTO ORDERDETAILS VALUES (10212,'S24_3191',27,79.62,2);
INSERT INTO ORDERDETAILS VALUES (10212,'S24_3432',46,87.81,4);
INSERT INTO ORDERDETAILS VALUES (10212,'S24_3856',49,141.83,13);
INSERT INTO ORDERDETAILS VALUES (10213,'S18_4409',38,94.79,1);
INSERT INTO ORDERDETAILS VALUES (10213,'S18_4933',25,83.39,2);
INSERT INTO ORDERDETAILS VALUES (10213,'S24_2887',27,103.35,3);
INSERT INTO ORDERDETAILS VALUES (10214,'S18_1749',30,198.9,7);
INSERT INTO ORDERDETAILS VALUES (10214,'S18_2248',21,62.96,6);
INSERT INTO ORDERDETAILS VALUES (10214,'S18_2325',27,133.49,4);
INSERT INTO ORDERDETAILS VALUES (10214,'S18_2795',50,190.69,1);
INSERT INTO ORDERDETAILS VALUES (10214,'S24_1937',20,34.19,3);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10214,'S24_2022',49,47.94,2);
INSERT INTO ORDERDETAILS VALUES (10214,'S24_3969',44,34.88,5);
INSERT INTO ORDERDETAILS VALUES (10215,'S10_1949',35,173.58,3);
INSERT INTO ORDERDETAILS VALUES (10215,'S18_1097',46,112.0,2);
INSERT INTO ORDERDETAILS VALUES (10215,'S18_1342',27,89.38,10);
INSERT INTO ORDERDETAILS VALUES (10215,'S18_1367',33,43.13,9);
INSERT INTO ORDERDETAILS VALUES (10215,'S18_2949',49,112.45,4);
INSERT INTO ORDERDETAILS VALUES (10215,'S18_2957',31,58.71,6);
INSERT INTO ORDERDETAILS VALUES (10215,'S18_3136',49,107.86,5);
INSERT INTO ORDERDETAILS VALUES (10215,'S18_3320',41,111.12,8);
INSERT INTO ORDERDETAILS VALUES (10215,'S18_4668',46,45.28,1);
INSERT INTO ORDERDETAILS VALUES (10215,'S24_4258',39,90.57,7);
INSERT INTO ORDERDETAILS VALUES (10216,'S12_1666',43,133.94,1);
INSERT INTO ORDERDETAILS VALUES (10217,'S10_4962',48,146.26,4);
INSERT INTO ORDERDETAILS VALUES (10217,'S18_2432',35,61.38,2);
INSERT INTO ORDERDETAILS VALUES (10217,'S18_4600',38,118.66,5);
INSERT INTO ORDERDETAILS VALUES (10217,'S24_2300',28,112.46,1);
INSERT INTO ORDERDETAILS VALUES (10217,'S32_1268',21,106.9,3);
INSERT INTO ORDERDETAILS VALUES (10217,'S32_3522',39,62.05,7);
INSERT INTO ORDERDETAILS VALUES (10217,'S700_2824',31,88.0,6);
INSERT INTO ORDERDETAILS VALUES (10218,'S18_2319',22,121.5,1);
INSERT INTO ORDERDETAILS VALUES (10218,'S18_3232',34,135.47,2);
INSERT INTO ORDERDETAILS VALUES (10219,'S12_4473',48,101.91,2);
INSERT INTO ORDERDETAILS VALUES (10219,'S18_2238',43,196.48,1);
INSERT INTO ORDERDETAILS VALUES (10219,'S24_2840',21,40.31,3);
INSERT INTO ORDERDETAILS VALUES (10219,'S32_2509',35,55.19,4);
INSERT INTO ORDERDETAILS VALUES (10220,'S12_1108',32,224.42,2);
INSERT INTO ORDERDETAILS VALUES (10220,'S12_3148',30,157.12,3);
INSERT INTO ORDERDETAILS VALUES (10220,'S12_3891',27,186.86,1);
INSERT INTO ORDERDETAILS VALUES (10220,'S18_4027',50,165.16,5);
INSERT INTO ORDERDETAILS VALUES (10220,'S24_1444',26,56.07,8);
INSERT INTO ORDERDETAILS VALUES (10220,'S24_4048',37,136.02,7);
INSERT INTO ORDERDETAILS VALUES (10220,'S32_3207',20,52.82,6);
INSERT INTO ORDERDETAILS VALUES (10220,'S50_1392',37,107.65,9);
INSERT INTO ORDERDETAILS VALUES (10220,'S50_1514',30,68.54,4);
INSERT INTO ORDERDETAILS VALUES (10221,'S18_3140',33,133.86,3);
INSERT INTO ORDERDETAILS VALUES (10221,'S18_3259',23,80.67,5);
INSERT INTO ORDERDETAILS VALUES (10221,'S18_4522',39,89.53,2);
INSERT INTO ORDERDETAILS VALUES (10221,'S24_2011',49,138.87,1);
INSERT INTO ORDERDETAILS VALUES (10221,'S700_1938',23,97.0,4);
INSERT INTO ORDERDETAILS VALUES (10222,'S10_4757',49,122.4,12);
INSERT INTO ORDERDETAILS VALUES (10222,'S18_1662',49,141.92,4);
INSERT INTO ORDERDETAILS VALUES (10222,'S18_3029',49,94.62,10);
INSERT INTO ORDERDETAILS VALUES (10222,'S18_3856',45,85.75,9);
INSERT INTO ORDERDETAILS VALUES (10222,'S24_2841',32,81.53,5);
INSERT INTO ORDERDETAILS VALUES (10222,'S24_3151',47,70.81,14);
INSERT INTO ORDERDETAILS VALUES (10222,'S24_3420',43,70.35,6);
INSERT INTO ORDERDETAILS VALUES (10222,'S24_3816',46,80.51,11);
INSERT INTO ORDERDETAILS VALUES (10222,'S24_3949',48,56.64,3);
INSERT INTO ORDERDETAILS VALUES (10222,'S700_1138',31,62.67,15);
INSERT INTO ORDERDETAILS VALUES (10222,'S700_2047',26,102.29,8);
INSERT INTO ORDERDETAILS VALUES (10222,'S700_2466',37,87.75,1);
INSERT INTO ORDERDETAILS VALUES (10222,'S700_2610',36,80.95,13);
INSERT INTO ORDERDETAILS VALUES (10222,'S700_3505',38,110.19,16);
INSERT INTO ORDERDETAILS VALUES (10222,'S700_3962',31,95.34,17);
INSERT INTO ORDERDETAILS VALUES (10222,'S700_4002',43,74.03,2);
INSERT INTO ORDERDETAILS VALUES (10222,'S72_1253',31,45.69,7);
INSERT INTO ORDERDETAILS VALUES (10222,'S72_3212',36,63.34,18);
INSERT INTO ORDERDETAILS VALUES (10223,'S10_1678',37,107.18,1);
INSERT INTO ORDERDETAILS VALUES (10223,'S10_2016',47,115.37,4);
INSERT INTO ORDERDETAILS VALUES (10223,'S10_4698',49,199.47,3);
INSERT INTO ORDERDETAILS VALUES (10223,'S18_2581',47,100.53,9);
INSERT INTO ORDERDETAILS VALUES (10223,'S18_2625',28,60.57,5);
INSERT INTO ORDERDETAILS VALUES (10223,'S24_1578',32,91.29,2);
INSERT INTO ORDERDETAILS VALUES (10223,'S24_1785',34,106.14,11);
INSERT INTO ORDERDETAILS VALUES (10223,'S24_2000',38,69.31,6);
INSERT INTO ORDERDETAILS VALUES (10223,'S24_4278',23,74.62,10);
INSERT INTO ORDERDETAILS VALUES (10223,'S32_1374',21,117.87,7);
INSERT INTO ORDERDETAILS VALUES (10223,'S32_4289',20,66.04,12);
INSERT INTO ORDERDETAILS VALUES (10223,'S50_1341',41,46.26,13);
INSERT INTO ORDERDETAILS VALUES (10223,'S700_1691',25,101.39,14);
INSERT INTO ORDERDETAILS VALUES (10223,'S700_2834',29,110.34,8);
INSERT INTO ORDERDETAILS VALUES (10223,'S700_3167',26,67.2,15);
INSERT INTO ORDERDETAILS VALUES (10224,'S12_2823',43,141.58,6);
INSERT INTO ORDERDETAILS VALUES (10224,'S18_3782',38,58.44,1);
INSERT INTO ORDERDETAILS VALUES (10224,'S24_2360',37,80.34,4);
INSERT INTO ORDERDETAILS VALUES (10224,'S32_2206',43,39.43,2);
INSERT INTO ORDERDETAILS VALUES (10224,'S32_4485',30,111.23,5);
INSERT INTO ORDERDETAILS VALUES (10224,'S50_4713',50,77.29,3);
INSERT INTO ORDERDETAILS VALUES (10225,'S12_1099',27,167.33,9);
INSERT INTO ORDERDETAILS VALUES (10225,'S12_3380',25,99.82,7);
INSERT INTO ORDERDETAILS VALUES (10225,'S12_3990',37,77.41,10);
INSERT INTO ORDERDETAILS VALUES (10225,'S12_4675',21,127.83,6);
INSERT INTO ORDERDETAILS VALUES (10225,'S18_1129',32,141.54,1);
INSERT INTO ORDERDETAILS VALUES (10225,'S18_1889',47,64.68,5);
INSERT INTO ORDERDETAILS VALUES (10225,'S18_3232',43,149.02,2);
INSERT INTO ORDERDETAILS VALUES (10225,'S18_3278',37,95.69,12);
INSERT INTO ORDERDETAILS VALUES (10225,'S18_3482',27,169.04,11);
INSERT INTO ORDERDETAILS VALUES (10225,'S18_4721',35,150.29,14);
INSERT INTO ORDERDETAILS VALUES (10225,'S24_2972',42,36.63,3);
INSERT INTO ORDERDETAILS VALUES (10225,'S24_3371',24,50.21,8);
INSERT INTO ORDERDETAILS VALUES (10225,'S24_3856',40,113.75,4);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10225,'S24_4620',46,70.33,13);
INSERT INTO ORDERDETAILS VALUES (10226,'S18_1589',38,109.51,4);
INSERT INTO ORDERDETAILS VALUES (10226,'S18_1984',24,162.17,7);
INSERT INTO ORDERDETAILS VALUES (10226,'S18_2870',24,134.64,5);
INSERT INTO ORDERDETAILS VALUES (10226,'S18_3685',46,159.65,6);
INSERT INTO ORDERDETAILS VALUES (10226,'S24_1046',21,60.26,1);
INSERT INTO ORDERDETAILS VALUES (10226,'S24_1628',36,43.27,3);
INSERT INTO ORDERDETAILS VALUES (10226,'S24_3432',48,92.09,2);
INSERT INTO ORDERDETAILS VALUES (10227,'S18_1342',25,118.15,3);
INSERT INTO ORDERDETAILS VALUES (10227,'S18_1367',31,48.52,2);
INSERT INTO ORDERDETAILS VALUES (10227,'S18_1749',26,142.8,10);
INSERT INTO ORDERDETAILS VALUES (10227,'S18_2248',28,50.85,9);
INSERT INTO ORDERDETAILS VALUES (10227,'S18_2325',46,152.56,7);
INSERT INTO ORDERDETAILS VALUES (10227,'S18_2795',29,192.38,4);
INSERT INTO ORDERDETAILS VALUES (10227,'S18_3320',33,111.12,1);
INSERT INTO ORDERDETAILS VALUES (10227,'S18_4409',34,104.91,11);
INSERT INTO ORDERDETAILS VALUES (10227,'S18_4933',37,57.73,12);
INSERT INTO ORDERDETAILS VALUES (10227,'S24_1937',42,29.21,6);
INSERT INTO ORDERDETAILS VALUES (10227,'S24_2022',24,48.38,5);
INSERT INTO ORDERDETAILS VALUES (10227,'S24_2766',47,88.14,14);
INSERT INTO ORDERDETAILS VALUES (10227,'S24_2887',33,131.53,13);
INSERT INTO ORDERDETAILS VALUES (10227,'S24_3191',40,79.62,15);
INSERT INTO ORDERDETAILS VALUES (10227,'S24_3969',27,43.9,8);
INSERT INTO ORDERDETAILS VALUES (10228,'S10_1949',29,222.87,2);
INSERT INTO ORDERDETAILS VALUES (10228,'S18_1097',32,105.0,1);
INSERT INTO ORDERDETAILS VALUES (10228,'S18_2949',24,104.35,3);
INSERT INTO ORDERDETAILS VALUES (10228,'S18_2957',45,63.71,5);
INSERT INTO ORDERDETAILS VALUES (10228,'S18_3136',31,102.63,4);
INSERT INTO ORDERDETAILS VALUES (10228,'S24_4258',33,103.23,6);
INSERT INTO ORDERDETAILS VALUES (10229,'S10_4962',50,128.53,9);
INSERT INTO ORDERDETAILS VALUES (10229,'S12_1666',25,138.04,13);
INSERT INTO ORDERDETAILS VALUES (10229,'S12_4473',36,125.61,1);
INSERT INTO ORDERDETAILS VALUES (10229,'S18_2319',26,144.82,4);
INSERT INTO ORDERDETAILS VALUES (10229,'S18_2432',28,59.55,7);
INSERT INTO ORDERDETAILS VALUES (10229,'S18_3232',22,189.66,5);
INSERT INTO ORDERDETAILS VALUES (10229,'S18_4600',41,115.03,10);
INSERT INTO ORDERDETAILS VALUES (10229,'S18_4668',39,40.25,14);
INSERT INTO ORDERDETAILS VALUES (10229,'S24_2300',48,118.84,6);
INSERT INTO ORDERDETAILS VALUES (10229,'S24_2840',33,32.88,2);
INSERT INTO ORDERDETAILS VALUES (10229,'S32_1268',25,111.72,8);
INSERT INTO ORDERDETAILS VALUES (10229,'S32_2509',23,54.11,3);
INSERT INTO ORDERDETAILS VALUES (10229,'S32_3522',30,73.04,12);
INSERT INTO ORDERDETAILS VALUES (10229,'S700_2824',50,112.28,11);
INSERT INTO ORDERDETAILS VALUES (10230,'S12_3148',43,163.17,1);
INSERT INTO ORDERDETAILS VALUES (10230,'S18_2238',49,148.99,8);
INSERT INTO ORDERDETAILS VALUES (10230,'S18_4027',42,172.34,3);
INSERT INTO ORDERDETAILS VALUES (10230,'S24_1444',36,54.33,6);
INSERT INTO ORDERDETAILS VALUES (10230,'S24_4048',45,105.27,5);
INSERT INTO ORDERDETAILS VALUES (10230,'S32_3207',46,60.9,4);
INSERT INTO ORDERDETAILS VALUES (10230,'S50_1392',34,116.91,7);
INSERT INTO ORDERDETAILS VALUES (10230,'S50_1514',43,52.14,2);
INSERT INTO ORDERDETAILS VALUES (10231,'S12_1108',42,199.49,2);
INSERT INTO ORDERDETAILS VALUES (10231,'S12_3891',49,141.88,1);
INSERT INTO ORDERDETAILS VALUES (10232,'S18_3140',22,163.91,6);
INSERT INTO ORDERDETAILS VALUES (10232,'S18_3259',48,95.8,8);
INSERT INTO ORDERDETAILS VALUES (10232,'S18_4522',23,89.53,5);
INSERT INTO ORDERDETAILS VALUES (10232,'S24_2011',46,122.89,4);
INSERT INTO ORDERDETAILS VALUES (10232,'S700_1938',26,88.34,7);
INSERT INTO ORDERDETAILS VALUES (10232,'S700_3505',48,96.16,1);
INSERT INTO ORDERDETAILS VALUES (10232,'S700_3962',35,82.43,2);
INSERT INTO ORDERDETAILS VALUES (10232,'S72_3212',24,49.69,3);
INSERT INTO ORDERDETAILS VALUES (10233,'S24_3151',40,94.71,2);
INSERT INTO ORDERDETAILS VALUES (10233,'S700_1138',36,70.67,3);
INSERT INTO ORDERDETAILS VALUES (10233,'S700_2610',29,82.4,1);
INSERT INTO ORDERDETAILS VALUES (10234,'S10_4757',48,150.96,9);
INSERT INTO ORDERDETAILS VALUES (10234,'S18_1662',50,189.23,1);
INSERT INTO ORDERDETAILS VALUES (10234,'S18_3029',48,74.84,7);
INSERT INTO ORDERDETAILS VALUES (10234,'S18_3856',39,125.99,6);
INSERT INTO ORDERDETAILS VALUES (10234,'S24_2841',44,61.66,2);
INSERT INTO ORDERDETAILS VALUES (10234,'S24_3420',25,57.2,3);
INSERT INTO ORDERDETAILS VALUES (10234,'S24_3816',31,72.96,8);
INSERT INTO ORDERDETAILS VALUES (10234,'S700_2047',29,87.8,5);
INSERT INTO ORDERDETAILS VALUES (10234,'S72_1253',40,56.12,4);
INSERT INTO ORDERDETAILS VALUES (10235,'S18_2581',24,76.03,3);
INSERT INTO ORDERDETAILS VALUES (10235,'S24_1785',23,96.29,5);
INSERT INTO ORDERDETAILS VALUES (10235,'S24_3949',33,60.05,12);
INSERT INTO ORDERDETAILS VALUES (10235,'S24_4278',40,81.14,4);
INSERT INTO ORDERDETAILS VALUES (10235,'S32_1374',41,101.89,1);
INSERT INTO ORDERDETAILS VALUES (10235,'S32_4289',34,77.73,6);
INSERT INTO ORDERDETAILS VALUES (10235,'S50_1341',41,35.35,7);
INSERT INTO ORDERDETAILS VALUES (10235,'S700_1691',25,103.21,8);
INSERT INTO ORDERDETAILS VALUES (10235,'S700_2466',38,88.75,10);
INSERT INTO ORDERDETAILS VALUES (10235,'S700_2834',25,96.11,2);
INSERT INTO ORDERDETAILS VALUES (10235,'S700_3167',32,92.0,9);
INSERT INTO ORDERDETAILS VALUES (10235,'S700_4002',34,72.55,11);
INSERT INTO ORDERDETAILS VALUES (10236,'S10_2016',22,129.64,1);
INSERT INTO ORDERDETAILS VALUES (10236,'S18_2625',23,55.72,2);
INSERT INTO ORDERDETAILS VALUES (10236,'S24_2000',36,87.6,3);
INSERT INTO ORDERDETAILS VALUES (10237,'S10_1678',23,101.44,7);
INSERT INTO ORDERDETAILS VALUES (10237,'S10_4698',39,180.1,9);
INSERT INTO ORDERDETAILS VALUES (10237,'S12_2823',32,131.04,6);
INSERT INTO ORDERDETAILS VALUES (10237,'S18_3782',26,52.22,1);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10237,'S24_1578',20,114.95,8);
INSERT INTO ORDERDETAILS VALUES (10237,'S24_2360',26,79.65,4);
INSERT INTO ORDERDETAILS VALUES (10237,'S32_2206',26,40.23,2);
INSERT INTO ORDERDETAILS VALUES (10237,'S32_4485',27,115.32,5);
INSERT INTO ORDERDETAILS VALUES (10237,'S50_4713',20,68.34,3);
INSERT INTO ORDERDETAILS VALUES (10238,'S12_1099',28,206.24,3);
INSERT INTO ORDERDETAILS VALUES (10238,'S12_3380',29,109.22,1);
INSERT INTO ORDERDETAILS VALUES (10238,'S12_3990',20,74.21,4);
INSERT INTO ORDERDETAILS VALUES (10238,'S18_3278',41,73.17,6);
INSERT INTO ORDERDETAILS VALUES (10238,'S18_3482',49,133.76,5);
INSERT INTO ORDERDETAILS VALUES (10238,'S18_4721',44,144.34,8);
INSERT INTO ORDERDETAILS VALUES (10238,'S24_3371',47,62.45,2);
INSERT INTO ORDERDETAILS VALUES (10238,'S24_4620',22,93.77,7);
INSERT INTO ORDERDETAILS VALUES (10239,'S12_4675',21,93.28,5);
INSERT INTO ORDERDETAILS VALUES (10239,'S18_1889',46,73.92,4);
INSERT INTO ORDERDETAILS VALUES (10239,'S18_3232',47,150.71,1);
INSERT INTO ORDERDETAILS VALUES (10239,'S24_2972',20,44.56,2);
INSERT INTO ORDERDETAILS VALUES (10239,'S24_3856',29,154.47,3);
INSERT INTO ORDERDETAILS VALUES (10240,'S18_1129',41,137.29,3);
INSERT INTO ORDERDETAILS VALUES (10240,'S18_1984',37,149.36,2);
INSERT INTO ORDERDETAILS VALUES (10240,'S18_3685',37,161.06,1);
INSERT INTO ORDERDETAILS VALUES (10241,'S18_1589',21,119.46,11);
INSERT INTO ORDERDETAILS VALUES (10241,'S18_1749',41,185.3,2);
INSERT INTO ORDERDETAILS VALUES (10241,'S18_2248',33,72.65,1);
INSERT INTO ORDERDETAILS VALUES (10241,'S18_2870',44,155.76,12);
INSERT INTO ORDERDETAILS VALUES (10241,'S18_4409',42,90.19,3);
INSERT INTO ORDERDETAILS VALUES (10241,'S18_4933',30,66.99,4);
INSERT INTO ORDERDETAILS VALUES (10241,'S24_1046',22,76.43,8);
INSERT INTO ORDERDETAILS VALUES (10241,'S24_1628',21,40.25,10);
INSERT INTO ORDERDETAILS VALUES (10241,'S24_2766',47,94.5,6);
INSERT INTO ORDERDETAILS VALUES (10241,'S24_2887',28,98.65,5);
INSERT INTO ORDERDETAILS VALUES (10241,'S24_3191',26,81.33,7);
INSERT INTO ORDERDETAILS VALUES (10241,'S24_3432',27,86.73,9);
INSERT INTO ORDERDETAILS VALUES (10242,'S24_3969',46,36.93,1);
INSERT INTO ORDERDETAILS VALUES (10243,'S18_2325',47,130.94,2);
INSERT INTO ORDERDETAILS VALUES (10243,'S24_1937',33,29.54,1);
INSERT INTO ORDERDETAILS VALUES (10244,'S18_1342',40,117.12,7);
INSERT INTO ORDERDETAILS VALUES (10244,'S18_1367',20,58.22,6);
INSERT INTO ORDERDETAILS VALUES (10244,'S18_2795',43,138.38,8);
INSERT INTO ORDERDETAILS VALUES (10244,'S18_2949',30,117.52,1);
INSERT INTO ORDERDETAILS VALUES (10244,'S18_2957',24,58.09,3);
INSERT INTO ORDERDETAILS VALUES (10244,'S18_3136',29,115.19,2);
INSERT INTO ORDERDETAILS VALUES (10244,'S18_3320',36,84.33,5);
INSERT INTO ORDERDETAILS VALUES (10244,'S24_2022',39,45.25,9);
INSERT INTO ORDERDETAILS VALUES (10244,'S24_4258',40,86.68,4);
INSERT INTO ORDERDETAILS VALUES (10245,'S10_1949',34,180.01,9);
INSERT INTO ORDERDETAILS VALUES (10245,'S10_4962',28,163.99,2);
INSERT INTO ORDERDETAILS VALUES (10245,'S12_1666',38,155.8,6);
INSERT INTO ORDERDETAILS VALUES (10245,'S18_1097',29,119.0,8);
INSERT INTO ORDERDETAILS VALUES (10245,'S18_4600',21,113.82,3);
INSERT INTO ORDERDETAILS VALUES (10245,'S18_4668',45,59.87,7);
INSERT INTO ORDERDETAILS VALUES (10245,'S32_1268',37,111.72,1);
INSERT INTO ORDERDETAILS VALUES (10245,'S32_3522',44,69.16,5);
INSERT INTO ORDERDETAILS VALUES (10245,'S700_2824',44,105.2,4);
INSERT INTO ORDERDETAILS VALUES (10246,'S12_4473',46,110.21,5);
INSERT INTO ORDERDETAILS VALUES (10246,'S18_2238',40,163.73,4);
INSERT INTO ORDERDETAILS VALUES (10246,'S18_2319',22,98.18,8);
INSERT INTO ORDERDETAILS VALUES (10246,'S18_2432',30,61.99,11);
INSERT INTO ORDERDETAILS VALUES (10246,'S18_3232',36,198.13,9);
INSERT INTO ORDERDETAILS VALUES (10246,'S24_1444',44,52.6,2);
INSERT INTO ORDERDETAILS VALUES (10246,'S24_2300',29,121.4,10);
INSERT INTO ORDERDETAILS VALUES (10246,'S24_2840',49,36.07,6);
INSERT INTO ORDERDETAILS VALUES (10246,'S24_4048',46,137.2,1);
INSERT INTO ORDERDETAILS VALUES (10246,'S32_2509',35,48.7,7);
INSERT INTO ORDERDETAILS VALUES (10246,'S50_1392',22,133.11,3);
INSERT INTO ORDERDETAILS VALUES (10247,'S12_1108',44,241.05,2);
INSERT INTO ORDERDETAILS VALUES (10247,'S12_3148',25,175.25,3);
INSERT INTO ORDERDETAILS VALUES (10247,'S12_3891',27,153.99,1);
INSERT INTO ORDERDETAILS VALUES (10247,'S18_4027',48,140.75,5);
INSERT INTO ORDERDETAILS VALUES (10247,'S32_3207',40,49.71,6);
INSERT INTO ORDERDETAILS VALUES (10247,'S50_1514',49,63.85,4);
INSERT INTO ORDERDETAILS VALUES (10248,'S10_4757',20,145.52,3);
INSERT INTO ORDERDETAILS VALUES (10248,'S18_3029',21,73.98,1);
INSERT INTO ORDERDETAILS VALUES (10248,'S18_3140',32,118.83,12);
INSERT INTO ORDERDETAILS VALUES (10248,'S18_3259',42,121.01,14);
INSERT INTO ORDERDETAILS VALUES (10248,'S18_4522',42,75.48,11);
INSERT INTO ORDERDETAILS VALUES (10248,'S24_2011',48,145.01,10);
INSERT INTO ORDERDETAILS VALUES (10248,'S24_3151',30,101.79,5);
INSERT INTO ORDERDETAILS VALUES (10248,'S24_3816',23,76.31,2);
INSERT INTO ORDERDETAILS VALUES (10248,'S700_1138',36,71.34,6);
INSERT INTO ORDERDETAILS VALUES (10248,'S700_1938',40,103.93,13);
INSERT INTO ORDERDETAILS VALUES (10248,'S700_2610',32,75.89,4);
INSERT INTO ORDERDETAILS VALUES (10248,'S700_3505',30,108.18,7);
INSERT INTO ORDERDETAILS VALUES (10248,'S700_3962',35,90.37,8);
INSERT INTO ORDERDETAILS VALUES (10248,'S72_3212',23,65.52,9);
INSERT INTO ORDERDETAILS VALUES (10249,'S18_3856',46,121.75,5);
INSERT INTO ORDERDETAILS VALUES (10249,'S24_2841',20,67.82,1);
INSERT INTO ORDERDETAILS VALUES (10249,'S24_3420',25,69.7,2);
INSERT INTO ORDERDETAILS VALUES (10249,'S700_2047',40,95.95,4);
INSERT INTO ORDERDETAILS VALUES (10249,'S72_1253',32,57.61,3);
INSERT INTO ORDERDETAILS VALUES (10250,'S18_1662',45,181.34,14);
INSERT INTO ORDERDETAILS VALUES (10250,'S18_2581',27,98.84,4);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10250,'S24_1785',31,88.63,6);
INSERT INTO ORDERDETAILS VALUES (10250,'S24_2000',32,87.6,1);
INSERT INTO ORDERDETAILS VALUES (10250,'S24_3949',40,75.06,13);
INSERT INTO ORDERDETAILS VALUES (10250,'S24_4278',37,74.62,5);
INSERT INTO ORDERDETAILS VALUES (10250,'S32_1374',31,105.88,2);
INSERT INTO ORDERDETAILS VALUES (10250,'S32_4289',50,61.22,7);
INSERT INTO ORDERDETAILS VALUES (10250,'S50_1341',36,51.93,8);
INSERT INTO ORDERDETAILS VALUES (10250,'S700_1691',31,91.34,9);
INSERT INTO ORDERDETAILS VALUES (10250,'S700_2466',35,111.69,11);
INSERT INTO ORDERDETAILS VALUES (10250,'S700_2834',44,137.63,3);
INSERT INTO ORDERDETAILS VALUES (10250,'S700_3167',44,67.2,10);
INSERT INTO ORDERDETAILS VALUES (10250,'S700_4002',38,62.19,12);
INSERT INTO ORDERDETAILS VALUES (10251,'S10_1678',28,113.88,2);
INSERT INTO ORDERDETAILS VALUES (10251,'S10_2016',44,130.83,5);
INSERT INTO ORDERDETAILS VALUES (10251,'S10_4698',43,164.61,4);
INSERT INTO ORDERDETAILS VALUES (10251,'S12_2823',46,164.18,1);
INSERT INTO ORDERDETAILS VALUES (10251,'S18_2625',29,61.18,6);
INSERT INTO ORDERDETAILS VALUES (10251,'S24_1578',26,101.43,3);
INSERT INTO ORDERDETAILS VALUES (10252,'S18_3278',20,76.39,2);
INSERT INTO ORDERDETAILS VALUES (10252,'S18_3482',41,164.63,1);
INSERT INTO ORDERDETAILS VALUES (10252,'S18_3782',31,52.84,5);
INSERT INTO ORDERDETAILS VALUES (10252,'S18_4721',26,136.9,4);
INSERT INTO ORDERDETAILS VALUES (10252,'S24_2360',47,65.8,8);
INSERT INTO ORDERDETAILS VALUES (10252,'S24_4620',38,87.31,3);
INSERT INTO ORDERDETAILS VALUES (10252,'S32_2206',36,48.28,6);
INSERT INTO ORDERDETAILS VALUES (10252,'S32_4485',25,113.28,9);
INSERT INTO ORDERDETAILS VALUES (10252,'S50_4713',48,72.41,7);
INSERT INTO ORDERDETAILS VALUES (10253,'S12_1099',24,163.44,13);
INSERT INTO ORDERDETAILS VALUES (10253,'S12_3380',22,109.22,11);
INSERT INTO ORDERDETAILS VALUES (10253,'S12_3990',25,90.17,14);
INSERT INTO ORDERDETAILS VALUES (10253,'S12_4675',41,119.77,10);
INSERT INTO ORDERDETAILS VALUES (10253,'S18_1129',26,117.48,5);
INSERT INTO ORDERDETAILS VALUES (10253,'S18_1589',24,140.62,1);
INSERT INTO ORDERDETAILS VALUES (10253,'S18_1889',23,83.93,9);
INSERT INTO ORDERDETAILS VALUES (10253,'S18_1984',33,135.14,4);
INSERT INTO ORDERDETAILS VALUES (10253,'S18_2870',37,139.92,2);
INSERT INTO ORDERDETAILS VALUES (10253,'S18_3232',40,169.34,6);
INSERT INTO ORDERDETAILS VALUES (10253,'S18_3685',31,129.98,3);
INSERT INTO ORDERDETAILS VALUES (10253,'S24_2972',40,42.67,7);
INSERT INTO ORDERDETAILS VALUES (10253,'S24_3371',24,52.66,12);
INSERT INTO ORDERDETAILS VALUES (10253,'S24_3856',39,132.0,8);
INSERT INTO ORDERDETAILS VALUES (10254,'S18_1749',49,142.8,5);
INSERT INTO ORDERDETAILS VALUES (10254,'S18_2248',36,63.57,4);
INSERT INTO ORDERDETAILS VALUES (10254,'S18_2325',41,110.6,2);
INSERT INTO ORDERDETAILS VALUES (10254,'S18_4409',34,92.95,6);
INSERT INTO ORDERDETAILS VALUES (10254,'S18_4933',30,57.73,7);
INSERT INTO ORDERDETAILS VALUES (10254,'S24_1046',34,64.67,11);
INSERT INTO ORDERDETAILS VALUES (10254,'S24_1628',32,60.37,13);
INSERT INTO ORDERDETAILS VALUES (10254,'S24_1937',38,26.88,1);
INSERT INTO ORDERDETAILS VALUES (10254,'S24_2766',31,100.87,9);
INSERT INTO ORDERDETAILS VALUES (10254,'S24_2887',33,96.3,8);
INSERT INTO ORDERDETAILS VALUES (10254,'S24_3191',42,96.74,10);
INSERT INTO ORDERDETAILS VALUES (10254,'S24_3432',49,100.66,12);
INSERT INTO ORDERDETAILS VALUES (10254,'S24_3969',20,43.49,3);
INSERT INTO ORDERDETAILS VALUES (10255,'S18_2795',24,155.25,1);
INSERT INTO ORDERDETAILS VALUES (10255,'S24_2022',37,45.7,2);
INSERT INTO ORDERDETAILS VALUES (10256,'S18_1342',34,95.55,2);
INSERT INTO ORDERDETAILS VALUES (10256,'S18_1367',29,51.75,1);
INSERT INTO ORDERDETAILS VALUES (10257,'S18_2949',50,88.14,1);
INSERT INTO ORDERDETAILS VALUES (10257,'S18_2957',49,53.72,3);
INSERT INTO ORDERDETAILS VALUES (10257,'S18_3136',37,84.82,2);
INSERT INTO ORDERDETAILS VALUES (10257,'S18_3320',26,89.29,5);
INSERT INTO ORDERDETAILS VALUES (10257,'S24_4258',46,78.89,4);
INSERT INTO ORDERDETAILS VALUES (10258,'S10_1949',32,240.02,6);
INSERT INTO ORDERDETAILS VALUES (10258,'S12_1666',41,162.64,3);
INSERT INTO ORDERDETAILS VALUES (10258,'S18_1097',41,133.0,5);
INSERT INTO ORDERDETAILS VALUES (10258,'S18_4668',21,59.87,4);
INSERT INTO ORDERDETAILS VALUES (10258,'S32_3522',20,61.41,2);
INSERT INTO ORDERDETAILS VALUES (10258,'S700_2824',45,80.92,1);
INSERT INTO ORDERDETAILS VALUES (10259,'S10_4962',26,155.13,12);
INSERT INTO ORDERDETAILS VALUES (10259,'S12_4473',46,142.2,4);
INSERT INTO ORDERDETAILS VALUES (10259,'S18_2238',30,189.93,3);
INSERT INTO ORDERDETAILS VALUES (10259,'S18_2319',34,99.41,7);
INSERT INTO ORDERDETAILS VALUES (10259,'S18_2432',30,49.22,10);
INSERT INTO ORDERDETAILS VALUES (10259,'S18_3232',27,135.47,8);
INSERT INTO ORDERDETAILS VALUES (10259,'S18_4600',41,113.82,13);
INSERT INTO ORDERDETAILS VALUES (10259,'S24_1444',28,46.82,1);
INSERT INTO ORDERDETAILS VALUES (10259,'S24_2300',47,112.46,9);
INSERT INTO ORDERDETAILS VALUES (10259,'S24_2840',31,33.24,5);
INSERT INTO ORDERDETAILS VALUES (10259,'S32_1268',45,86.68,11);
INSERT INTO ORDERDETAILS VALUES (10259,'S32_2509',40,43.83,6);
INSERT INTO ORDERDETAILS VALUES (10259,'S50_1392',29,105.33,2);
INSERT INTO ORDERDETAILS VALUES (10260,'S12_1108',46,228.58,5);
INSERT INTO ORDERDETAILS VALUES (10260,'S12_3148',30,170.72,6);
INSERT INTO ORDERDETAILS VALUES (10260,'S12_3891',44,171.29,4);
INSERT INTO ORDERDETAILS VALUES (10260,'S18_3140',32,131.13,1);
INSERT INTO ORDERDETAILS VALUES (10260,'S18_3259',29,88.74,3);
INSERT INTO ORDERDETAILS VALUES (10260,'S18_4027',23,155.11,8);
INSERT INTO ORDERDETAILS VALUES (10260,'S24_4048',23,102.9,10);
INSERT INTO ORDERDETAILS VALUES (10260,'S32_3207',27,57.17,9);
INSERT INTO ORDERDETAILS VALUES (10260,'S50_1514',21,55.65,7);
INSERT INTO ORDERDETAILS VALUES (10260,'S700_1938',33,85.74,2);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10261,'S10_4757',27,125.12,1);
INSERT INTO ORDERDETAILS VALUES (10261,'S18_4522',20,89.53,9);
INSERT INTO ORDERDETAILS VALUES (10261,'S24_2011',36,125.35,8);
INSERT INTO ORDERDETAILS VALUES (10261,'S24_3151',22,91.17,3);
INSERT INTO ORDERDETAILS VALUES (10261,'S700_1138',34,62.0,4);
INSERT INTO ORDERDETAILS VALUES (10261,'S700_2610',44,68.67,2);
INSERT INTO ORDERDETAILS VALUES (10261,'S700_3505',25,88.15,5);
INSERT INTO ORDERDETAILS VALUES (10261,'S700_3962',50,81.43,6);
INSERT INTO ORDERDETAILS VALUES (10261,'S72_3212',29,50.78,7);
INSERT INTO ORDERDETAILS VALUES (10262,'S18_1662',49,134.04,9);
INSERT INTO ORDERDETAILS VALUES (10262,'S18_3029',32,84.3,15);
INSERT INTO ORDERDETAILS VALUES (10262,'S18_3856',34,120.69,14);
INSERT INTO ORDERDETAILS VALUES (10262,'S24_1785',34,97.38,1);
INSERT INTO ORDERDETAILS VALUES (10262,'S24_2841',24,67.14,10);
INSERT INTO ORDERDETAILS VALUES (10262,'S24_3420',46,70.35,11);
INSERT INTO ORDERDETAILS VALUES (10262,'S24_3816',49,87.21,16);
INSERT INTO ORDERDETAILS VALUES (10262,'S24_3949',48,61.42,8);
INSERT INTO ORDERDETAILS VALUES (10262,'S32_4289',40,79.11,2);
INSERT INTO ORDERDETAILS VALUES (10262,'S50_1341',49,37.97,3);
INSERT INTO ORDERDETAILS VALUES (10262,'S700_1691',40,84.03,4);
INSERT INTO ORDERDETAILS VALUES (10262,'S700_2047',44,94.14,13);
INSERT INTO ORDERDETAILS VALUES (10262,'S700_2466',33,90.75,6);
INSERT INTO ORDERDETAILS VALUES (10262,'S700_3167',27,76.0,5);
INSERT INTO ORDERDETAILS VALUES (10262,'S700_4002',35,71.07,7);
INSERT INTO ORDERDETAILS VALUES (10262,'S72_1253',21,57.11,12);
INSERT INTO ORDERDETAILS VALUES (10263,'S10_1678',34,108.14,2);
INSERT INTO ORDERDETAILS VALUES (10263,'S10_2016',40,111.8,5);
INSERT INTO ORDERDETAILS VALUES (10263,'S10_4698',41,203.34,4);
INSERT INTO ORDERDETAILS VALUES (10263,'S12_2823',48,134.05,1);
INSERT INTO ORDERDETAILS VALUES (10263,'S18_2581',33,86.17,10);
INSERT INTO ORDERDETAILS VALUES (10263,'S18_2625',34,58.75,6);
INSERT INTO ORDERDETAILS VALUES (10263,'S24_1578',42,102.56,3);
INSERT INTO ORDERDETAILS VALUES (10263,'S24_2000',37,62.46,7);
INSERT INTO ORDERDETAILS VALUES (10263,'S24_4278',24,75.35,11);
INSERT INTO ORDERDETAILS VALUES (10263,'S32_1374',31,79.91,8);
INSERT INTO ORDERDETAILS VALUES (10263,'S700_2834',47,116.28,9);
INSERT INTO ORDERDETAILS VALUES (10264,'S18_3782',48,54.71,3);
INSERT INTO ORDERDETAILS VALUES (10264,'S18_4721',20,120.53,2);
INSERT INTO ORDERDETAILS VALUES (10264,'S24_2360',37,65.1,6);
INSERT INTO ORDERDETAILS VALUES (10264,'S24_4620',47,83.27,1);
INSERT INTO ORDERDETAILS VALUES (10264,'S32_2206',20,32.59,4);
INSERT INTO ORDERDETAILS VALUES (10264,'S32_4485',34,97.97,7);
INSERT INTO ORDERDETAILS VALUES (10264,'S50_4713',47,89.5,5);
INSERT INTO ORDERDETAILS VALUES (10265,'S18_3278',45,86.84,2);
INSERT INTO ORDERDETAILS VALUES (10265,'S18_3482',49,171.98,1);
INSERT INTO ORDERDETAILS VALUES (10266,'S12_1099',44,208.19,14);
INSERT INTO ORDERDETAILS VALUES (10266,'S12_3380',22,111.57,12);
INSERT INTO ORDERDETAILS VALUES (10266,'S12_3990',35,76.61,15);
INSERT INTO ORDERDETAILS VALUES (10266,'S12_4675',40,111.71,11);
INSERT INTO ORDERDETAILS VALUES (10266,'S18_1129',21,120.31,6);
INSERT INTO ORDERDETAILS VALUES (10266,'S18_1589',36,144.35,2);
INSERT INTO ORDERDETAILS VALUES (10266,'S18_1889',33,74.69,10);
INSERT INTO ORDERDETAILS VALUES (10266,'S18_1984',49,126.6,5);
INSERT INTO ORDERDETAILS VALUES (10266,'S18_2870',20,141.24,3);
INSERT INTO ORDERDETAILS VALUES (10266,'S18_3232',29,165.95,7);
INSERT INTO ORDERDETAILS VALUES (10266,'S18_3685',33,152.58,4);
INSERT INTO ORDERDETAILS VALUES (10266,'S24_1628',28,48.3,1);
INSERT INTO ORDERDETAILS VALUES (10266,'S24_2972',34,40.4,8);
INSERT INTO ORDERDETAILS VALUES (10266,'S24_3371',47,62.45,13);
INSERT INTO ORDERDETAILS VALUES (10266,'S24_3856',24,122.17,9);
INSERT INTO ORDERDETAILS VALUES (10267,'S18_4933',36,75.55,1);
INSERT INTO ORDERDETAILS VALUES (10267,'S24_1046',40,80.1,5);
INSERT INTO ORDERDETAILS VALUES (10267,'S24_2766',38,87.24,3);
INSERT INTO ORDERDETAILS VALUES (10267,'S24_2887',43,108.04,2);
INSERT INTO ORDERDETAILS VALUES (10267,'S24_3191',44,96.74,4);
INSERT INTO ORDERDETAILS VALUES (10267,'S24_3432',43,118.86,6);
INSERT INTO ORDERDETAILS VALUES (10268,'S18_1342',49,117.12,3);
INSERT INTO ORDERDETAILS VALUES (10268,'S18_1367',26,64.69,2);
INSERT INTO ORDERDETAILS VALUES (10268,'S18_1749',34,161.5,10);
INSERT INTO ORDERDETAILS VALUES (10268,'S18_2248',31,49.04,9);
INSERT INTO ORDERDETAILS VALUES (10268,'S18_2325',50,105.52,7);
INSERT INTO ORDERDETAILS VALUES (10268,'S18_2795',35,151.88,4);
INSERT INTO ORDERDETAILS VALUES (10268,'S18_3320',39,89.29,1);
INSERT INTO ORDERDETAILS VALUES (10268,'S18_4409',35,87.43,11);
INSERT INTO ORDERDETAILS VALUES (10268,'S24_1937',33,38.83,6);
INSERT INTO ORDERDETAILS VALUES (10268,'S24_2022',40,46.14,5);
INSERT INTO ORDERDETAILS VALUES (10268,'S24_3969',30,40.62,8);
INSERT INTO ORDERDETAILS VALUES (10269,'S18_2957',32,63.08,1);
INSERT INTO ORDERDETAILS VALUES (10269,'S24_4258',48,97.39,2);
INSERT INTO ORDERDETAILS VALUES (10270,'S10_1949',21,233.59,9);
INSERT INTO ORDERDETAILS VALUES (10270,'S10_4962',32,134.44,2);
INSERT INTO ORDERDETAILS VALUES (10270,'S12_1666',28,146.24,6);
INSERT INTO ORDERDETAILS VALUES (10270,'S18_1097',43,96.84,8);
INSERT INTO ORDERDETAILS VALUES (10270,'S18_2949',31,96.24,10);
INSERT INTO ORDERDETAILS VALUES (10270,'S18_3136',38,125.66,11);
INSERT INTO ORDERDETAILS VALUES (10270,'S18_4600',38,141.66,3);
INSERT INTO ORDERDETAILS VALUES (10270,'S18_4668',44,58.36,7);
INSERT INTO ORDERDETAILS VALUES (10270,'S32_1268',32,85.72,1);
INSERT INTO ORDERDETAILS VALUES (10270,'S32_3522',21,63.35,5);
INSERT INTO ORDERDETAILS VALUES (10270,'S700_2824',46,88.0,4);
INSERT INTO ORDERDETAILS VALUES (10271,'S12_4473',31,97.17,5);
INSERT INTO ORDERDETAILS VALUES (10271,'S18_2238',50,183.38,4);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10271,'S18_2319',50,101.87,8);
INSERT INTO ORDERDETAILS VALUES (10271,'S18_2432',25,69.28,11);
INSERT INTO ORDERDETAILS VALUES (10271,'S18_3232',20,196.43,9);
INSERT INTO ORDERDETAILS VALUES (10271,'S24_1444',45,64.74,2);
INSERT INTO ORDERDETAILS VALUES (10271,'S24_2300',43,130.35,10);
INSERT INTO ORDERDETAILS VALUES (10271,'S24_2840',38,41.72,6);
INSERT INTO ORDERDETAILS VALUES (10271,'S24_4048',22,139.57,1);
INSERT INTO ORDERDETAILS VALUES (10271,'S32_2509',35,47.62,7);
INSERT INTO ORDERDETAILS VALUES (10271,'S50_1392',34,98.39,3);
INSERT INTO ORDERDETAILS VALUES (10272,'S12_1108',35,166.24,2);
INSERT INTO ORDERDETAILS VALUES (10272,'S12_3148',27,158.63,3);
INSERT INTO ORDERDETAILS VALUES (10272,'S12_3891',39,204.16,1);
INSERT INTO ORDERDETAILS VALUES (10272,'S18_4027',25,149.36,5);
INSERT INTO ORDERDETAILS VALUES (10272,'S32_3207',45,64.63,6);
INSERT INTO ORDERDETAILS VALUES (10272,'S50_1514',43,56.82,4);
INSERT INTO ORDERDETAILS VALUES (10273,'S10_4757',30,116.96,4);
INSERT INTO ORDERDETAILS VALUES (10273,'S18_3029',34,98.06,2);
INSERT INTO ORDERDETAILS VALUES (10273,'S18_3140',40,125.66,13);
INSERT INTO ORDERDETAILS VALUES (10273,'S18_3259',47,115.97,15);
INSERT INTO ORDERDETAILS VALUES (10273,'S18_3856',50,85.75,1);
INSERT INTO ORDERDETAILS VALUES (10273,'S18_4522',33,71.09,12);
INSERT INTO ORDERDETAILS VALUES (10273,'S24_2011',22,126.58,11);
INSERT INTO ORDERDETAILS VALUES (10273,'S24_3151',27,103.56,6);
INSERT INTO ORDERDETAILS VALUES (10273,'S24_3816',48,83.02,3);
INSERT INTO ORDERDETAILS VALUES (10273,'S700_1138',21,65.34,7);
INSERT INTO ORDERDETAILS VALUES (10273,'S700_1938',21,102.2,14);
INSERT INTO ORDERDETAILS VALUES (10273,'S700_2610',42,62.16,5);
INSERT INTO ORDERDETAILS VALUES (10273,'S700_3505',40,86.15,8);
INSERT INTO ORDERDETAILS VALUES (10273,'S700_3962',26,114.21,9);
INSERT INTO ORDERDETAILS VALUES (10273,'S72_3212',37,45.86,10);
INSERT INTO ORDERDETAILS VALUES (10274,'S18_1662',41,164.0,1);
INSERT INTO ORDERDETAILS VALUES (10274,'S24_2841',40,65.08,2);
INSERT INTO ORDERDETAILS VALUES (10274,'S24_3420',24,72.33,3);
INSERT INTO ORDERDETAILS VALUES (10274,'S700_2047',24,90.52,5);
INSERT INTO ORDERDETAILS VALUES (10274,'S72_1253',32,58.6,4);
INSERT INTO ORDERDETAILS VALUES (10275,'S10_1678',45,92.83,1);
INSERT INTO ORDERDETAILS VALUES (10275,'S10_2016',22,132.02,4);
INSERT INTO ORDERDETAILS VALUES (10275,'S10_4698',36,191.72,3);
INSERT INTO ORDERDETAILS VALUES (10275,'S18_2581',35,90.39,9);
INSERT INTO ORDERDETAILS VALUES (10275,'S18_2625',37,63.6,5);
INSERT INTO ORDERDETAILS VALUES (10275,'S24_1578',21,102.56,2);
INSERT INTO ORDERDETAILS VALUES (10275,'S24_1785',25,95.2,11);
INSERT INTO ORDERDETAILS VALUES (10275,'S24_2000',30,79.98,6);
INSERT INTO ORDERDETAILS VALUES (10275,'S24_3949',41,81.89,18);
INSERT INTO ORDERDETAILS VALUES (10275,'S24_4278',27,62.31,10);
INSERT INTO ORDERDETAILS VALUES (10275,'S32_1374',23,81.91,7);
INSERT INTO ORDERDETAILS VALUES (10275,'S32_4289',28,63.97,12);
INSERT INTO ORDERDETAILS VALUES (10275,'S50_1341',38,45.39,13);
INSERT INTO ORDERDETAILS VALUES (10275,'S700_1691',32,89.51,14);
INSERT INTO ORDERDETAILS VALUES (10275,'S700_2466',39,114.68,16);
INSERT INTO ORDERDETAILS VALUES (10275,'S700_2834',48,132.89,8);
INSERT INTO ORDERDETAILS VALUES (10275,'S700_3167',43,73.6,15);
INSERT INTO ORDERDETAILS VALUES (10275,'S700_4002',31,72.55,17);
INSERT INTO ORDERDETAILS VALUES (10276,'S12_1099',50,192.62,3);
INSERT INTO ORDERDETAILS VALUES (10276,'S12_2823',43,120.5,14);
INSERT INTO ORDERDETAILS VALUES (10276,'S12_3380',47,116.27,1);
INSERT INTO ORDERDETAILS VALUES (10276,'S12_3990',38,83.79,4);
INSERT INTO ORDERDETAILS VALUES (10276,'S18_3278',38,69.96,6);
INSERT INTO ORDERDETAILS VALUES (10276,'S18_3482',30,130.82,5);
INSERT INTO ORDERDETAILS VALUES (10276,'S18_3782',33,50.36,9);
INSERT INTO ORDERDETAILS VALUES (10276,'S18_4721',48,119.04,8);
INSERT INTO ORDERDETAILS VALUES (10276,'S24_2360',46,75.49,12);
INSERT INTO ORDERDETAILS VALUES (10276,'S24_3371',20,61.23,2);
INSERT INTO ORDERDETAILS VALUES (10276,'S24_4620',48,75.18,7);
INSERT INTO ORDERDETAILS VALUES (10276,'S32_2206',27,36.61,10);
INSERT INTO ORDERDETAILS VALUES (10276,'S32_4485',38,113.28,13);
INSERT INTO ORDERDETAILS VALUES (10276,'S50_4713',21,70.78,11);
INSERT INTO ORDERDETAILS VALUES (10277,'S12_4675',28,111.71,1);
INSERT INTO ORDERDETAILS VALUES (10278,'S18_1129',34,137.29,6);
INSERT INTO ORDERDETAILS VALUES (10278,'S18_1589',23,113.24,2);
INSERT INTO ORDERDETAILS VALUES (10278,'S18_1889',29,90.86,10);
INSERT INTO ORDERDETAILS VALUES (10278,'S18_1984',29,129.45,5);
INSERT INTO ORDERDETAILS VALUES (10278,'S18_2870',39,110.88,3);
INSERT INTO ORDERDETAILS VALUES (10278,'S18_3232',42,152.41,7);
INSERT INTO ORDERDETAILS VALUES (10278,'S18_3685',31,132.8,4);
INSERT INTO ORDERDETAILS VALUES (10278,'S24_1628',35,45.28,1);
INSERT INTO ORDERDETAILS VALUES (10278,'S24_2972',31,38.89,8);
INSERT INTO ORDERDETAILS VALUES (10278,'S24_3856',25,126.39,9);
INSERT INTO ORDERDETAILS VALUES (10279,'S18_4933',26,60.58,1);
INSERT INTO ORDERDETAILS VALUES (10279,'S24_1046',32,74.96,5);
INSERT INTO ORDERDETAILS VALUES (10279,'S24_2766',49,79.97,3);
INSERT INTO ORDERDETAILS VALUES (10279,'S24_2887',48,116.27,2);
INSERT INTO ORDERDETAILS VALUES (10279,'S24_3191',33,71.06,4);
INSERT INTO ORDERDETAILS VALUES (10279,'S24_3432',48,128.5,6);
INSERT INTO ORDERDETAILS VALUES (10280,'S10_1949',34,235.73,2);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_1097',24,116.67,1);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_1342',50,104.79,9);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_1367',27,57.68,8);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_1749',26,141.1,16);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_2248',25,62.96,15);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_2325',37,128.4,13);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_2795',22,202.5,10);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10280,'S18_2949',46,111.44,3);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_2957',43,68.71,5);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_3136',29,103.67,4);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_3320',34,102.19,7);
INSERT INTO ORDERDETAILS VALUES (10280,'S18_4409',35,105.83,17);
INSERT INTO ORDERDETAILS VALUES (10280,'S24_1937',20,28.88,12);
INSERT INTO ORDERDETAILS VALUES (10280,'S24_2022',45,47.49,11);
INSERT INTO ORDERDETAILS VALUES (10280,'S24_3969',33,41.85,14);
INSERT INTO ORDERDETAILS VALUES (10280,'S24_4258',21,78.89,6);
INSERT INTO ORDERDETAILS VALUES (10281,'S10_4962',44,159.56,9);
INSERT INTO ORDERDETAILS VALUES (10281,'S12_1666',25,117.54,13);
INSERT INTO ORDERDETAILS VALUES (10281,'S12_4473',41,127.98,1);
INSERT INTO ORDERDETAILS VALUES (10281,'S18_2319',48,120.28,4);
INSERT INTO ORDERDETAILS VALUES (10281,'S18_2432',29,57.73,7);
INSERT INTO ORDERDETAILS VALUES (10281,'S18_3232',25,167.65,5);
INSERT INTO ORDERDETAILS VALUES (10281,'S18_4600',25,99.29,10);
INSERT INTO ORDERDETAILS VALUES (10281,'S18_4668',44,59.87,14);
INSERT INTO ORDERDETAILS VALUES (10281,'S24_2300',25,111.18,6);
INSERT INTO ORDERDETAILS VALUES (10281,'S24_2840',20,40.66,2);
INSERT INTO ORDERDETAILS VALUES (10281,'S32_1268',29,82.83,8);
INSERT INTO ORDERDETAILS VALUES (10281,'S32_2509',31,55.19,3);
INSERT INTO ORDERDETAILS VALUES (10281,'S32_3522',36,77.57,12);
INSERT INTO ORDERDETAILS VALUES (10281,'S700_2824',27,85.98,11);
INSERT INTO ORDERDETAILS VALUES (10282,'S12_1108',41,172.47,5);
INSERT INTO ORDERDETAILS VALUES (10282,'S12_3148',27,161.66,6);
INSERT INTO ORDERDETAILS VALUES (10282,'S12_3891',24,157.45,4);
INSERT INTO ORDERDETAILS VALUES (10282,'S18_2238',23,140.81,13);
INSERT INTO ORDERDETAILS VALUES (10282,'S18_3140',43,155.71,1);
INSERT INTO ORDERDETAILS VALUES (10282,'S18_3259',36,115.97,3);
INSERT INTO ORDERDETAILS VALUES (10282,'S18_4027',31,150.8,8);
INSERT INTO ORDERDETAILS VALUES (10282,'S24_1444',29,46.82,11);
INSERT INTO ORDERDETAILS VALUES (10282,'S24_4048',39,123.01,10);
INSERT INTO ORDERDETAILS VALUES (10282,'S32_3207',36,59.65,9);
INSERT INTO ORDERDETAILS VALUES (10282,'S50_1392',38,113.44,12);
INSERT INTO ORDERDETAILS VALUES (10282,'S50_1514',37,66.78,7);
INSERT INTO ORDERDETAILS VALUES (10282,'S700_1938',43,86.61,2);
INSERT INTO ORDERDETAILS VALUES (10283,'S10_4757',25,119.68,6);
INSERT INTO ORDERDETAILS VALUES (10283,'S18_3029',21,98.06,4);
INSERT INTO ORDERDETAILS VALUES (10283,'S18_3856',46,125.99,3);
INSERT INTO ORDERDETAILS VALUES (10283,'S18_4522',34,105.32,14);
INSERT INTO ORDERDETAILS VALUES (10283,'S24_2011',42,126.58,13);
INSERT INTO ORDERDETAILS VALUES (10283,'S24_3151',34,92.94,8);
INSERT INTO ORDERDETAILS VALUES (10283,'S24_3816',33,72.96,5);
INSERT INTO ORDERDETAILS VALUES (10283,'S700_1138',45,78.67,9);
INSERT INTO ORDERDETAILS VALUES (10283,'S700_2047',20,94.14,2);
INSERT INTO ORDERDETAILS VALUES (10283,'S700_2610',47,65.77,7);
INSERT INTO ORDERDETAILS VALUES (10283,'S700_3505',22,88.15,10);
INSERT INTO ORDERDETAILS VALUES (10283,'S700_3962',38,89.38,11);
INSERT INTO ORDERDETAILS VALUES (10283,'S72_1253',43,57.61,1);
INSERT INTO ORDERDETAILS VALUES (10283,'S72_3212',33,51.32,12);
INSERT INTO ORDERDETAILS VALUES (10284,'S18_1662',45,127.73,11);
INSERT INTO ORDERDETAILS VALUES (10284,'S18_2581',31,71.81,1);
INSERT INTO ORDERDETAILS VALUES (10284,'S24_1785',22,105.04,3);
INSERT INTO ORDERDETAILS VALUES (10284,'S24_2841',30,73.99,12);
INSERT INTO ORDERDETAILS VALUES (10284,'S24_3420',39,71.67,13);
INSERT INTO ORDERDETAILS VALUES (10284,'S24_3949',21,55.96,10);
INSERT INTO ORDERDETAILS VALUES (10284,'S24_4278',21,71.0,2);
INSERT INTO ORDERDETAILS VALUES (10284,'S32_4289',50,81.86,4);
INSERT INTO ORDERDETAILS VALUES (10284,'S50_1341',33,51.93,5);
INSERT INTO ORDERDETAILS VALUES (10284,'S700_1691',24,83.12,6);
INSERT INTO ORDERDETAILS VALUES (10284,'S700_2466',45,101.71,8);
INSERT INTO ORDERDETAILS VALUES (10284,'S700_3167',25,69.6,7);
INSERT INTO ORDERDETAILS VALUES (10284,'S700_4002',32,64.41,9);
INSERT INTO ORDERDETAILS VALUES (10285,'S10_1678',36,113.88,6);
INSERT INTO ORDERDETAILS VALUES (10285,'S10_2016',47,137.97,9);
INSERT INTO ORDERDETAILS VALUES (10285,'S10_4698',27,201.41,8);
INSERT INTO ORDERDETAILS VALUES (10285,'S12_2823',49,140.08,5);
INSERT INTO ORDERDETAILS VALUES (10285,'S18_2625',20,49.06,10);
INSERT INTO ORDERDETAILS VALUES (10285,'S24_1578',34,109.32,7);
INSERT INTO ORDERDETAILS VALUES (10285,'S24_2000',39,70.08,11);
INSERT INTO ORDERDETAILS VALUES (10285,'S24_2360',38,59.56,3);
INSERT INTO ORDERDETAILS VALUES (10285,'S32_1374',37,98.89,12);
INSERT INTO ORDERDETAILS VALUES (10285,'S32_2206',37,41.03,1);
INSERT INTO ORDERDETAILS VALUES (10285,'S32_4485',26,100.01,4);
INSERT INTO ORDERDETAILS VALUES (10285,'S50_4713',39,78.92,2);
INSERT INTO ORDERDETAILS VALUES (10285,'S700_2834',45,119.84,13);
INSERT INTO ORDERDETAILS VALUES (10286,'S18_3782',38,57.2,1);
INSERT INTO ORDERDETAILS VALUES (10287,'S12_1099',21,163.44,12);
INSERT INTO ORDERDETAILS VALUES (10287,'S12_3380',45,105.7,10);
INSERT INTO ORDERDETAILS VALUES (10287,'S12_3990',41,69.43,13);
INSERT INTO ORDERDETAILS VALUES (10287,'S12_4675',23,116.31,9);
INSERT INTO ORDERDETAILS VALUES (10287,'S18_1129',41,158.52,4);
INSERT INTO ORDERDETAILS VALUES (10287,'S18_1889',44,82.39,8);
INSERT INTO ORDERDETAILS VALUES (10287,'S18_1984',24,146.52,3);
INSERT INTO ORDERDETAILS VALUES (10287,'S18_2870',44,114.84,1);
INSERT INTO ORDERDETAILS VALUES (10287,'S18_3232',36,162.57,5);
INSERT INTO ORDERDETAILS VALUES (10287,'S18_3278',43,70.76,15);
INSERT INTO ORDERDETAILS VALUES (10287,'S18_3482',40,169.04,14);
INSERT INTO ORDERDETAILS VALUES (10287,'S18_3685',27,159.65,2);
INSERT INTO ORDERDETAILS VALUES (10287,'S18_4721',34,126.48,17);
INSERT INTO ORDERDETAILS VALUES (10287,'S24_2972',36,39.65,6);
INSERT INTO ORDERDETAILS VALUES (10287,'S24_3371',20,67.97,11);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10287,'S24_3856',36,119.37,7);
INSERT INTO ORDERDETAILS VALUES (10287,'S24_4620',40,88.12,16);
INSERT INTO ORDERDETAILS VALUES (10288,'S18_1589',20,146.84,14);
INSERT INTO ORDERDETAILS VALUES (10288,'S18_1749',32,183.6,5);
INSERT INTO ORDERDETAILS VALUES (10288,'S18_2248',28,61.75,4);
INSERT INTO ORDERDETAILS VALUES (10288,'S18_2325',31,123.32,2);
INSERT INTO ORDERDETAILS VALUES (10288,'S18_4409',35,80.99,6);
INSERT INTO ORDERDETAILS VALUES (10288,'S18_4933',23,73.41,7);
INSERT INTO ORDERDETAILS VALUES (10288,'S24_1046',36,66.14,11);
INSERT INTO ORDERDETAILS VALUES (10288,'S24_1628',50,52.32,13);
INSERT INTO ORDERDETAILS VALUES (10288,'S24_1937',29,38.17,1);
INSERT INTO ORDERDETAILS VALUES (10288,'S24_2766',35,80.87,9);
INSERT INTO ORDERDETAILS VALUES (10288,'S24_2887',48,136.23,8);
INSERT INTO ORDERDETAILS VALUES (10288,'S24_3191',34,68.49,10);
INSERT INTO ORDERDETAILS VALUES (10288,'S24_3432',41,118.86,12);
INSERT INTO ORDERDETAILS VALUES (10288,'S24_3969',33,40.62,3);
INSERT INTO ORDERDETAILS VALUES (10289,'S18_1342',38,120.21,2);
INSERT INTO ORDERDETAILS VALUES (10289,'S18_1367',24,56.07,1);
INSERT INTO ORDERDETAILS VALUES (10289,'S18_2795',43,192.38,3);
INSERT INTO ORDERDETAILS VALUES (10289,'S24_2022',45,48.38,4);
INSERT INTO ORDERDETAILS VALUES (10290,'S18_3320',26,96.23,2);
INSERT INTO ORDERDETAILS VALUES (10290,'S24_4258',45,114.92,1);
INSERT INTO ORDERDETAILS VALUES (10291,'S10_1949',37,192.87,11);
INSERT INTO ORDERDETAILS VALUES (10291,'S10_4962',30,128.53,4);
INSERT INTO ORDERDETAILS VALUES (10291,'S12_1666',41,155.8,8);
INSERT INTO ORDERDETAILS VALUES (10291,'S18_1097',41,114.34,10);
INSERT INTO ORDERDETAILS VALUES (10291,'S18_2432',26,57.73,2);
INSERT INTO ORDERDETAILS VALUES (10291,'S18_2949',47,121.57,12);
INSERT INTO ORDERDETAILS VALUES (10291,'S18_2957',37,50.59,14);
INSERT INTO ORDERDETAILS VALUES (10291,'S18_3136',23,124.62,13);
INSERT INTO ORDERDETAILS VALUES (10291,'S18_4600',48,110.18,5);
INSERT INTO ORDERDETAILS VALUES (10291,'S18_4668',29,51.82,9);
INSERT INTO ORDERDETAILS VALUES (10291,'S24_2300',48,112.46,1);
INSERT INTO ORDERDETAILS VALUES (10291,'S32_1268',26,83.79,3);
INSERT INTO ORDERDETAILS VALUES (10291,'S32_3522',32,71.75,7);
INSERT INTO ORDERDETAILS VALUES (10291,'S700_2824',28,116.32,6);
INSERT INTO ORDERDETAILS VALUES (10292,'S12_4473',21,105.47,8);
INSERT INTO ORDERDETAILS VALUES (10292,'S18_2238',26,175.19,7);
INSERT INTO ORDERDETAILS VALUES (10292,'S18_2319',41,110.46,11);
INSERT INTO ORDERDETAILS VALUES (10292,'S18_3232',21,135.47,12);
INSERT INTO ORDERDETAILS VALUES (10292,'S18_4027',44,162.29,2);
INSERT INTO ORDERDETAILS VALUES (10292,'S24_1444',40,53.75,5);
INSERT INTO ORDERDETAILS VALUES (10292,'S24_2840',39,30.06,9);
INSERT INTO ORDERDETAILS VALUES (10292,'S24_4048',27,141.94,4);
INSERT INTO ORDERDETAILS VALUES (10292,'S32_2509',50,46.53,10);
INSERT INTO ORDERDETAILS VALUES (10292,'S32_3207',31,67.73,3);
INSERT INTO ORDERDETAILS VALUES (10292,'S50_1392',41,121.54,6);
INSERT INTO ORDERDETAILS VALUES (10292,'S50_1514',35,55.07,1);
INSERT INTO ORDERDETAILS VALUES (10293,'S12_1108',46,182.86,8);
INSERT INTO ORDERDETAILS VALUES (10293,'S12_3148',24,176.76,9);
INSERT INTO ORDERDETAILS VALUES (10293,'S12_3891',45,183.4,7);
INSERT INTO ORDERDETAILS VALUES (10293,'S18_3140',24,117.47,4);
INSERT INTO ORDERDETAILS VALUES (10293,'S18_3259',22,109.92,6);
INSERT INTO ORDERDETAILS VALUES (10293,'S18_4522',49,100.94,3);
INSERT INTO ORDERDETAILS VALUES (10293,'S24_2011',21,140.09,2);
INSERT INTO ORDERDETAILS VALUES (10293,'S700_1938',29,71.89,5);
INSERT INTO ORDERDETAILS VALUES (10293,'S72_3212',32,60.06,1);
INSERT INTO ORDERDETAILS VALUES (10294,'S700_3962',45,104.28,1);
INSERT INTO ORDERDETAILS VALUES (10295,'S10_4757',24,142.8,1);
INSERT INTO ORDERDETAILS VALUES (10295,'S24_3151',46,84.97,3);
INSERT INTO ORDERDETAILS VALUES (10295,'S700_1138',26,75.34,4);
INSERT INTO ORDERDETAILS VALUES (10295,'S700_2610',44,58.55,2);
INSERT INTO ORDERDETAILS VALUES (10295,'S700_3505',34,102.17,5);
INSERT INTO ORDERDETAILS VALUES (10296,'S18_1662',36,157.69,7);
INSERT INTO ORDERDETAILS VALUES (10296,'S18_3029',21,96.34,13);
INSERT INTO ORDERDETAILS VALUES (10296,'S18_3856',22,84.7,12);
INSERT INTO ORDERDETAILS VALUES (10296,'S24_2841',21,71.25,8);
INSERT INTO ORDERDETAILS VALUES (10296,'S24_3420',31,53.92,9);
INSERT INTO ORDERDETAILS VALUES (10296,'S24_3816',22,77.15,14);
INSERT INTO ORDERDETAILS VALUES (10296,'S24_3949',32,71.65,6);
INSERT INTO ORDERDETAILS VALUES (10296,'S50_1341',26,48.44,1);
INSERT INTO ORDERDETAILS VALUES (10296,'S700_1691',42,102.3,2);
INSERT INTO ORDERDETAILS VALUES (10296,'S700_2047',34,102.29,11);
INSERT INTO ORDERDETAILS VALUES (10296,'S700_2466',24,101.71,4);
INSERT INTO ORDERDETAILS VALUES (10296,'S700_3167',22,80.8,3);
INSERT INTO ORDERDETAILS VALUES (10296,'S700_4002',47,86.62,5);
INSERT INTO ORDERDETAILS VALUES (10296,'S72_1253',21,45.19,10);
INSERT INTO ORDERDETAILS VALUES (10297,'S18_2581',25,82.79,4);
INSERT INTO ORDERDETAILS VALUES (10297,'S24_1785',32,126.93,6);
INSERT INTO ORDERDETAILS VALUES (10297,'S24_2000',32,65.51,1);
INSERT INTO ORDERDETAILS VALUES (10297,'S24_4278',23,72.45,5);
INSERT INTO ORDERDETAILS VALUES (10297,'S32_1374',26,109.88,2);
INSERT INTO ORDERDETAILS VALUES (10297,'S32_4289',28,79.8,7);
INSERT INTO ORDERDETAILS VALUES (10297,'S700_2834',35,113.9,3);
INSERT INTO ORDERDETAILS VALUES (10298,'S10_2016',39,96.34,1);
INSERT INTO ORDERDETAILS VALUES (10298,'S18_2625',32,48.46,2);
INSERT INTO ORDERDETAILS VALUES (10299,'S10_1678',23,112.93,9);
INSERT INTO ORDERDETAILS VALUES (10299,'S10_4698',29,230.46,11);
INSERT INTO ORDERDETAILS VALUES (10299,'S12_2823',24,173.21,8);
INSERT INTO ORDERDETAILS VALUES (10299,'S18_3782',39,55.95,3);
INSERT INTO ORDERDETAILS VALUES (10299,'S18_4721',49,162.19,2);
INSERT INTO ORDERDETAILS VALUES (10299,'S24_1578',47,116.08,10);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10299,'S24_2360',33,66.49,6);
INSERT INTO ORDERDETAILS VALUES (10299,'S24_4620',32,80.84,1);
INSERT INTO ORDERDETAILS VALUES (10299,'S32_2206',24,42.24,4);
INSERT INTO ORDERDETAILS VALUES (10299,'S32_4485',38,115.32,7);
INSERT INTO ORDERDETAILS VALUES (10299,'S50_4713',44,80.55,5);
INSERT INTO ORDERDETAILS VALUES (10300,'S12_1099',33,167.33,5);
INSERT INTO ORDERDETAILS VALUES (10300,'S12_3380',29,137.4,3);
INSERT INTO ORDERDETAILS VALUES (10300,'S12_3990',22,76.61,6);
INSERT INTO ORDERDETAILS VALUES (10300,'S12_4675',23,122.07,2);
INSERT INTO ORDERDETAILS VALUES (10300,'S18_1889',41,92.4,1);
INSERT INTO ORDERDETAILS VALUES (10300,'S18_3278',49,78.8,8);
INSERT INTO ORDERDETAILS VALUES (10300,'S18_3482',23,164.63,7);
INSERT INTO ORDERDETAILS VALUES (10300,'S24_3371',31,58.78,4);
INSERT INTO ORDERDETAILS VALUES (10301,'S18_1129',37,159.94,8);
INSERT INTO ORDERDETAILS VALUES (10301,'S18_1589',32,107.02,4);
INSERT INTO ORDERDETAILS VALUES (10301,'S18_1984',47,159.32,7);
INSERT INTO ORDERDETAILS VALUES (10301,'S18_2870',22,146.52,5);
INSERT INTO ORDERDETAILS VALUES (10301,'S18_3232',23,174.42,9);
INSERT INTO ORDERDETAILS VALUES (10301,'S18_3685',39,165.3,6);
INSERT INTO ORDERDETAILS VALUES (10301,'S24_1046',27,72.02,1);
INSERT INTO ORDERDETAILS VALUES (10301,'S24_1628',22,51.32,3);
INSERT INTO ORDERDETAILS VALUES (10301,'S24_2972',48,34.36,10);
INSERT INTO ORDERDETAILS VALUES (10301,'S24_3432',22,96.37,2);
INSERT INTO ORDERDETAILS VALUES (10301,'S24_3856',50,154.47,11);
INSERT INTO ORDERDETAILS VALUES (10302,'S18_1749',43,170.0,1);
INSERT INTO ORDERDETAILS VALUES (10302,'S18_4409',38,89.27,2);
INSERT INTO ORDERDETAILS VALUES (10302,'S18_4933',23,72.7,3);
INSERT INTO ORDERDETAILS VALUES (10302,'S24_2766',49,108.14,5);
INSERT INTO ORDERDETAILS VALUES (10302,'S24_2887',45,123.31,4);
INSERT INTO ORDERDETAILS VALUES (10302,'S24_3191',48,74.48,6);
INSERT INTO ORDERDETAILS VALUES (10303,'S18_2248',46,49.04,2);
INSERT INTO ORDERDETAILS VALUES (10303,'S24_3969',24,40.21,1);
INSERT INTO ORDERDETAILS VALUES (10304,'S10_1949',47,216.44,6);
INSERT INTO ORDERDETAILS VALUES (10304,'S12_1666',39,164.0,3);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_1097',46,98.0,5);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_1342',37,95.55,13);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_1367',37,48.52,12);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_2325',24,101.7,17);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_2795',20,178.88,14);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_2949',46,100.3,7);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_2957',24,64.96,9);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_3136',26,85.87,8);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_3320',38,104.17,11);
INSERT INTO ORDERDETAILS VALUES (10304,'S18_4668',34,49.3,4);
INSERT INTO ORDERDETAILS VALUES (10304,'S24_1937',23,30.2,16);
INSERT INTO ORDERDETAILS VALUES (10304,'S24_2022',44,39.42,15);
INSERT INTO ORDERDETAILS VALUES (10304,'S24_4258',33,101.29,10);
INSERT INTO ORDERDETAILS VALUES (10304,'S32_3522',36,73.04,2);
INSERT INTO ORDERDETAILS VALUES (10304,'S700_2824',40,105.2,1);
INSERT INTO ORDERDETAILS VALUES (10305,'S10_4962',38,175.81,13);
INSERT INTO ORDERDETAILS VALUES (10305,'S12_4473',38,125.61,5);
INSERT INTO ORDERDETAILS VALUES (10305,'S18_2238',27,145.72,4);
INSERT INTO ORDERDETAILS VALUES (10305,'S18_2319',36,133.78,8);
INSERT INTO ORDERDETAILS VALUES (10305,'S18_2432',41,53.48,11);
INSERT INTO ORDERDETAILS VALUES (10305,'S18_3232',37,201.51,9);
INSERT INTO ORDERDETAILS VALUES (10305,'S18_4600',22,99.29,14);
INSERT INTO ORDERDETAILS VALUES (10305,'S24_1444',45,61.85,2);
INSERT INTO ORDERDETAILS VALUES (10305,'S24_2300',24,132.9,10);
INSERT INTO ORDERDETAILS VALUES (10305,'S24_2840',48,31.47,6);
INSERT INTO ORDERDETAILS VALUES (10305,'S24_4048',36,128.93,1);
INSERT INTO ORDERDETAILS VALUES (10305,'S32_1268',28,112.68,12);
INSERT INTO ORDERDETAILS VALUES (10305,'S32_2509',40,57.9,7);
INSERT INTO ORDERDETAILS VALUES (10305,'S50_1392',42,109.96,3);
INSERT INTO ORDERDETAILS VALUES (10306,'S12_1108',31,211.96,13);
INSERT INTO ORDERDETAILS VALUES (10306,'S12_3148',34,146.55,14);
INSERT INTO ORDERDETAILS VALUES (10306,'S12_3891',20,181.67,12);
INSERT INTO ORDERDETAILS VALUES (10306,'S18_3140',32,117.47,9);
INSERT INTO ORDERDETAILS VALUES (10306,'S18_3259',40,91.76,11);
INSERT INTO ORDERDETAILS VALUES (10306,'S18_4027',23,156.55,16);
INSERT INTO ORDERDETAILS VALUES (10306,'S18_4522',39,90.4,8);
INSERT INTO ORDERDETAILS VALUES (10306,'S24_2011',29,110.6,7);
INSERT INTO ORDERDETAILS VALUES (10306,'S24_3151',31,84.08,2);
INSERT INTO ORDERDETAILS VALUES (10306,'S32_3207',46,50.33,17);
INSERT INTO ORDERDETAILS VALUES (10306,'S50_1514',34,60.34,15);
INSERT INTO ORDERDETAILS VALUES (10306,'S700_1138',50,54.0,3);
INSERT INTO ORDERDETAILS VALUES (10306,'S700_1938',38,91.81,10);
INSERT INTO ORDERDETAILS VALUES (10306,'S700_2610',43,75.17,1);
INSERT INTO ORDERDETAILS VALUES (10306,'S700_3505',32,90.15,4);
INSERT INTO ORDERDETAILS VALUES (10306,'S700_3962',30,117.19,5);
INSERT INTO ORDERDETAILS VALUES (10306,'S72_3212',35,59.51,6);
INSERT INTO ORDERDETAILS VALUES (10307,'S10_4757',22,122.4,9);
INSERT INTO ORDERDETAILS VALUES (10307,'S18_1662',39,189.23,1);
INSERT INTO ORDERDETAILS VALUES (10307,'S18_3029',31,83.44,7);
INSERT INTO ORDERDETAILS VALUES (10307,'S18_3856',48,86.81,6);
INSERT INTO ORDERDETAILS VALUES (10307,'S24_2841',25,75.36,2);
INSERT INTO ORDERDETAILS VALUES (10307,'S24_3420',22,71.67,3);
INSERT INTO ORDERDETAILS VALUES (10307,'S24_3816',22,91.41,8);
INSERT INTO ORDERDETAILS VALUES (10307,'S700_2047',34,97.76,5);
INSERT INTO ORDERDETAILS VALUES (10307,'S72_1253',34,53.63,4);
INSERT INTO ORDERDETAILS VALUES (10308,'S10_2016',34,118.94,2);
INSERT INTO ORDERDETAILS VALUES (10308,'S10_4698',20,228.52,1);
INSERT INTO ORDERDETAILS VALUES (10308,'S18_2581',27,82.79,7);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10308,'S18_2625',34,52.09,3);
INSERT INTO ORDERDETAILS VALUES (10308,'S24_1785',31,112.7,9);
INSERT INTO ORDERDETAILS VALUES (10308,'S24_2000',47,63.22,4);
INSERT INTO ORDERDETAILS VALUES (10308,'S24_3949',43,76.43,16);
INSERT INTO ORDERDETAILS VALUES (10308,'S24_4278',44,83.32,8);
INSERT INTO ORDERDETAILS VALUES (10308,'S32_1374',24,79.91,5);
INSERT INTO ORDERDETAILS VALUES (10308,'S32_4289',46,66.04,10);
INSERT INTO ORDERDETAILS VALUES (10308,'S50_1341',47,43.64,11);
INSERT INTO ORDERDETAILS VALUES (10308,'S700_1691',21,105.95,12);
INSERT INTO ORDERDETAILS VALUES (10308,'S700_2466',35,88.75,14);
INSERT INTO ORDERDETAILS VALUES (10308,'S700_2834',31,129.33,6);
INSERT INTO ORDERDETAILS VALUES (10308,'S700_3167',21,87.2,13);
INSERT INTO ORDERDETAILS VALUES (10308,'S700_4002',39,68.11,15);
INSERT INTO ORDERDETAILS VALUES (10309,'S10_1678',41,107.18,5);
INSERT INTO ORDERDETAILS VALUES (10309,'S12_2823',26,179.24,4);
INSERT INTO ORDERDETAILS VALUES (10309,'S24_1578',21,126.22,6);
INSERT INTO ORDERDETAILS VALUES (10309,'S24_2360',24,56.1,2);
INSERT INTO ORDERDETAILS VALUES (10309,'S32_4485',50,84.7,3);
INSERT INTO ORDERDETAILS VALUES (10309,'S50_4713',28,88.68,1);
INSERT INTO ORDERDETAILS VALUES (10310,'S12_1099',33,210.14,10);
INSERT INTO ORDERDETAILS VALUES (10310,'S12_3380',24,129.18,8);
INSERT INTO ORDERDETAILS VALUES (10310,'S12_3990',49,81.4,11);
INSERT INTO ORDERDETAILS VALUES (10310,'S12_4675',25,100.19,7);
INSERT INTO ORDERDETAILS VALUES (10310,'S18_1129',37,168.43,2);
INSERT INTO ORDERDETAILS VALUES (10310,'S18_1889',20,91.63,6);
INSERT INTO ORDERDETAILS VALUES (10310,'S18_1984',24,143.67,1);
INSERT INTO ORDERDETAILS VALUES (10310,'S18_3232',48,186.27,3);
INSERT INTO ORDERDETAILS VALUES (10310,'S18_3278',27,80.41,13);
INSERT INTO ORDERDETAILS VALUES (10310,'S18_3482',49,127.88,12);
INSERT INTO ORDERDETAILS VALUES (10310,'S18_3782',42,67.14,16);
INSERT INTO ORDERDETAILS VALUES (10310,'S18_4721',40,133.92,15);
INSERT INTO ORDERDETAILS VALUES (10310,'S24_2972',33,41.91,4);
INSERT INTO ORDERDETAILS VALUES (10310,'S24_3371',38,56.94,9);
INSERT INTO ORDERDETAILS VALUES (10310,'S24_3856',45,122.17,5);
INSERT INTO ORDERDETAILS VALUES (10310,'S24_4620',49,97.01,14);
INSERT INTO ORDERDETAILS VALUES (10310,'S32_2206',36,43.05,17);
INSERT INTO ORDERDETAILS VALUES (10311,'S18_1589',29,100.8,9);
INSERT INTO ORDERDETAILS VALUES (10311,'S18_2870',43,122.76,10);
INSERT INTO ORDERDETAILS VALUES (10311,'S18_3685',32,113.02,11);
INSERT INTO ORDERDETAILS VALUES (10311,'S18_4409',41,81.91,1);
INSERT INTO ORDERDETAILS VALUES (10311,'S18_4933',25,66.99,2);
INSERT INTO ORDERDETAILS VALUES (10311,'S24_1046',26,87.45,6);
INSERT INTO ORDERDETAILS VALUES (10311,'S24_1628',45,49.3,8);
INSERT INTO ORDERDETAILS VALUES (10311,'S24_2766',28,93.6,4);
INSERT INTO ORDERDETAILS VALUES (10311,'S24_2887',43,106.87,3);
INSERT INTO ORDERDETAILS VALUES (10311,'S24_3191',25,83.04,5);
INSERT INTO ORDERDETAILS VALUES (10311,'S24_3432',46,92.09,7);
INSERT INTO ORDERDETAILS VALUES (10312,'S10_1949',48,242.16,3);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_1097',32,130.67,2);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_1342',43,89.38,10);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_1367',25,44.21,9);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_1749',48,168.3,17);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_2248',30,61.15,16);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_2325',31,152.56,14);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_2795',25,155.25,11);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_2949',37,100.3,4);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_2957',35,53.72,6);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_3136',38,117.29,5);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_3320',33,107.15,8);
INSERT INTO ORDERDETAILS VALUES (10312,'S18_4668',39,56.85,1);
INSERT INTO ORDERDETAILS VALUES (10312,'S24_1937',39,29.54,13);
INSERT INTO ORDERDETAILS VALUES (10312,'S24_2022',23,37.63,12);
INSERT INTO ORDERDETAILS VALUES (10312,'S24_3969',31,35.29,15);
INSERT INTO ORDERDETAILS VALUES (10312,'S24_4258',44,111.02,7);
INSERT INTO ORDERDETAILS VALUES (10313,'S10_4962',40,166.95,7);
INSERT INTO ORDERDETAILS VALUES (10313,'S12_1666',21,127.1,11);
INSERT INTO ORDERDETAILS VALUES (10313,'S18_2319',29,117.82,2);
INSERT INTO ORDERDETAILS VALUES (10313,'S18_2432',34,52.87,5);
INSERT INTO ORDERDETAILS VALUES (10313,'S18_3232',25,182.89,3);
INSERT INTO ORDERDETAILS VALUES (10313,'S18_4600',28,102.92,8);
INSERT INTO ORDERDETAILS VALUES (10313,'S24_2300',42,132.9,4);
INSERT INTO ORDERDETAILS VALUES (10313,'S32_1268',27,87.64,6);
INSERT INTO ORDERDETAILS VALUES (10313,'S32_2509',38,45.45,1);
INSERT INTO ORDERDETAILS VALUES (10313,'S32_3522',34,56.24,10);
INSERT INTO ORDERDETAILS VALUES (10313,'S700_2824',30,99.13,9);
INSERT INTO ORDERDETAILS VALUES (10314,'S12_1108',38,209.88,5);
INSERT INTO ORDERDETAILS VALUES (10314,'S12_3148',46,138.99,6);
INSERT INTO ORDERDETAILS VALUES (10314,'S12_3891',36,192.05,4);
INSERT INTO ORDERDETAILS VALUES (10314,'S12_4473',45,137.46,14);
INSERT INTO ORDERDETAILS VALUES (10314,'S18_2238',42,137.53,13);
INSERT INTO ORDERDETAILS VALUES (10314,'S18_3140',20,136.59,1);
INSERT INTO ORDERDETAILS VALUES (10314,'S18_3259',23,107.9,3);
INSERT INTO ORDERDETAILS VALUES (10314,'S18_4027',29,145.06,8);
INSERT INTO ORDERDETAILS VALUES (10314,'S24_1444',44,53.18,11);
INSERT INTO ORDERDETAILS VALUES (10314,'S24_2840',39,37.13,15);
INSERT INTO ORDERDETAILS VALUES (10314,'S24_4048',38,105.27,10);
INSERT INTO ORDERDETAILS VALUES (10314,'S32_3207',35,66.49,9);
INSERT INTO ORDERDETAILS VALUES (10314,'S50_1392',28,121.54,12);
INSERT INTO ORDERDETAILS VALUES (10314,'S50_1514',38,61.51,7);
INSERT INTO ORDERDETAILS VALUES (10314,'S700_1938',23,76.22,2);
INSERT INTO ORDERDETAILS VALUES (10315,'S18_4522',36,100.06,7);
INSERT INTO ORDERDETAILS VALUES (10315,'S24_2011',35,120.43,6);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10315,'S24_3151',24,86.74,1);
INSERT INTO ORDERDETAILS VALUES (10315,'S700_1138',41,62.0,2);
INSERT INTO ORDERDETAILS VALUES (10315,'S700_3505',31,86.15,3);
INSERT INTO ORDERDETAILS VALUES (10315,'S700_3962',37,91.37,4);
INSERT INTO ORDERDETAILS VALUES (10315,'S72_3212',40,55.69,5);
INSERT INTO ORDERDETAILS VALUES (10316,'S10_4757',33,125.12,17);
INSERT INTO ORDERDETAILS VALUES (10316,'S18_1662',27,137.19,9);
INSERT INTO ORDERDETAILS VALUES (10316,'S18_3029',21,94.62,15);
INSERT INTO ORDERDETAILS VALUES (10316,'S18_3856',47,86.81,14);
INSERT INTO ORDERDETAILS VALUES (10316,'S24_1785',25,114.89,1);
INSERT INTO ORDERDETAILS VALUES (10316,'S24_2841',34,63.71,10);
INSERT INTO ORDERDETAILS VALUES (10316,'S24_3420',47,76.93,11);
INSERT INTO ORDERDETAILS VALUES (10316,'S24_3816',25,92.25,16);
INSERT INTO ORDERDETAILS VALUES (10316,'S24_3949',30,77.79,8);
INSERT INTO ORDERDETAILS VALUES (10316,'S32_4289',24,59.16,2);
INSERT INTO ORDERDETAILS VALUES (10316,'S50_1341',34,47.57,3);
INSERT INTO ORDERDETAILS VALUES (10316,'S700_1691',34,82.21,4);
INSERT INTO ORDERDETAILS VALUES (10316,'S700_2047',45,93.24,13);
INSERT INTO ORDERDETAILS VALUES (10316,'S700_2466',23,117.67,6);
INSERT INTO ORDERDETAILS VALUES (10316,'S700_2610',48,74.45,18);
INSERT INTO ORDERDETAILS VALUES (10316,'S700_3167',48,75.2,5);
INSERT INTO ORDERDETAILS VALUES (10316,'S700_4002',44,62.19,7);
INSERT INTO ORDERDETAILS VALUES (10316,'S72_1253',34,43.7,12);
INSERT INTO ORDERDETAILS VALUES (10317,'S24_4278',35,83.32,1);
INSERT INTO ORDERDETAILS VALUES (10318,'S10_1678',46,94.74,1);
INSERT INTO ORDERDETAILS VALUES (10318,'S10_2016',45,123.7,4);
INSERT INTO ORDERDETAILS VALUES (10318,'S10_4698',37,207.22,3);
INSERT INTO ORDERDETAILS VALUES (10318,'S18_2581',31,100.53,9);
INSERT INTO ORDERDETAILS VALUES (10318,'S18_2625',42,52.7,5);
INSERT INTO ORDERDETAILS VALUES (10318,'S24_1578',48,134.11,2);
INSERT INTO ORDERDETAILS VALUES (10318,'S24_2000',26,86.83,6);
INSERT INTO ORDERDETAILS VALUES (10318,'S32_1374',47,112.88,7);
INSERT INTO ORDERDETAILS VALUES (10318,'S700_2834',50,142.38,8);
INSERT INTO ORDERDETAILS VALUES (10319,'S12_2823',30,137.06,9);
INSERT INTO ORDERDETAILS VALUES (10319,'S18_3278',46,73.98,1);
INSERT INTO ORDERDETAILS VALUES (10319,'S18_3782',44,59.06,4);
INSERT INTO ORDERDETAILS VALUES (10319,'S18_4721',45,175.58,3);
INSERT INTO ORDERDETAILS VALUES (10319,'S24_2360',31,81.73,7);
INSERT INTO ORDERDETAILS VALUES (10319,'S24_4620',43,85.69,2);
INSERT INTO ORDERDETAILS VALUES (10319,'S32_2206',29,38.22,5);
INSERT INTO ORDERDETAILS VALUES (10319,'S32_4485',22,119.4,8);
INSERT INTO ORDERDETAILS VALUES (10319,'S50_4713',45,77.29,6);
INSERT INTO ORDERDETAILS VALUES (10320,'S12_1099',31,221.81,3);
INSERT INTO ORDERDETAILS VALUES (10320,'S12_3380',35,138.58,1);
INSERT INTO ORDERDETAILS VALUES (10320,'S12_3990',38,73.42,4);
INSERT INTO ORDERDETAILS VALUES (10320,'S18_3482',25,139.64,5);
INSERT INTO ORDERDETAILS VALUES (10320,'S24_3371',26,61.23,2);
INSERT INTO ORDERDETAILS VALUES (10321,'S12_4675',24,124.37,15);
INSERT INTO ORDERDETAILS VALUES (10321,'S18_1129',41,141.54,10);
INSERT INTO ORDERDETAILS VALUES (10321,'S18_1589',44,102.04,6);
INSERT INTO ORDERDETAILS VALUES (10321,'S18_1889',37,78.54,14);
INSERT INTO ORDERDETAILS VALUES (10321,'S18_1984',25,149.36,9);
INSERT INTO ORDERDETAILS VALUES (10321,'S18_2870',27,105.6,7);
INSERT INTO ORDERDETAILS VALUES (10321,'S18_3232',33,172.73,11);
INSERT INTO ORDERDETAILS VALUES (10321,'S18_3685',28,151.17,8);
INSERT INTO ORDERDETAILS VALUES (10321,'S24_1046',30,70.55,3);
INSERT INTO ORDERDETAILS VALUES (10321,'S24_1628',48,42.26,5);
INSERT INTO ORDERDETAILS VALUES (10321,'S24_2766',30,72.7,1);
INSERT INTO ORDERDETAILS VALUES (10321,'S24_2972',37,33.23,12);
INSERT INTO ORDERDETAILS VALUES (10321,'S24_3191',39,84.75,2);
INSERT INTO ORDERDETAILS VALUES (10321,'S24_3432',21,89.95,4);
INSERT INTO ORDERDETAILS VALUES (10321,'S24_3856',26,155.88,13);
INSERT INTO ORDERDETAILS VALUES (10322,'S10_1949',40,150.01,1);
INSERT INTO ORDERDETAILS VALUES (10322,'S10_4962',46,61.99,8);
INSERT INTO ORDERDETAILS VALUES (10322,'S12_1666',27,177.19,9);
INSERT INTO ORDERDETAILS VALUES (10322,'S18_1097',22,102.32,10);
INSERT INTO ORDERDETAILS VALUES (10322,'S18_1342',43,86.3,14);
INSERT INTO ORDERDETAILS VALUES (10322,'S18_1367',41,57.68,5);
INSERT INTO ORDERDETAILS VALUES (10322,'S18_2325',50,250.73,6);
INSERT INTO ORDERDETAILS VALUES (10322,'S18_2432',35,61.21,11);
INSERT INTO ORDERDETAILS VALUES (10322,'S18_2795',36,161.04,2);
INSERT INTO ORDERDETAILS VALUES (10322,'S18_2949',33,106.81,12);
INSERT INTO ORDERDETAILS VALUES (10322,'S18_2957',41,29.87,13);
INSERT INTO ORDERDETAILS VALUES (10322,'S18_3136',48,47.04,7);
INSERT INTO ORDERDETAILS VALUES (10322,'S24_1937',20,131.2,3);
INSERT INTO ORDERDETAILS VALUES (10322,'S24_2022',30,116.67,4);
INSERT INTO ORDERDETAILS VALUES (10323,'S18_3320',33,91.27,2);
INSERT INTO ORDERDETAILS VALUES (10323,'S18_4600',47,131.98,1);
INSERT INTO ORDERDETAILS VALUES (10324,'S12_3148',27,54.33,1);
INSERT INTO ORDERDETAILS VALUES (10324,'S12_4473',26,58.38,7);
INSERT INTO ORDERDETAILS VALUES (10324,'S18_2238',47,153.35,8);
INSERT INTO ORDERDETAILS VALUES (10324,'S18_2319',33,37.48,10);
INSERT INTO ORDERDETAILS VALUES (10324,'S18_3232',27,116.87,12);
INSERT INTO ORDERDETAILS VALUES (10324,'S18_4027',49,109.79,13);
INSERT INTO ORDERDETAILS VALUES (10324,'S18_4668',38,179.79,6);
INSERT INTO ORDERDETAILS VALUES (10324,'S24_1444',25,69.16,14);
INSERT INTO ORDERDETAILS VALUES (10324,'S24_2300',31,123.24,2);
INSERT INTO ORDERDETAILS VALUES (10324,'S24_2840',30,111.27,9);
INSERT INTO ORDERDETAILS VALUES (10324,'S24_4258',33,189.93,3);
INSERT INTO ORDERDETAILS VALUES (10324,'S32_1268',20,98.18,11);
INSERT INTO ORDERDETAILS VALUES (10324,'S32_3522',48,171.03,4);
INSERT INTO ORDERDETAILS VALUES (10324,'S700_2824',34,124.95,5);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10325,'S10_4757',47,64.93,6);
INSERT INTO ORDERDETAILS VALUES (10325,'S12_1108',42,64.0,8);
INSERT INTO ORDERDETAILS VALUES (10325,'S12_3891',24,107.65,1);
INSERT INTO ORDERDETAILS VALUES (10325,'S18_3140',24,69.12,9);
INSERT INTO ORDERDETAILS VALUES (10325,'S24_4048',44,121.04,5);
INSERT INTO ORDERDETAILS VALUES (10325,'S32_2509',38,232.74,3);
INSERT INTO ORDERDETAILS VALUES (10325,'S32_3207',28,192.05,2);
INSERT INTO ORDERDETAILS VALUES (10325,'S50_1392',38,136.59,4);
INSERT INTO ORDERDETAILS VALUES (10325,'S50_1514',44,134.84,7);
INSERT INTO ORDERDETAILS VALUES (10326,'S18_3259',32,118.99,6);
INSERT INTO ORDERDETAILS VALUES (10326,'S18_4522',50,86.01,5);
INSERT INTO ORDERDETAILS VALUES (10326,'S24_2011',41,105.69,4);
INSERT INTO ORDERDETAILS VALUES (10326,'S24_3151',41,85.85,3);
INSERT INTO ORDERDETAILS VALUES (10326,'S24_3816',20,92.25,2);
INSERT INTO ORDERDETAILS VALUES (10326,'S700_1138',39,60.0,1);
INSERT INTO ORDERDETAILS VALUES (10327,'S18_1662',25,112.19,6);
INSERT INTO ORDERDETAILS VALUES (10327,'S18_2581',45,106.26,8);
INSERT INTO ORDERDETAILS VALUES (10327,'S18_3029',25,45.86,5);
INSERT INTO ORDERDETAILS VALUES (10327,'S700_1938',20,173.46,7);
INSERT INTO ORDERDETAILS VALUES (10327,'S700_2610',21,96.31,1);
INSERT INTO ORDERDETAILS VALUES (10327,'S700_3505',43,80.0,2);
INSERT INTO ORDERDETAILS VALUES (10327,'S700_3962',37,86.61,3);
INSERT INTO ORDERDETAILS VALUES (10327,'S72_3212',37,86.74,4);
INSERT INTO ORDERDETAILS VALUES (10328,'S18_3856',34,112.22,6);
INSERT INTO ORDERDETAILS VALUES (10328,'S24_1785',47,87.54,14);
INSERT INTO ORDERDETAILS VALUES (10328,'S24_2841',48,58.92,1);
INSERT INTO ORDERDETAILS VALUES (10328,'S24_3420',20,72.98,2);
INSERT INTO ORDERDETAILS VALUES (10328,'S24_3949',35,76.43,3);
INSERT INTO ORDERDETAILS VALUES (10328,'S24_4278',43,60.86,4);
INSERT INTO ORDERDETAILS VALUES (10328,'S32_4289',24,81.17,5);
INSERT INTO ORDERDETAILS VALUES (10328,'S50_1341',34,51.93,7);
INSERT INTO ORDERDETAILS VALUES (10328,'S700_1691',27,102.3,8);
INSERT INTO ORDERDETAILS VALUES (10328,'S700_2047',41,101.38,9);
INSERT INTO ORDERDETAILS VALUES (10328,'S700_2466',37,108.69,10);
INSERT INTO ORDERDETAILS VALUES (10328,'S700_2834',33,123.4,11);
INSERT INTO ORDERDETAILS VALUES (10328,'S700_3167',33,64.0,13);
INSERT INTO ORDERDETAILS VALUES (10328,'S700_4002',39,85.87,12);
INSERT INTO ORDERDETAILS VALUES (10329,'S10_1678',42,104.67,1);
INSERT INTO ORDERDETAILS VALUES (10329,'S10_2016',20,158.8,2);
INSERT INTO ORDERDETAILS VALUES (10329,'S10_4698',26,225.7,3);
INSERT INTO ORDERDETAILS VALUES (10329,'S12_1099',41,71.47,5);
INSERT INTO ORDERDETAILS VALUES (10329,'S12_2823',24,147.61,6);
INSERT INTO ORDERDETAILS VALUES (10329,'S12_3380',46,83.63,13);
INSERT INTO ORDERDETAILS VALUES (10329,'S12_3990',33,109.32,14);
INSERT INTO ORDERDETAILS VALUES (10329,'S12_4675',39,64.74,15);
INSERT INTO ORDERDETAILS VALUES (10329,'S18_1889',29,101.89,9);
INSERT INTO ORDERDETAILS VALUES (10329,'S18_2625',38,138.58,12);
INSERT INTO ORDERDETAILS VALUES (10329,'S18_3278',38,59.1,10);
INSERT INTO ORDERDETAILS VALUES (10329,'S24_1578',30,87.78,7);
INSERT INTO ORDERDETAILS VALUES (10329,'S24_2000',37,94.43,4);
INSERT INTO ORDERDETAILS VALUES (10329,'S32_1374',45,63.91,11);
INSERT INTO ORDERDETAILS VALUES (10329,'S72_1253',44,86.13,8);
INSERT INTO ORDERDETAILS VALUES (10330,'S18_3482',37,119.06,3);
INSERT INTO ORDERDETAILS VALUES (10330,'S18_3782',29,69.63,2);
INSERT INTO ORDERDETAILS VALUES (10330,'S18_4721',50,122.02,4);
INSERT INTO ORDERDETAILS VALUES (10330,'S24_2360',42,81.03,1);
INSERT INTO ORDERDETAILS VALUES (10331,'S18_1129',46,139.87,6);
INSERT INTO ORDERDETAILS VALUES (10331,'S18_1589',44,110.21,14);
INSERT INTO ORDERDETAILS VALUES (10331,'S18_1749',44,74.04,7);
INSERT INTO ORDERDETAILS VALUES (10331,'S18_1984',30,32.47,8);
INSERT INTO ORDERDETAILS VALUES (10331,'S18_2870',26,64.9,10);
INSERT INTO ORDERDETAILS VALUES (10331,'S18_3232',27,154.47,11);
INSERT INTO ORDERDETAILS VALUES (10331,'S18_3685',26,67.91,12);
INSERT INTO ORDERDETAILS VALUES (10331,'S24_2972',27,42.24,13);
INSERT INTO ORDERDETAILS VALUES (10331,'S24_3371',25,123.14,9);
INSERT INTO ORDERDETAILS VALUES (10331,'S24_3856',21,149.33,1);
INSERT INTO ORDERDETAILS VALUES (10331,'S24_4620',41,139.4,2);
INSERT INTO ORDERDETAILS VALUES (10331,'S32_2206',28,146.52,3);
INSERT INTO ORDERDETAILS VALUES (10331,'S32_4485',32,157.08,4);
INSERT INTO ORDERDETAILS VALUES (10331,'S50_4713',20,182.89,5);
INSERT INTO ORDERDETAILS VALUES (10332,'S18_1342',46,95.13,15);
INSERT INTO ORDERDETAILS VALUES (10332,'S18_1367',27,89.89,16);
INSERT INTO ORDERDETAILS VALUES (10332,'S18_2248',38,84.25,9);
INSERT INTO ORDERDETAILS VALUES (10332,'S18_2325',35,64.69,8);
INSERT INTO ORDERDETAILS VALUES (10332,'S18_2795',24,52.67,1);
INSERT INTO ORDERDETAILS VALUES (10332,'S18_2957',26,114.58,17);
INSERT INTO ORDERDETAILS VALUES (10332,'S18_3136',40,39.8,18);
INSERT INTO ORDERDETAILS VALUES (10332,'S18_4409',50,146.2,2);
INSERT INTO ORDERDETAILS VALUES (10332,'S18_4933',21,165.38,3);
INSERT INTO ORDERDETAILS VALUES (10332,'S24_1046',23,56.84,4);
INSERT INTO ORDERDETAILS VALUES (10332,'S24_1628',20,87.96,5);
INSERT INTO ORDERDETAILS VALUES (10332,'S24_1937',45,81.91,6);
INSERT INTO ORDERDETAILS VALUES (10332,'S24_2022',26,85.52,10);
INSERT INTO ORDERDETAILS VALUES (10332,'S24_2766',39,86.72,7);
INSERT INTO ORDERDETAILS VALUES (10332,'S24_2887',44,42.26,11);
INSERT INTO ORDERDETAILS VALUES (10332,'S24_3191',45,34.19,12);
INSERT INTO ORDERDETAILS VALUES (10332,'S24_3432',31,37.18,13);
INSERT INTO ORDERDETAILS VALUES (10332,'S24_3969',41,77.24,14);
INSERT INTO ORDERDETAILS VALUES (10333,'S10_1949',26,115.5,3);
INSERT INTO ORDERDETAILS VALUES (10333,'S12_1666',33,99.21,6);
INSERT INTO ORDERDETAILS VALUES (10333,'S18_1097',29,40.25,7);
INSERT INTO ORDERDETAILS VALUES (10333,'S18_2949',31,90.17,5);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10333,'S18_3320',46,246.45,2);
INSERT INTO ORDERDETAILS VALUES (10333,'S18_4668',24,79.86,8);
INSERT INTO ORDERDETAILS VALUES (10333,'S24_4258',39,113.44,1);
INSERT INTO ORDERDETAILS VALUES (10333,'S32_3522',33,73.69,4);
INSERT INTO ORDERDETAILS VALUES (10334,'S10_4962',26,122.62,2);
INSERT INTO ORDERDETAILS VALUES (10334,'S18_2319',46,126.41,6);
INSERT INTO ORDERDETAILS VALUES (10334,'S18_2432',34,61.38,1);
INSERT INTO ORDERDETAILS VALUES (10334,'S18_3232',20,143.94,3);
INSERT INTO ORDERDETAILS VALUES (10334,'S18_4600',49,138.03,4);
INSERT INTO ORDERDETAILS VALUES (10334,'S24_2300',42,131.62,5);
INSERT INTO ORDERDETAILS VALUES (10335,'S24_2840',33,37.13,2);
INSERT INTO ORDERDETAILS VALUES (10335,'S32_1268',44,107.87,1);
INSERT INTO ORDERDETAILS VALUES (10335,'S32_2509',40,60.6,3);
INSERT INTO ORDERDETAILS VALUES (10336,'S12_1108',33,57.22,10);
INSERT INTO ORDERDETAILS VALUES (10336,'S12_3148',33,123.01,11);
INSERT INTO ORDERDETAILS VALUES (10336,'S12_3891',49,63.38,1);
INSERT INTO ORDERDETAILS VALUES (10336,'S12_4473',38,167.7,3);
INSERT INTO ORDERDETAILS VALUES (10336,'S18_2238',49,152.26,6);
INSERT INTO ORDERDETAILS VALUES (10336,'S18_3140',48,120.38,12);
INSERT INTO ORDERDETAILS VALUES (10336,'S18_3259',21,106.21,7);
INSERT INTO ORDERDETAILS VALUES (10336,'S24_1444',45,132.72,4);
INSERT INTO ORDERDETAILS VALUES (10336,'S24_4048',31,148.99,5);
INSERT INTO ORDERDETAILS VALUES (10336,'S32_3207',31,84.71,9);
INSERT INTO ORDERDETAILS VALUES (10336,'S50_1392',23,136.59,8);
INSERT INTO ORDERDETAILS VALUES (10336,'S700_2824',46,207.8,2);
INSERT INTO ORDERDETAILS VALUES (10337,'S10_4757',25,48.05,8);
INSERT INTO ORDERDETAILS VALUES (10337,'S18_4027',36,157.76,3);
INSERT INTO ORDERDETAILS VALUES (10337,'S18_4522',29,155.11,2);
INSERT INTO ORDERDETAILS VALUES (10337,'S24_2011',29,71.97,4);
INSERT INTO ORDERDETAILS VALUES (10337,'S50_1514',21,109.37,6);
INSERT INTO ORDERDETAILS VALUES (10337,'S700_1938',36,70.3,9);
INSERT INTO ORDERDETAILS VALUES (10337,'S700_3505',31,89.38,1);
INSERT INTO ORDERDETAILS VALUES (10337,'S700_3962',36,71.89,7);
INSERT INTO ORDERDETAILS VALUES (10337,'S72_3212',42,97.16,5);
INSERT INTO ORDERDETAILS VALUES (10338,'S18_1662',41,137.19,1);
INSERT INTO ORDERDETAILS VALUES (10338,'S18_3029',28,82.58,3);
INSERT INTO ORDERDETAILS VALUES (10338,'S18_3856',45,122.81,2);
INSERT INTO ORDERDETAILS VALUES (10339,'S10_2016',40,68.92,4);
INSERT INTO ORDERDETAILS VALUES (10339,'S10_4698',39,76.67,3);
INSERT INTO ORDERDETAILS VALUES (10339,'S18_2581',27,104.1,2);
INSERT INTO ORDERDETAILS VALUES (10339,'S18_2625',30,62.16,1);
INSERT INTO ORDERDETAILS VALUES (10339,'S24_1578',27,84.39,10);
INSERT INTO ORDERDETAILS VALUES (10339,'S24_1785',21,50.65,7);
INSERT INTO ORDERDETAILS VALUES (10339,'S24_2841',55,112.99,12);
INSERT INTO ORDERDETAILS VALUES (10339,'S24_3151',55,195.6,13);
INSERT INTO ORDERDETAILS VALUES (10339,'S24_3420',29,99.69,14);
INSERT INTO ORDERDETAILS VALUES (10339,'S24_3816',42,59.36,16);
INSERT INTO ORDERDETAILS VALUES (10339,'S24_3949',45,96.92,11);
INSERT INTO ORDERDETAILS VALUES (10339,'S700_1138',22,128.02,5);
INSERT INTO ORDERDETAILS VALUES (10339,'S700_2047',55,71.25,15);
INSERT INTO ORDERDETAILS VALUES (10339,'S700_2610',50,74.35,9);
INSERT INTO ORDERDETAILS VALUES (10339,'S700_4002',50,57.86,8);
INSERT INTO ORDERDETAILS VALUES (10339,'S72_1253',27,76.31,6);
INSERT INTO ORDERDETAILS VALUES (10340,'S24_2000',55,79.98,8);
INSERT INTO ORDERDETAILS VALUES (10340,'S24_4278',40,84.77,1);
INSERT INTO ORDERDETAILS VALUES (10340,'S32_1374',55,117.87,2);
INSERT INTO ORDERDETAILS VALUES (10340,'S32_4289',39,59.16,3);
INSERT INTO ORDERDETAILS VALUES (10340,'S50_1341',40,50.62,4);
INSERT INTO ORDERDETAILS VALUES (10340,'S700_1691',30,88.6,5);
INSERT INTO ORDERDETAILS VALUES (10340,'S700_2466',55,87.75,7);
INSERT INTO ORDERDETAILS VALUES (10340,'S700_2834',29,141.19,6);
INSERT INTO ORDERDETAILS VALUES (10341,'S10_1678',41,188.73,9);
INSERT INTO ORDERDETAILS VALUES (10341,'S12_1099',45,79.65,2);
INSERT INTO ORDERDETAILS VALUES (10341,'S12_2823',55,147.61,8);
INSERT INTO ORDERDETAILS VALUES (10341,'S12_3380',44,95.93,1);
INSERT INTO ORDERDETAILS VALUES (10341,'S12_3990',36,93.56,10);
INSERT INTO ORDERDETAILS VALUES (10341,'S12_4675',55,75.2,7);
INSERT INTO ORDERDETAILS VALUES (10341,'S24_2360',32,103.35,6);
INSERT INTO ORDERDETAILS VALUES (10341,'S32_4485',31,71.02,4);
INSERT INTO ORDERDETAILS VALUES (10341,'S50_4713',38,123.22,3);
INSERT INTO ORDERDETAILS VALUES (10341,'S700_3167',34,107.18,5);
INSERT INTO ORDERDETAILS VALUES (10342,'S18_1129',40,161.36,2);
INSERT INTO ORDERDETAILS VALUES (10342,'S18_1889',55,65.45,1);
INSERT INTO ORDERDETAILS VALUES (10342,'S18_1984',22,143.67,3);
INSERT INTO ORDERDETAILS VALUES (10342,'S18_3232',30,167.65,4);
INSERT INTO ORDERDETAILS VALUES (10342,'S18_3278',25,66.74,5);
INSERT INTO ORDERDETAILS VALUES (10342,'S18_3482',55,119.06,7);
INSERT INTO ORDERDETAILS VALUES (10342,'S18_3782',26,55.95,8);
INSERT INTO ORDERDETAILS VALUES (10342,'S18_4721',38,165.17,11);
INSERT INTO ORDERDETAILS VALUES (10342,'S24_2972',39,40.4,9);
INSERT INTO ORDERDETAILS VALUES (10342,'S24_3371',48,62.45,10);
INSERT INTO ORDERDETAILS VALUES (10342,'S24_3856',42,119.37,6);
INSERT INTO ORDERDETAILS VALUES (10343,'S18_1589',36,162.47,4);
INSERT INTO ORDERDETAILS VALUES (10343,'S18_2870',25,52.32,3);
INSERT INTO ORDERDETAILS VALUES (10343,'S18_3685',44,84.88,2);
INSERT INTO ORDERDETAILS VALUES (10343,'S24_1628',27,36.21,6);
INSERT INTO ORDERDETAILS VALUES (10343,'S24_4620',30,103.29,1);
INSERT INTO ORDERDETAILS VALUES (10343,'S32_2206',29,128.04,5);
INSERT INTO ORDERDETAILS VALUES (10344,'S18_1749',45,170.0,1);
INSERT INTO ORDERDETAILS VALUES (10344,'S18_2248',40,56.91,2);
INSERT INTO ORDERDETAILS VALUES (10344,'S18_2325',30,130.94,3);
INSERT INTO ORDERDETAILS VALUES (10344,'S18_4409',21,104.91,4);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10344,'S18_4933',26,63.43,5);
INSERT INTO ORDERDETAILS VALUES (10344,'S24_1046',29,59.53,7);
INSERT INTO ORDERDETAILS VALUES (10344,'S24_1937',20,35.18,6);
INSERT INTO ORDERDETAILS VALUES (10345,'S24_2022',43,53.76,1);
INSERT INTO ORDERDETAILS VALUES (10346,'S18_1342',42,36.11,3);
INSERT INTO ORDERDETAILS VALUES (10346,'S24_2766',25,115.07,1);
INSERT INTO ORDERDETAILS VALUES (10346,'S24_2887',24,87.24,5);
INSERT INTO ORDERDETAILS VALUES (10346,'S24_3191',24,138.58,2);
INSERT INTO ORDERDETAILS VALUES (10346,'S24_3432',26,95.88,6);
INSERT INTO ORDERDETAILS VALUES (10346,'S24_3969',22,97.44,4);
INSERT INTO ORDERDETAILS VALUES (10347,'S10_1949',30,131.49,1);
INSERT INTO ORDERDETAILS VALUES (10347,'S10_4962',27,164.0,2);
INSERT INTO ORDERDETAILS VALUES (10347,'S12_1666',29,123.67,3);
INSERT INTO ORDERDETAILS VALUES (10347,'S18_1097',42,49.6,5);
INSERT INTO ORDERDETAILS VALUES (10347,'S18_1367',21,58.95,7);
INSERT INTO ORDERDETAILS VALUES (10347,'S18_2432',50,136.69,8);
INSERT INTO ORDERDETAILS VALUES (10347,'S18_2795',21,229.3,6);
INSERT INTO ORDERDETAILS VALUES (10347,'S18_2949',48,100.3,9);
INSERT INTO ORDERDETAILS VALUES (10347,'S18_2957',34,64.96,10);
INSERT INTO ORDERDETAILS VALUES (10347,'S18_3136',45,109.96,11);
INSERT INTO ORDERDETAILS VALUES (10347,'S18_3320',26,102.19,12);
INSERT INTO ORDERDETAILS VALUES (10347,'S18_4600',45,130.77,4);
INSERT INTO ORDERDETAILS VALUES (10348,'S12_1108',48,52.36,8);
INSERT INTO ORDERDETAILS VALUES (10348,'S12_3148',47,102.16,4);
INSERT INTO ORDERDETAILS VALUES (10348,'S18_4668',29,245.2,6);
INSERT INTO ORDERDETAILS VALUES (10348,'S24_2300',37,161.66,1);
INSERT INTO ORDERDETAILS VALUES (10348,'S24_4258',39,50.31,2);
INSERT INTO ORDERDETAILS VALUES (10348,'S32_1268',42,152.07,3);
INSERT INTO ORDERDETAILS VALUES (10348,'S32_3522',31,101.29,5);
INSERT INTO ORDERDETAILS VALUES (10348,'S700_2824',32,82.83,7);
INSERT INTO ORDERDETAILS VALUES (10349,'S12_3891',26,169.56,10);
INSERT INTO ORDERDETAILS VALUES (10349,'S12_4473',48,109.02,9);
INSERT INTO ORDERDETAILS VALUES (10349,'S18_2238',38,176.83,8);
INSERT INTO ORDERDETAILS VALUES (10349,'S18_2319',38,137.46,7);
INSERT INTO ORDERDETAILS VALUES (10349,'S18_3232',48,154.1,6);
INSERT INTO ORDERDETAILS VALUES (10349,'S18_4027',34,129.26,5);
INSERT INTO ORDERDETAILS VALUES (10349,'S24_1444',48,47.4,4);
INSERT INTO ORDERDETAILS VALUES (10349,'S24_2840',36,37.13,3);
INSERT INTO ORDERDETAILS VALUES (10349,'S24_4048',23,138.39,2);
INSERT INTO ORDERDETAILS VALUES (10349,'S32_2509',33,46.53,1);
INSERT INTO ORDERDETAILS VALUES (10350,'S10_4757',26,75.47,5);
INSERT INTO ORDERDETAILS VALUES (10350,'S18_3029',43,64.97,6);
INSERT INTO ORDERDETAILS VALUES (10350,'S18_3140',44,117.98,1);
INSERT INTO ORDERDETAILS VALUES (10350,'S18_3259',41,93.04,2);
INSERT INTO ORDERDETAILS VALUES (10350,'S18_4522',30,100.77,3);
INSERT INTO ORDERDETAILS VALUES (10350,'S24_2011',34,50.33,7);
INSERT INTO ORDERDETAILS VALUES (10350,'S24_3151',30,100.7,9);
INSERT INTO ORDERDETAILS VALUES (10350,'S24_3816',25,60.34,10);
INSERT INTO ORDERDETAILS VALUES (10350,'S32_3207',27,163.2,14);
INSERT INTO ORDERDETAILS VALUES (10350,'S50_1392',31,71.4,8);
INSERT INTO ORDERDETAILS VALUES (10350,'S50_1514',44,147.52,17);
INSERT INTO ORDERDETAILS VALUES (10350,'S700_1138',46,76.67,11);
INSERT INTO ORDERDETAILS VALUES (10350,'S700_1938',28,104.44,4);
INSERT INTO ORDERDETAILS VALUES (10350,'S700_2610',29,75.35,12);
INSERT INTO ORDERDETAILS VALUES (10350,'S700_3505',31,77.34,13);
INSERT INTO ORDERDETAILS VALUES (10350,'S700_3962',25,114.19,16);
INSERT INTO ORDERDETAILS VALUES (10350,'S72_3212',20,112.22,15);
INSERT INTO ORDERDETAILS VALUES (10351,'S18_1662',39,99.52,1);
INSERT INTO ORDERDETAILS VALUES (10351,'S18_3856',20,168.73,2);
INSERT INTO ORDERDETAILS VALUES (10351,'S24_2841',25,74.68,5);
INSERT INTO ORDERDETAILS VALUES (10351,'S24_3420',38,68.38,4);
INSERT INTO ORDERDETAILS VALUES (10351,'S24_3949',34,59.37,3);
INSERT INTO ORDERDETAILS VALUES (10352,'S700_2047',23,102.29,3);
INSERT INTO ORDERDETAILS VALUES (10352,'S700_2466',49,100.72,2);
INSERT INTO ORDERDETAILS VALUES (10352,'S700_4002',22,75.51,1);
INSERT INTO ORDERDETAILS VALUES (10352,'S72_1253',49,52.64,4);
INSERT INTO ORDERDETAILS VALUES (10353,'S18_2581',27,130.21,1);
INSERT INTO ORDERDETAILS VALUES (10353,'S24_1785',28,71.73,2);
INSERT INTO ORDERDETAILS VALUES (10353,'S24_4278',35,89.9,3);
INSERT INTO ORDERDETAILS VALUES (10353,'S32_1374',46,81.17,5);
INSERT INTO ORDERDETAILS VALUES (10353,'S32_4289',40,44.51,7);
INSERT INTO ORDERDETAILS VALUES (10353,'S50_1341',40,82.21,8);
INSERT INTO ORDERDETAILS VALUES (10353,'S700_1691',39,129.33,9);
INSERT INTO ORDERDETAILS VALUES (10353,'S700_2834',48,68.8,4);
INSERT INTO ORDERDETAILS VALUES (10353,'S700_3167',43,81.95,6);
INSERT INTO ORDERDETAILS VALUES (10354,'S10_1678',42,86.13,6);
INSERT INTO ORDERDETAILS VALUES (10354,'S10_2016',20,104.67,2);
INSERT INTO ORDERDETAILS VALUES (10354,'S10_4698',42,213.03,3);
INSERT INTO ORDERDETAILS VALUES (10354,'S12_1099',31,93.28,9);
INSERT INTO ORDERDETAILS VALUES (10354,'S12_2823',35,182.9,4);
INSERT INTO ORDERDETAILS VALUES (10354,'S12_3380',29,73.15,11);
INSERT INTO ORDERDETAILS VALUES (10354,'S12_3990',23,50.88,12);
INSERT INTO ORDERDETAILS VALUES (10354,'S12_4675',28,86.84,13);
INSERT INTO ORDERDETAILS VALUES (10354,'S18_1889',21,110.45,8);
INSERT INTO ORDERDETAILS VALUES (10354,'S18_2625',28,165.68,10);
INSERT INTO ORDERDETAILS VALUES (10354,'S18_3278',36,82.26,7);
INSERT INTO ORDERDETAILS VALUES (10354,'S24_1578',21,113.92,5);
INSERT INTO ORDERDETAILS VALUES (10354,'S24_2000',28,69.43,1);
INSERT INTO ORDERDETAILS VALUES (10355,'S18_3482',23,138.17,7);
INSERT INTO ORDERDETAILS VALUES (10355,'S18_3782',31,53.47,1);
INSERT INTO ORDERDETAILS VALUES (10355,'S18_4721',25,168.14,2);
INSERT INTO ORDERDETAILS VALUES (10355,'S24_2360',41,70.65,3);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10355,'S24_2972',36,38.52,4);
INSERT INTO ORDERDETAILS VALUES (10355,'S24_3371',44,62.45,6);
INSERT INTO ORDERDETAILS VALUES (10355,'S24_3856',32,165.71,8);
INSERT INTO ORDERDETAILS VALUES (10355,'S24_4620',28,95.39,9);
INSERT INTO ORDERDETAILS VALUES (10355,'S32_2206',38,39.83,10);
INSERT INTO ORDERDETAILS VALUES (10355,'S32_4485',40,108.17,5);
INSERT INTO ORDERDETAILS VALUES (10356,'S18_1129',43,97.6,8);
INSERT INTO ORDERDETAILS VALUES (10356,'S18_1342',50,50.18,9);
INSERT INTO ORDERDETAILS VALUES (10356,'S18_1367',22,72.41,6);
INSERT INTO ORDERDETAILS VALUES (10356,'S18_1984',27,64.69,2);
INSERT INTO ORDERDETAILS VALUES (10356,'S18_2325',29,125.18,3);
INSERT INTO ORDERDETAILS VALUES (10356,'S18_2795',30,148.74,1);
INSERT INTO ORDERDETAILS VALUES (10356,'S24_1937',48,202.5,5);
INSERT INTO ORDERDETAILS VALUES (10356,'S24_2022',26,31.86,7);
INSERT INTO ORDERDETAILS VALUES (10356,'S50_4713',26,151.45,4);
INSERT INTO ORDERDETAILS VALUES (10357,'S10_1949',32,177.87,10);
INSERT INTO ORDERDETAILS VALUES (10357,'S10_4962',43,134.44,9);
INSERT INTO ORDERDETAILS VALUES (10357,'S12_1666',49,121.64,8);
INSERT INTO ORDERDETAILS VALUES (10357,'S18_1097',39,98.0,1);
INSERT INTO ORDERDETAILS VALUES (10357,'S18_2432',41,61.99,7);
INSERT INTO ORDERDETAILS VALUES (10357,'S18_2949',41,87.13,6);
INSERT INTO ORDERDETAILS VALUES (10357,'S18_2957',49,70.58,5);
INSERT INTO ORDERDETAILS VALUES (10357,'S18_3136',44,117.29,4);
INSERT INTO ORDERDETAILS VALUES (10357,'S18_3320',25,104.17,3);
INSERT INTO ORDERDETAILS VALUES (10357,'S18_4600',28,127.13,2);
INSERT INTO ORDERDETAILS VALUES (10358,'S12_3148',49,55.34,5);
INSERT INTO ORDERDETAILS VALUES (10358,'S12_4473',42,64.16,9);
INSERT INTO ORDERDETAILS VALUES (10358,'S18_2238',20,121.4,10);
INSERT INTO ORDERDETAILS VALUES (10358,'S18_2319',20,36.42,11);
INSERT INTO ORDERDETAILS VALUES (10358,'S18_3232',32,93.49,12);
INSERT INTO ORDERDETAILS VALUES (10358,'S18_4027',25,101.13,13);
INSERT INTO ORDERDETAILS VALUES (10358,'S18_4668',30,176.76,8);
INSERT INTO ORDERDETAILS VALUES (10358,'S24_1444',44,60.76,14);
INSERT INTO ORDERDETAILS VALUES (10358,'S24_2300',41,138.65,7);
INSERT INTO ORDERDETAILS VALUES (10358,'S24_2840',36,82.94,4);
INSERT INTO ORDERDETAILS VALUES (10358,'S24_4258',41,167.0,6);
INSERT INTO ORDERDETAILS VALUES (10358,'S32_1268',41,108.0,1);
INSERT INTO ORDERDETAILS VALUES (10358,'S32_3522',36,157.49,2);
INSERT INTO ORDERDETAILS VALUES (10358,'S700_2824',27,139.31,3);
INSERT INTO ORDERDETAILS VALUES (10359,'S10_4757',48,54.68,6);
INSERT INTO ORDERDETAILS VALUES (10359,'S12_1108',42,113.44,8);
INSERT INTO ORDERDETAILS VALUES (10359,'S12_3891',49,62.09,5);
INSERT INTO ORDERDETAILS VALUES (10359,'S24_4048',22,118.32,7);
INSERT INTO ORDERDETAILS VALUES (10359,'S32_2509',36,176.63,3);
INSERT INTO ORDERDETAILS VALUES (10359,'S32_3207',22,195.51,1);
INSERT INTO ORDERDETAILS VALUES (10359,'S50_1392',46,106.45,2);
INSERT INTO ORDERDETAILS VALUES (10359,'S50_1514',25,64.93,4);
INSERT INTO ORDERDETAILS VALUES (10360,'S18_1662',50,58.67,12);
INSERT INTO ORDERDETAILS VALUES (10360,'S18_2581',41,87.48,13);
INSERT INTO ORDERDETAILS VALUES (10360,'S18_3029',46,77.34,14);
INSERT INTO ORDERDETAILS VALUES (10360,'S18_3140',29,175.04,8);
INSERT INTO ORDERDETAILS VALUES (10360,'S18_3259',29,101.38,18);
INSERT INTO ORDERDETAILS VALUES (10360,'S18_3856',40,87.15,15);
INSERT INTO ORDERDETAILS VALUES (10360,'S18_4522',40,86.02,1);
INSERT INTO ORDERDETAILS VALUES (10360,'S24_1785',22,115.2,17);
INSERT INTO ORDERDETAILS VALUES (10360,'S24_2011',31,118.83,2);
INSERT INTO ORDERDETAILS VALUES (10360,'S24_2841',49,56.78,16);
INSERT INTO ORDERDETAILS VALUES (10360,'S24_3151',36,113.95,3);
INSERT INTO ORDERDETAILS VALUES (10360,'S24_3816',22,111.16,4);
INSERT INTO ORDERDETAILS VALUES (10360,'S700_1138',32,100.94,5);
INSERT INTO ORDERDETAILS VALUES (10360,'S700_1938',26,97.38,6);
INSERT INTO ORDERDETAILS VALUES (10360,'S700_2610',30,125.35,7);
INSERT INTO ORDERDETAILS VALUES (10360,'S700_3505',35,65.77,9);
INSERT INTO ORDERDETAILS VALUES (10360,'S700_3962',31,103.56,10);
INSERT INTO ORDERDETAILS VALUES (10360,'S72_3212',31,96.44,11);
INSERT INTO ORDERDETAILS VALUES (10361,'S10_1678',20,72.55,13);
INSERT INTO ORDERDETAILS VALUES (10361,'S10_2016',26,51.15,8);
INSERT INTO ORDERDETAILS VALUES (10361,'S24_3420',34,113.88,6);
INSERT INTO ORDERDETAILS VALUES (10361,'S24_3949',26,142.73,7);
INSERT INTO ORDERDETAILS VALUES (10361,'S24_4278',25,62.46,1);
INSERT INTO ORDERDETAILS VALUES (10361,'S32_4289',49,72.33,2);
INSERT INTO ORDERDETAILS VALUES (10361,'S50_1341',33,82.59,3);
INSERT INTO ORDERDETAILS VALUES (10361,'S700_1691',20,60.54,4);
INSERT INTO ORDERDETAILS VALUES (10361,'S700_2047',24,45.39,14);
INSERT INTO ORDERDETAILS VALUES (10361,'S700_2466',26,105.95,9);
INSERT INTO ORDERDETAILS VALUES (10361,'S700_2834',44,72.42,5);
INSERT INTO ORDERDETAILS VALUES (10361,'S700_3167',44,113.68,10);
INSERT INTO ORDERDETAILS VALUES (10361,'S700_4002',35,122.21,11);
INSERT INTO ORDERDETAILS VALUES (10361,'S72_1253',23,95.2,12);
INSERT INTO ORDERDETAILS VALUES (10362,'S10_4698',22,166.55,4);
INSERT INTO ORDERDETAILS VALUES (10362,'S12_2823',22,176.23,1);
INSERT INTO ORDERDETAILS VALUES (10362,'S18_2625',23,49.67,3);
INSERT INTO ORDERDETAILS VALUES (10362,'S24_1578',50,96.92,2);
INSERT INTO ORDERDETAILS VALUES (10363,'S12_1099',33,85.39,3);
INSERT INTO ORDERDETAILS VALUES (10363,'S12_3380',34,96.73,4);
INSERT INTO ORDERDETAILS VALUES (10363,'S12_3990',34,81.62,5);
INSERT INTO ORDERDETAILS VALUES (10363,'S12_4675',46,88.45,6);
INSERT INTO ORDERDETAILS VALUES (10363,'S18_1889',22,167.57,7);
INSERT INTO ORDERDETAILS VALUES (10363,'S18_3278',46,60.3,10);
INSERT INTO ORDERDETAILS VALUES (10363,'S18_3482',24,172.61,11);
INSERT INTO ORDERDETAILS VALUES (10363,'S18_3782',32,89.12,12);
INSERT INTO ORDERDETAILS VALUES (10363,'S18_4721',28,58.18,13);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10363,'S24_2000',21,171.22,8);
INSERT INTO ORDERDETAILS VALUES (10363,'S24_2360',43,61.23,14);
INSERT INTO ORDERDETAILS VALUES (10363,'S24_3371',21,116.56,15);
INSERT INTO ORDERDETAILS VALUES (10363,'S24_3856',31,94.58,1);
INSERT INTO ORDERDETAILS VALUES (10363,'S24_4620',43,119.87,9);
INSERT INTO ORDERDETAILS VALUES (10363,'S32_1374',50,131.53,2);
INSERT INTO ORDERDETAILS VALUES (10364,'S32_2206',48,48.28,1);
INSERT INTO ORDERDETAILS VALUES (10365,'S18_1129',30,87.06,1);
INSERT INTO ORDERDETAILS VALUES (10365,'S32_4485',22,155.69,3);
INSERT INTO ORDERDETAILS VALUES (10365,'S50_4713',44,113.28,2);
INSERT INTO ORDERDETAILS VALUES (10366,'S18_1984',34,123.76,3);
INSERT INTO ORDERDETAILS VALUES (10366,'S18_2870',49,125.4,2);
INSERT INTO ORDERDETAILS VALUES (10366,'S18_3232',34,184.58,1);
INSERT INTO ORDERDETAILS VALUES (10367,'S18_1589',49,56.3,1);
INSERT INTO ORDERDETAILS VALUES (10367,'S18_1749',37,127.13,3);
INSERT INTO ORDERDETAILS VALUES (10367,'S18_2248',45,197.44,4);
INSERT INTO ORDERDETAILS VALUES (10367,'S18_2325',27,155.41,5);
INSERT INTO ORDERDETAILS VALUES (10367,'S18_2795',32,94.79,7);
INSERT INTO ORDERDETAILS VALUES (10367,'S18_3685',46,104.53,6);
INSERT INTO ORDERDETAILS VALUES (10367,'S18_4409',43,62.72,8);
INSERT INTO ORDERDETAILS VALUES (10367,'S18_4933',44,85.25,9);
INSERT INTO ORDERDETAILS VALUES (10367,'S24_1046',21,60.37,10);
INSERT INTO ORDERDETAILS VALUES (10367,'S24_1628',38,38.5,11);
INSERT INTO ORDERDETAILS VALUES (10367,'S24_1937',23,36.29,13);
INSERT INTO ORDERDETAILS VALUES (10367,'S24_2022',28,30.59,12);
INSERT INTO ORDERDETAILS VALUES (10367,'S24_2972',36,139.4,2);
INSERT INTO ORDERDETAILS VALUES (10368,'S24_2766',40,102.68,2);
INSERT INTO ORDERDETAILS VALUES (10368,'S24_2887',31,136.23,5);
INSERT INTO ORDERDETAILS VALUES (10368,'S24_3191',46,79.62,1);
INSERT INTO ORDERDETAILS VALUES (10368,'S24_3432',20,99.58,4);
INSERT INTO ORDERDETAILS VALUES (10368,'S24_3969',46,37.34,3);
INSERT INTO ORDERDETAILS VALUES (10369,'S10_1949',41,110.12,2);
INSERT INTO ORDERDETAILS VALUES (10369,'S18_1342',44,210.01,8);
INSERT INTO ORDERDETAILS VALUES (10369,'S18_1367',32,98.63,7);
INSERT INTO ORDERDETAILS VALUES (10369,'S18_2949',42,109.08,1);
INSERT INTO ORDERDETAILS VALUES (10369,'S18_2957',28,44.21,6);
INSERT INTO ORDERDETAILS VALUES (10369,'S18_3136',21,94.22,5);
INSERT INTO ORDERDETAILS VALUES (10369,'S18_3320',45,73.08,4);
INSERT INTO ORDERDETAILS VALUES (10369,'S24_4258',40,86.92,3);
INSERT INTO ORDERDETAILS VALUES (10370,'S10_4962',35,65.63,4);
INSERT INTO ORDERDETAILS VALUES (10370,'S12_1666',49,172.86,8);
INSERT INTO ORDERDETAILS VALUES (10370,'S18_1097',27,144.87,1);
INSERT INTO ORDERDETAILS VALUES (10370,'S18_2319',22,179.5,5);
INSERT INTO ORDERDETAILS VALUES (10370,'S18_2432',22,96.86,7);
INSERT INTO ORDERDETAILS VALUES (10370,'S18_3232',27,56.85,9);
INSERT INTO ORDERDETAILS VALUES (10370,'S18_4600',29,57.53,6);
INSERT INTO ORDERDETAILS VALUES (10370,'S18_4668',20,136.5,2);
INSERT INTO ORDERDETAILS VALUES (10370,'S32_3522',25,126.41,3);
INSERT INTO ORDERDETAILS VALUES (10371,'S12_1108',32,111.27,6);
INSERT INTO ORDERDETAILS VALUES (10371,'S12_4473',49,35.71,4);
INSERT INTO ORDERDETAILS VALUES (10371,'S18_2238',25,104.09,7);
INSERT INTO ORDERDETAILS VALUES (10371,'S24_1444',25,97.27,12);
INSERT INTO ORDERDETAILS VALUES (10371,'S24_2300',20,172.47,5);
INSERT INTO ORDERDETAILS VALUES (10371,'S24_2840',45,123.24,8);
INSERT INTO ORDERDETAILS VALUES (10371,'S24_4048',28,50.32,9);
INSERT INTO ORDERDETAILS VALUES (10371,'S32_1268',26,155.54,1);
INSERT INTO ORDERDETAILS VALUES (10371,'S32_2509',20,66.47,2);
INSERT INTO ORDERDETAILS VALUES (10371,'S32_3207',30,99.55,11);
INSERT INTO ORDERDETAILS VALUES (10371,'S50_1392',48,56.55,10);
INSERT INTO ORDERDETAILS VALUES (10371,'S700_2824',34,126.51,3);
INSERT INTO ORDERDETAILS VALUES (10372,'S12_3148',40,146.55,4);
INSERT INTO ORDERDETAILS VALUES (10372,'S12_3891',34,174.75,1);
INSERT INTO ORDERDETAILS VALUES (10372,'S18_3140',28,137.96,3);
INSERT INTO ORDERDETAILS VALUES (10372,'S18_3259',25,84.71,5);
INSERT INTO ORDERDETAILS VALUES (10372,'S18_4027',48,146.49,6);
INSERT INTO ORDERDETAILS VALUES (10372,'S18_4522',41,86.89,7);
INSERT INTO ORDERDETAILS VALUES (10372,'S24_2011',37,105.69,8);
INSERT INTO ORDERDETAILS VALUES (10372,'S50_1514',24,58.58,9);
INSERT INTO ORDERDETAILS VALUES (10372,'S700_1938',44,102.2,2);
INSERT INTO ORDERDETAILS VALUES (10373,'S10_4757',39,103.75,3);
INSERT INTO ORDERDETAILS VALUES (10373,'S18_1662',28,57.55,4);
INSERT INTO ORDERDETAILS VALUES (10373,'S18_3029',22,86.74,5);
INSERT INTO ORDERDETAILS VALUES (10373,'S18_3856',50,60.49,6);
INSERT INTO ORDERDETAILS VALUES (10373,'S24_2841',38,70.44,7);
INSERT INTO ORDERDETAILS VALUES (10373,'S24_3151',33,57.32,12);
INSERT INTO ORDERDETAILS VALUES (10373,'S24_3420',46,66.0,11);
INSERT INTO ORDERDETAILS VALUES (10373,'S24_3816',23,104.1,10);
INSERT INTO ORDERDETAILS VALUES (10373,'S24_3949',39,73.0,13);
INSERT INTO ORDERDETAILS VALUES (10373,'S700_1138',44,105.18,14);
INSERT INTO ORDERDETAILS VALUES (10373,'S700_2047',32,84.41,15);
INSERT INTO ORDERDETAILS VALUES (10373,'S700_2610',41,70.33,16);
INSERT INTO ORDERDETAILS VALUES (10373,'S700_3505',34,96.34,2);
INSERT INTO ORDERDETAILS VALUES (10373,'S700_3962',37,108.8,8);
INSERT INTO ORDERDETAILS VALUES (10373,'S700_4002',45,55.62,17);
INSERT INTO ORDERDETAILS VALUES (10373,'S72_1253',25,64.97,9);
INSERT INTO ORDERDETAILS VALUES (10373,'S72_3212',29,137.19,1);
INSERT INTO ORDERDETAILS VALUES (10374,'S10_2016',39,135.59,5);
INSERT INTO ORDERDETAILS VALUES (10374,'S10_4698',22,174.29,1);
INSERT INTO ORDERDETAILS VALUES (10374,'S18_2581',42,69.27,2);
INSERT INTO ORDERDETAILS VALUES (10374,'S18_2625',22,53.3,4);
INSERT INTO ORDERDETAILS VALUES (10374,'S24_1578',38,110.45,6);
INSERT INTO ORDERDETAILS VALUES (10374,'S24_1785',46,94.1,3);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10375,'S10_1678',21,34.91,12);
INSERT INTO ORDERDETAILS VALUES (10375,'S12_1099',45,76.0,7);
INSERT INTO ORDERDETAILS VALUES (10375,'S12_2823',49,78.92,13);
INSERT INTO ORDERDETAILS VALUES (10375,'S24_2000',23,106.23,9);
INSERT INTO ORDERDETAILS VALUES (10375,'S24_2360',20,102.3,14);
INSERT INTO ORDERDETAILS VALUES (10375,'S24_4278',43,233.48,2);
INSERT INTO ORDERDETAILS VALUES (10375,'S32_1374',37,171.71,3);
INSERT INTO ORDERDETAILS VALUES (10375,'S32_4289',44,82.26,4);
INSERT INTO ORDERDETAILS VALUES (10375,'S32_4485',41,114.68,15);
INSERT INTO ORDERDETAILS VALUES (10375,'S50_1341',49,65.8,5);
INSERT INTO ORDERDETAILS VALUES (10375,'S50_4713',49,110.34,8);
INSERT INTO ORDERDETAILS VALUES (10375,'S700_1691',37,81.87,6);
INSERT INTO ORDERDETAILS VALUES (10375,'S700_2466',33,116.87,1);
INSERT INTO ORDERDETAILS VALUES (10375,'S700_2834',25,66.73,10);
INSERT INTO ORDERDETAILS VALUES (10375,'S700_3167',44,118.38,11);
INSERT INTO ORDERDETAILS VALUES (10376,'S12_3380',35,113.92,1);
INSERT INTO ORDERDETAILS VALUES (10377,'S12_3990',24,67.83,5);
INSERT INTO ORDERDETAILS VALUES (10377,'S12_4675',50,103.64,1);
INSERT INTO ORDERDETAILS VALUES (10377,'S18_1129',35,168.43,2);
INSERT INTO ORDERDETAILS VALUES (10377,'S18_1889',31,67.76,4);
INSERT INTO ORDERDETAILS VALUES (10377,'S18_1984',36,120.91,6);
INSERT INTO ORDERDETAILS VALUES (10377,'S18_3232',39,186.27,3);
INSERT INTO ORDERDETAILS VALUES (10378,'S18_1589',34,42.64,5);
INSERT INTO ORDERDETAILS VALUES (10378,'S18_3278',22,112.0,4);
INSERT INTO ORDERDETAILS VALUES (10378,'S18_3482',43,96.49,10);
INSERT INTO ORDERDETAILS VALUES (10378,'S18_3782',28,164.63,9);
INSERT INTO ORDERDETAILS VALUES (10378,'S18_4721',49,67.14,8);
INSERT INTO ORDERDETAILS VALUES (10378,'S24_2972',41,142.85,7);
INSERT INTO ORDERDETAILS VALUES (10378,'S24_3371',46,41.54,6);
INSERT INTO ORDERDETAILS VALUES (10378,'S24_3856',33,53.27,3);
INSERT INTO ORDERDETAILS VALUES (10378,'S24_4620',41,119.37,2);
INSERT INTO ORDERDETAILS VALUES (10378,'S32_2206',40,82.46,1);
INSERT INTO ORDERDETAILS VALUES (10379,'S18_1749',39,138.45,2);
INSERT INTO ORDERDETAILS VALUES (10379,'S18_2248',27,49.3,1);
INSERT INTO ORDERDETAILS VALUES (10379,'S18_2870',29,176.8,5);
INSERT INTO ORDERDETAILS VALUES (10379,'S18_3685',32,70.83,4);
INSERT INTO ORDERDETAILS VALUES (10379,'S24_1628',32,124.08,3);
INSERT INTO ORDERDETAILS VALUES (10380,'S18_1342',27,93.16,13);
INSERT INTO ORDERDETAILS VALUES (10380,'S18_2325',40,123.29,10);
INSERT INTO ORDERDETAILS VALUES (10380,'S18_2795',21,47.18,8);
INSERT INTO ORDERDETAILS VALUES (10380,'S18_4409',32,105.52,1);
INSERT INTO ORDERDETAILS VALUES (10380,'S18_4933',24,189.0,2);
INSERT INTO ORDERDETAILS VALUES (10380,'S24_1046',34,101.23,3);
INSERT INTO ORDERDETAILS VALUES (10380,'S24_1937',32,70.56,4);
INSERT INTO ORDERDETAILS VALUES (10380,'S24_2022',27,68.35,5);
INSERT INTO ORDERDETAILS VALUES (10380,'S24_2766',36,37.5,6);
INSERT INTO ORDERDETAILS VALUES (10380,'S24_2887',44,36.29,7);
INSERT INTO ORDERDETAILS VALUES (10380,'S24_3191',44,79.06,9);
INSERT INTO ORDERDETAILS VALUES (10380,'S24_3432',34,116.27,11);
INSERT INTO ORDERDETAILS VALUES (10380,'S24_3969',43,95.03,12);
INSERT INTO ORDERDETAILS VALUES (10381,'S10_1949',36,229.3,3);
INSERT INTO ORDERDETAILS VALUES (10381,'S10_4962',37,168.42,6);
INSERT INTO ORDERDETAILS VALUES (10381,'S12_1666',20,147.6,1);
INSERT INTO ORDERDETAILS VALUES (10381,'S18_1097',48,98.0,2);
INSERT INTO ORDERDETAILS VALUES (10381,'S18_1367',25,52.83,9);
INSERT INTO ORDERDETAILS VALUES (10381,'S18_2432',35,48.62,7);
INSERT INTO ORDERDETAILS VALUES (10381,'S18_2949',41,105.36,8);
INSERT INTO ORDERDETAILS VALUES (10381,'S18_2957',40,68.08,4);
INSERT INTO ORDERDETAILS VALUES (10381,'S18_3136',35,122.52,5);
INSERT INTO ORDERDETAILS VALUES (10382,'S12_1108',34,112.46,10);
INSERT INTO ORDERDETAILS VALUES (10382,'S12_3148',37,110.05,11);
INSERT INTO ORDERDETAILS VALUES (10382,'S12_3891',34,95.35,12);
INSERT INTO ORDERDETAILS VALUES (10382,'S12_4473',32,66.58,13);
INSERT INTO ORDERDETAILS VALUES (10382,'S18_2238',25,88.0,5);
INSERT INTO ORDERDETAILS VALUES (10382,'S18_3320',50,178.71,7);
INSERT INTO ORDERDETAILS VALUES (10382,'S18_4600',39,125.4,1);
INSERT INTO ORDERDETAILS VALUES (10382,'S18_4668',39,200.7,2);
INSERT INTO ORDERDETAILS VALUES (10382,'S24_2300',20,132.72,3);
INSERT INTO ORDERDETAILS VALUES (10382,'S24_4258',33,139.17,4);
INSERT INTO ORDERDETAILS VALUES (10382,'S32_1268',26,104.17,6);
INSERT INTO ORDERDETAILS VALUES (10382,'S32_3522',48,141.66,8);
INSERT INTO ORDERDETAILS VALUES (10382,'S700_2824',34,54.84,9);
INSERT INTO ORDERDETAILS VALUES (10383,'S18_2319',27,142.37,11);
INSERT INTO ORDERDETAILS VALUES (10383,'S18_3140',24,61.52,9);
INSERT INTO ORDERDETAILS VALUES (10383,'S18_3232',47,146.15,6);
INSERT INTO ORDERDETAILS VALUES (10383,'S18_3259',26,128.48,12);
INSERT INTO ORDERDETAILS VALUES (10383,'S18_4027',38,140.55,1);
INSERT INTO ORDERDETAILS VALUES (10383,'S18_4522',28,58.58,7);
INSERT INTO ORDERDETAILS VALUES (10383,'S24_1444',22,91.76,2);
INSERT INTO ORDERDETAILS VALUES (10383,'S24_2840',40,152.24,3);
INSERT INTO ORDERDETAILS VALUES (10383,'S24_4048',21,93.91,4);
INSERT INTO ORDERDETAILS VALUES (10383,'S32_2509',32,53.18,5);
INSERT INTO ORDERDETAILS VALUES (10383,'S32_3207',44,36.07,8);
INSERT INTO ORDERDETAILS VALUES (10383,'S50_1392',29,106.45,13);
INSERT INTO ORDERDETAILS VALUES (10383,'S50_1514',38,60.06,10);
INSERT INTO ORDERDETAILS VALUES (10384,'S10_4757',34,142.55,4);
INSERT INTO ORDERDETAILS VALUES (10384,'S24_2011',28,80.54,3);
INSERT INTO ORDERDETAILS VALUES (10384,'S24_3151',43,97.87,2);
INSERT INTO ORDERDETAILS VALUES (10384,'S700_1938',49,130.56,1);
INSERT INTO ORDERDETAILS VALUES (10385,'S24_3816',37,85.54,2);
INSERT INTO ORDERDETAILS VALUES (10385,'S700_1138',25,77.34,1);
INSERT INTO ORDERDETAILS VALUES (10386,'S18_1662',25,54.57,7);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10386,'S18_2581',21,74.77,18);
INSERT INTO ORDERDETAILS VALUES (10386,'S18_3029',37,93.01,5);
INSERT INTO ORDERDETAILS VALUES (10386,'S18_3856',22,57.55,6);
INSERT INTO ORDERDETAILS VALUES (10386,'S24_1785',33,41.71,11);
INSERT INTO ORDERDETAILS VALUES (10386,'S24_2841',39,55.96,1);
INSERT INTO ORDERDETAILS VALUES (10386,'S24_3420',35,63.76,9);
INSERT INTO ORDERDETAILS VALUES (10386,'S24_3949',41,73.32,12);
INSERT INTO ORDERDETAILS VALUES (10386,'S24_4278',50,63.34,8);
INSERT INTO ORDERDETAILS VALUES (10386,'S700_2047',29,85.76,13);
INSERT INTO ORDERDETAILS VALUES (10386,'S700_2466',37,83.84,14);
INSERT INTO ORDERDETAILS VALUES (10386,'S700_2610',37,135.61,10);
INSERT INTO ORDERDETAILS VALUES (10386,'S700_3167',32,94.34,17);
INSERT INTO ORDERDETAILS VALUES (10386,'S700_3505',45,92.08,2);
INSERT INTO ORDERDETAILS VALUES (10386,'S700_3962',30,95.48,3);
INSERT INTO ORDERDETAILS VALUES (10386,'S700_4002',44,86.4,15);
INSERT INTO ORDERDETAILS VALUES (10386,'S72_1253',50,87.15,16);
INSERT INTO ORDERDETAILS VALUES (10386,'S72_3212',43,125.99,4);
INSERT INTO ORDERDETAILS VALUES (10387,'S32_1374',44,94.9,1);
INSERT INTO ORDERDETAILS VALUES (10388,'S10_1678',42,76.36,4);
INSERT INTO ORDERDETAILS VALUES (10388,'S10_2016',50,44.51,5);
INSERT INTO ORDERDETAILS VALUES (10388,'S10_4698',21,86.77,7);
INSERT INTO ORDERDETAILS VALUES (10388,'S12_2823',44,135.26,6);
INSERT INTO ORDERDETAILS VALUES (10388,'S32_4289',35,111.97,8);
INSERT INTO ORDERDETAILS VALUES (10388,'S50_1341',27,118.94,1);
INSERT INTO ORDERDETAILS VALUES (10388,'S700_1691',46,218.84,2);
INSERT INTO ORDERDETAILS VALUES (10388,'S700_2834',50,143.09,3);
INSERT INTO ORDERDETAILS VALUES (10389,'S12_1099',26,99.04,4);
INSERT INTO ORDERDETAILS VALUES (10389,'S12_3380',25,72.38,6);
INSERT INTO ORDERDETAILS VALUES (10389,'S12_3990',36,70.26,7);
INSERT INTO ORDERDETAILS VALUES (10389,'S12_4675',47,111.57,8);
INSERT INTO ORDERDETAILS VALUES (10389,'S18_1889',49,79.22,3);
INSERT INTO ORDERDETAILS VALUES (10389,'S18_2625',39,179.0,5);
INSERT INTO ORDERDETAILS VALUES (10389,'S24_1578',45,102.17,1);
INSERT INTO ORDERDETAILS VALUES (10389,'S24_2000',49,81.4,2);
INSERT INTO ORDERDETAILS VALUES (10390,'S18_1129',36,93.77,14);
INSERT INTO ORDERDETAILS VALUES (10390,'S18_1984',34,43.05,15);
INSERT INTO ORDERDETAILS VALUES (10390,'S18_2325',31,98.99,16);
INSERT INTO ORDERDETAILS VALUES (10390,'S18_2795',26,78.11,7);
INSERT INTO ORDERDETAILS VALUES (10390,'S18_3278',40,137.29,9);
INSERT INTO ORDERDETAILS VALUES (10390,'S18_3482',50,147.94,1);
INSERT INTO ORDERDETAILS VALUES (10390,'S18_3782',36,141.11,2);
INSERT INTO ORDERDETAILS VALUES (10390,'S18_4721',49,140.06,3);
INSERT INTO ORDERDETAILS VALUES (10390,'S24_2360',35,65.13,4);
INSERT INTO ORDERDETAILS VALUES (10390,'S24_2972',37,132.29,5);
INSERT INTO ORDERDETAILS VALUES (10390,'S24_3371',46,52.84,6);
INSERT INTO ORDERDETAILS VALUES (10390,'S24_3856',45,150.29,8);
INSERT INTO ORDERDETAILS VALUES (10390,'S24_4620',30,82.42,10);
INSERT INTO ORDERDETAILS VALUES (10390,'S32_2206',41,44.56,11);
INSERT INTO ORDERDETAILS VALUES (10390,'S32_4485',45,48.98,12);
INSERT INTO ORDERDETAILS VALUES (10390,'S50_4713',22,158.69,13);
INSERT INTO ORDERDETAILS VALUES (10391,'S10_1949',24,100.69,4);
INSERT INTO ORDERDETAILS VALUES (10391,'S10_4962',37,46.9,7);
INSERT INTO ORDERDETAILS VALUES (10391,'S12_1666',39,63.2,9);
INSERT INTO ORDERDETAILS VALUES (10391,'S18_1097',29,85.1,10);
INSERT INTO ORDERDETAILS VALUES (10391,'S18_1342',35,158.54,2);
INSERT INTO ORDERDETAILS VALUES (10391,'S18_1367',42,119.0,3);
INSERT INTO ORDERDETAILS VALUES (10391,'S18_2432',44,38.5,5);
INSERT INTO ORDERDETAILS VALUES (10391,'S18_2949',32,45.25,6);
INSERT INTO ORDERDETAILS VALUES (10391,'S24_1937',33,252.87,8);
INSERT INTO ORDERDETAILS VALUES (10391,'S24_2022',24,168.42,1);
INSERT INTO ORDERDETAILS VALUES (10392,'S18_2957',37,59.96,3);
INSERT INTO ORDERDETAILS VALUES (10392,'S18_3136',29,86.92,2);
INSERT INTO ORDERDETAILS VALUES (10392,'S18_3320',36,112.11,1);
INSERT INTO ORDERDETAILS VALUES (10393,'S12_3148',35,109.08,8);
INSERT INTO ORDERDETAILS VALUES (10393,'S12_4473',32,101.13,10);
INSERT INTO ORDERDETAILS VALUES (10393,'S18_2238',20,69.81,11);
INSERT INTO ORDERDETAILS VALUES (10393,'S18_2319',38,100.14,7);
INSERT INTO ORDERDETAILS VALUES (10393,'S18_4600',30,120.86,9);
INSERT INTO ORDERDETAILS VALUES (10393,'S18_4668',44,110.21,1);
INSERT INTO ORDERDETAILS VALUES (10393,'S24_2300',33,176.83,2);
INSERT INTO ORDERDETAILS VALUES (10393,'S24_4258',33,98.18,3);
INSERT INTO ORDERDETAILS VALUES (10393,'S32_1268',38,145.3,4);
INSERT INTO ORDERDETAILS VALUES (10393,'S32_3522',31,57.86,5);
INSERT INTO ORDERDETAILS VALUES (10393,'S700_2824',21,102.23,6);
INSERT INTO ORDERDETAILS VALUES (10394,'S18_3232',22,152.41,5);
INSERT INTO ORDERDETAILS VALUES (10394,'S18_4027',37,172.34,1);
INSERT INTO ORDERDETAILS VALUES (10394,'S24_1444',31,50.29,2);
INSERT INTO ORDERDETAILS VALUES (10394,'S24_2840',46,38.9,6);
INSERT INTO ORDERDETAILS VALUES (10394,'S24_4048',37,140.75,7);
INSERT INTO ORDERDETAILS VALUES (10394,'S32_2509',36,62.77,3);
INSERT INTO ORDERDETAILS VALUES (10394,'S32_3207',30,60.28,4);
INSERT INTO ORDERDETAILS VALUES (10395,'S10_4757',32,105.33,2);
INSERT INTO ORDERDETAILS VALUES (10395,'S12_1108',33,69.12,1);
INSERT INTO ORDERDETAILS VALUES (10395,'S50_1392',46,123.76,4);
INSERT INTO ORDERDETAILS VALUES (10395,'S50_1514',45,199.49,3);
INSERT INTO ORDERDETAILS VALUES (10396,'S12_3891',33,185.13,3);
INSERT INTO ORDERDETAILS VALUES (10396,'S18_3140',33,159.81,2);
INSERT INTO ORDERDETAILS VALUES (10396,'S18_3259',24,89.75,4);
INSERT INTO ORDERDETAILS VALUES (10396,'S18_4522',45,105.32,5);
INSERT INTO ORDERDETAILS VALUES (10396,'S24_2011',49,116.75,6);
INSERT INTO ORDERDETAILS VALUES (10396,'S24_3151',27,83.2,7);
INSERT INTO ORDERDETAILS VALUES (10396,'S24_3816',37,90.57,8);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10396,'S700_1138',39,66.67,1);
INSERT INTO ORDERDETAILS VALUES (10397,'S700_1938',32,80.55,5);
INSERT INTO ORDERDETAILS VALUES (10397,'S700_2610',22,66.5,4);
INSERT INTO ORDERDETAILS VALUES (10397,'S700_3505',48,108.18,3);
INSERT INTO ORDERDETAILS VALUES (10397,'S700_3962',36,105.27,2);
INSERT INTO ORDERDETAILS VALUES (10397,'S72_3212',34,62.24,1);
INSERT INTO ORDERDETAILS VALUES (10398,'S18_1662',33,127.73,11);
INSERT INTO ORDERDETAILS VALUES (10398,'S18_2581',34,76.88,15);
INSERT INTO ORDERDETAILS VALUES (10398,'S18_3029',28,72.26,18);
INSERT INTO ORDERDETAILS VALUES (10398,'S18_3856',45,106.93,17);
INSERT INTO ORDERDETAILS VALUES (10398,'S24_1785',43,129.12,16);
INSERT INTO ORDERDETAILS VALUES (10398,'S24_2841',28,57.55,3);
INSERT INTO ORDERDETAILS VALUES (10398,'S24_3420',34,71.67,13);
INSERT INTO ORDERDETAILS VALUES (10398,'S24_3949',41,68.24,2);
INSERT INTO ORDERDETAILS VALUES (10398,'S24_4278',45,78.25,14);
INSERT INTO ORDERDETAILS VALUES (10398,'S32_4289',22,67.41,4);
INSERT INTO ORDERDETAILS VALUES (10398,'S50_1341',49,36.66,5);
INSERT INTO ORDERDETAILS VALUES (10398,'S700_1691',47,87.69,6);
INSERT INTO ORDERDETAILS VALUES (10398,'S700_2047',36,108.62,7);
INSERT INTO ORDERDETAILS VALUES (10398,'S700_2466',22,86.76,8);
INSERT INTO ORDERDETAILS VALUES (10398,'S700_2834',23,122.21,9);
INSERT INTO ORDERDETAILS VALUES (10398,'S700_3167',29,65.6,10);
INSERT INTO ORDERDETAILS VALUES (10398,'S700_4002',36,87.36,12);
INSERT INTO ORDERDETAILS VALUES (10398,'S72_1253',34,40.22,1);
INSERT INTO ORDERDETAILS VALUES (10399,'S10_1678',40,113.88,8);
INSERT INTO ORDERDETAILS VALUES (10399,'S10_2016',51,123.7,7);
INSERT INTO ORDERDETAILS VALUES (10399,'S10_4698',22,158.8,6);
INSERT INTO ORDERDETAILS VALUES (10399,'S12_2823',29,164.18,5);
INSERT INTO ORDERDETAILS VALUES (10399,'S18_2625',30,68.44,4);
INSERT INTO ORDERDETAILS VALUES (10399,'S24_1578',57,105.94,3);
INSERT INTO ORDERDETAILS VALUES (10399,'S24_2000',58,89.12,2);
INSERT INTO ORDERDETAILS VALUES (10399,'S32_1374',32,99.89,1);
INSERT INTO ORDERDETAILS VALUES (10400,'S10_4757',64,150.96,9);
INSERT INTO ORDERDETAILS VALUES (10400,'S18_1662',34,189.23,1);
INSERT INTO ORDERDETAILS VALUES (10400,'S18_3029',30,74.84,7);
INSERT INTO ORDERDETAILS VALUES (10400,'S18_3856',58,125.99,6);
INSERT INTO ORDERDETAILS VALUES (10400,'S24_2841',24,61.66,2);
INSERT INTO ORDERDETAILS VALUES (10400,'S24_3420',38,57.2,3);
INSERT INTO ORDERDETAILS VALUES (10400,'S24_3816',42,72.96,8);
INSERT INTO ORDERDETAILS VALUES (10400,'S700_2047',46,87.8,5);
INSERT INTO ORDERDETAILS VALUES (10400,'S72_1253',20,56.12,4);
INSERT INTO ORDERDETAILS VALUES (10401,'S18_2581',42,76.03,3);
INSERT INTO ORDERDETAILS VALUES (10401,'S24_1785',38,96.29,5);
INSERT INTO ORDERDETAILS VALUES (10401,'S24_3949',64,60.05,12);
INSERT INTO ORDERDETAILS VALUES (10401,'S24_4278',52,81.14,4);
INSERT INTO ORDERDETAILS VALUES (10401,'S32_1374',49,101.89,1);
INSERT INTO ORDERDETAILS VALUES (10401,'S32_4289',62,77.73,6);
INSERT INTO ORDERDETAILS VALUES (10401,'S50_1341',56,35.35,7);
INSERT INTO ORDERDETAILS VALUES (10401,'S700_1691',11,103.21,8);
INSERT INTO ORDERDETAILS VALUES (10401,'S700_2466',85,88.75,10);
INSERT INTO ORDERDETAILS VALUES (10401,'S700_2834',21,96.11,2);
INSERT INTO ORDERDETAILS VALUES (10401,'S700_3167',77,92.0,9);
INSERT INTO ORDERDETAILS VALUES (10401,'S700_4002',28,72.55,11);
INSERT INTO ORDERDETAILS VALUES (10402,'S10_2016',45,129.64,1);
INSERT INTO ORDERDETAILS VALUES (10402,'S18_2625',55,55.72,2);
INSERT INTO ORDERDETAILS VALUES (10402,'S24_2000',59,87.6,3);
INSERT INTO ORDERDETAILS VALUES (10403,'S10_1678',24,101.44,7);
INSERT INTO ORDERDETAILS VALUES (10403,'S10_4698',66,180.1,9);
INSERT INTO ORDERDETAILS VALUES (10403,'S12_2823',66,131.04,6);
INSERT INTO ORDERDETAILS VALUES (10403,'S18_3782',36,52.22,1);
INSERT INTO ORDERDETAILS VALUES (10403,'S24_1578',46,114.95,8);
INSERT INTO ORDERDETAILS VALUES (10403,'S24_2360',27,79.65,4);
INSERT INTO ORDERDETAILS VALUES (10403,'S32_2206',30,40.23,2);
INSERT INTO ORDERDETAILS VALUES (10403,'S32_4485',45,115.32,5);
INSERT INTO ORDERDETAILS VALUES (10403,'S50_4713',31,68.34,3);
INSERT INTO ORDERDETAILS VALUES (10404,'S12_1099',64,206.24,3);
INSERT INTO ORDERDETAILS VALUES (10404,'S12_3380',43,109.22,1);
INSERT INTO ORDERDETAILS VALUES (10404,'S12_3990',77,74.21,4);
INSERT INTO ORDERDETAILS VALUES (10404,'S18_3278',90,73.17,6);
INSERT INTO ORDERDETAILS VALUES (10404,'S18_3482',28,133.76,5);
INSERT INTO ORDERDETAILS VALUES (10404,'S18_4721',48,144.34,8);
INSERT INTO ORDERDETAILS VALUES (10404,'S24_3371',49,62.45,2);
INSERT INTO ORDERDETAILS VALUES (10404,'S24_4620',48,93.77,7);
INSERT INTO ORDERDETAILS VALUES (10405,'S12_4675',97,93.28,5);
INSERT INTO ORDERDETAILS VALUES (10405,'S18_1889',61,73.92,4);
INSERT INTO ORDERDETAILS VALUES (10405,'S18_3232',55,150.71,1);
INSERT INTO ORDERDETAILS VALUES (10405,'S24_2972',47,44.56,2);
INSERT INTO ORDERDETAILS VALUES (10405,'S24_3856',76,154.47,3);
INSERT INTO ORDERDETAILS VALUES (10406,'S18_1129',61,137.29,3);
INSERT INTO ORDERDETAILS VALUES (10406,'S18_1984',48,149.36,2);
INSERT INTO ORDERDETAILS VALUES (10406,'S18_3685',65,161.06,1);
INSERT INTO ORDERDETAILS VALUES (10407,'S18_1589',59,119.46,11);
INSERT INTO ORDERDETAILS VALUES (10407,'S18_1749',76,185.3,2);
INSERT INTO ORDERDETAILS VALUES (10407,'S18_2248',42,72.65,1);
INSERT INTO ORDERDETAILS VALUES (10407,'S18_2870',41,155.76,12);
INSERT INTO ORDERDETAILS VALUES (10407,'S18_4409',6,90.19,3);
INSERT INTO ORDERDETAILS VALUES (10407,'S18_4933',66,66.99,4);
INSERT INTO ORDERDETAILS VALUES (10407,'S24_1046',26,76.43,8);
INSERT INTO ORDERDETAILS VALUES (10407,'S24_1628',64,40.25,10);
INSERT INTO ORDERDETAILS VALUES (10407,'S24_2766',76,94.5,6);
INSERT INTO ORDERDETAILS VALUES (10407,'S24_2887',59,98.65,5);
INSERT INTO ORDERDETAILS VALUES (10407,'S24_3191',13,81.33,7);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10407,'S24_3432',43,86.73,9);
INSERT INTO ORDERDETAILS VALUES (10408,'S24_3969',15,36.93,1);
INSERT INTO ORDERDETAILS VALUES (10409,'S18_2325',6,130.94,2);
INSERT INTO ORDERDETAILS VALUES (10409,'S24_1937',61,29.54,1);
INSERT INTO ORDERDETAILS VALUES (10410,'S18_1342',65,117.12,7);
INSERT INTO ORDERDETAILS VALUES (10410,'S18_1367',44,58.22,6);
INSERT INTO ORDERDETAILS VALUES (10410,'S18_2795',56,138.38,8);
INSERT INTO ORDERDETAILS VALUES (10410,'S18_2949',47,117.52,1);
INSERT INTO ORDERDETAILS VALUES (10410,'S18_2957',53,58.09,3);
INSERT INTO ORDERDETAILS VALUES (10410,'S18_3136',34,115.19,2);
INSERT INTO ORDERDETAILS VALUES (10410,'S18_3320',44,84.33,5);
INSERT INTO ORDERDETAILS VALUES (10410,'S24_2022',31,45.25,9);
INSERT INTO ORDERDETAILS VALUES (10410,'S24_4258',50,86.68,4);
INSERT INTO ORDERDETAILS VALUES (10411,'S10_1949',23,180.01,9);
INSERT INTO ORDERDETAILS VALUES (10411,'S10_4962',27,163.99,2);
INSERT INTO ORDERDETAILS VALUES (10411,'S12_1666',40,155.8,6);
INSERT INTO ORDERDETAILS VALUES (10411,'S18_1097',27,119.0,8);
INSERT INTO ORDERDETAILS VALUES (10411,'S18_4600',46,113.82,3);
INSERT INTO ORDERDETAILS VALUES (10411,'S18_4668',35,59.87,7);
INSERT INTO ORDERDETAILS VALUES (10411,'S32_1268',26,111.72,1);
INSERT INTO ORDERDETAILS VALUES (10411,'S32_3522',27,69.16,5);
INSERT INTO ORDERDETAILS VALUES (10411,'S700_2824',34,105.2,4);
INSERT INTO ORDERDETAILS VALUES (10412,'S12_4473',54,110.21,5);
INSERT INTO ORDERDETAILS VALUES (10412,'S18_2238',41,163.73,4);
INSERT INTO ORDERDETAILS VALUES (10412,'S18_2319',56,98.18,8);
INSERT INTO ORDERDETAILS VALUES (10412,'S18_2432',47,61.99,11);
INSERT INTO ORDERDETAILS VALUES (10412,'S18_3232',60,198.13,9);
INSERT INTO ORDERDETAILS VALUES (10412,'S24_1444',21,52.6,2);
INSERT INTO ORDERDETAILS VALUES (10412,'S24_2300',70,121.4,10);
INSERT INTO ORDERDETAILS VALUES (10412,'S24_2840',30,36.07,6);
INSERT INTO ORDERDETAILS VALUES (10412,'S24_4048',31,137.2,1);
INSERT INTO ORDERDETAILS VALUES (10412,'S32_2509',19,48.7,7);
INSERT INTO ORDERDETAILS VALUES (10412,'S50_1392',26,133.11,3);
INSERT INTO ORDERDETAILS VALUES (10413,'S12_1108',36,241.05,2);
INSERT INTO ORDERDETAILS VALUES (10413,'S12_3148',47,175.25,3);
INSERT INTO ORDERDETAILS VALUES (10413,'S12_3891',22,153.99,1);
INSERT INTO ORDERDETAILS VALUES (10413,'S18_4027',49,140.75,5);
INSERT INTO ORDERDETAILS VALUES (10413,'S32_3207',24,49.71,6);
INSERT INTO ORDERDETAILS VALUES (10413,'S50_1514',51,63.85,4);
INSERT INTO ORDERDETAILS VALUES (10414,'S10_4757',19,145.52,3);
INSERT INTO ORDERDETAILS VALUES (10414,'S18_3029',44,73.98,1);
INSERT INTO ORDERDETAILS VALUES (10414,'S18_3140',41,118.83,12);
INSERT INTO ORDERDETAILS VALUES (10414,'S18_3259',48,121.01,14);
INSERT INTO ORDERDETAILS VALUES (10414,'S18_4522',16,75.48,11);
INSERT INTO ORDERDETAILS VALUES (10414,'S24_2011',23,145.01,10);
INSERT INTO ORDERDETAILS VALUES (10414,'S24_3151',60,101.79,5);
INSERT INTO ORDERDETAILS VALUES (10414,'S24_3816',51,76.31,2);
INSERT INTO ORDERDETAILS VALUES (10414,'S700_1138',37,71.34,6);
INSERT INTO ORDERDETAILS VALUES (10414,'S700_1938',34,103.93,13);
INSERT INTO ORDERDETAILS VALUES (10414,'S700_2610',31,75.89,4);
INSERT INTO ORDERDETAILS VALUES (10414,'S700_3505',28,108.18,7);
INSERT INTO ORDERDETAILS VALUES (10414,'S700_3962',27,90.37,8);
INSERT INTO ORDERDETAILS VALUES (10414,'S72_3212',47,65.52,9);
INSERT INTO ORDERDETAILS VALUES (10415,'S18_3856',51,121.75,5);
INSERT INTO ORDERDETAILS VALUES (10415,'S24_2841',21,67.82,1);
INSERT INTO ORDERDETAILS VALUES (10415,'S24_3420',18,69.7,2);
INSERT INTO ORDERDETAILS VALUES (10415,'S700_2047',32,95.95,4);
INSERT INTO ORDERDETAILS VALUES (10415,'S72_1253',42,57.61,3);
INSERT INTO ORDERDETAILS VALUES (10416,'S18_1662',24,181.34,14);
INSERT INTO ORDERDETAILS VALUES (10416,'S18_2581',15,98.84,4);
INSERT INTO ORDERDETAILS VALUES (10416,'S24_1785',47,88.63,6);
INSERT INTO ORDERDETAILS VALUES (10416,'S24_2000',32,87.6,1);
INSERT INTO ORDERDETAILS VALUES (10416,'S24_3949',18,75.06,13);
INSERT INTO ORDERDETAILS VALUES (10416,'S24_4278',48,74.62,5);
INSERT INTO ORDERDETAILS VALUES (10416,'S32_1374',45,105.88,2);
INSERT INTO ORDERDETAILS VALUES (10416,'S32_4289',26,61.22,7);
INSERT INTO ORDERDETAILS VALUES (10416,'S50_1341',37,51.93,8);
INSERT INTO ORDERDETAILS VALUES (10416,'S700_1691',23,91.34,9);
INSERT INTO ORDERDETAILS VALUES (10416,'S700_2466',22,111.69,11);
INSERT INTO ORDERDETAILS VALUES (10416,'S700_2834',41,137.63,3);
INSERT INTO ORDERDETAILS VALUES (10416,'S700_3167',39,67.2,10);
INSERT INTO ORDERDETAILS VALUES (10416,'S700_4002',43,62.19,12);
INSERT INTO ORDERDETAILS VALUES (10417,'S10_1678',66,113.88,2);
INSERT INTO ORDERDETAILS VALUES (10417,'S10_2016',45,130.83,5);
INSERT INTO ORDERDETAILS VALUES (10417,'S10_4698',56,164.61,4);
INSERT INTO ORDERDETAILS VALUES (10417,'S12_2823',21,164.18,1);
INSERT INTO ORDERDETAILS VALUES (10417,'S18_2625',36,61.18,6);
INSERT INTO ORDERDETAILS VALUES (10417,'S24_1578',35,101.43,3);
INSERT INTO ORDERDETAILS VALUES (10418,'S18_3278',16,76.39,2);
INSERT INTO ORDERDETAILS VALUES (10418,'S18_3482',27,164.63,1);
INSERT INTO ORDERDETAILS VALUES (10418,'S18_3782',33,52.84,5);
INSERT INTO ORDERDETAILS VALUES (10418,'S18_4721',28,136.9,4);
INSERT INTO ORDERDETAILS VALUES (10418,'S24_2360',52,65.8,8);
INSERT INTO ORDERDETAILS VALUES (10418,'S24_4620',10,87.31,3);
INSERT INTO ORDERDETAILS VALUES (10418,'S32_2206',43,48.28,6);
INSERT INTO ORDERDETAILS VALUES (10418,'S32_4485',50,113.28,9);
INSERT INTO ORDERDETAILS VALUES (10418,'S50_4713',40,72.41,7);
INSERT INTO ORDERDETAILS VALUES (10419,'S12_1099',12,163.44,13);
INSERT INTO ORDERDETAILS VALUES (10419,'S12_3380',10,109.22,11);
INSERT INTO ORDERDETAILS VALUES (10419,'S12_3990',34,90.17,14);
INSERT INTO ORDERDETAILS VALUES (10419,'S12_4675',32,119.77,10);
INSERT INTO ORDERDETAILS VALUES (10419,'S18_1129',38,117.48,5);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERDETAILS VALUES (10419,'S18_1589',37,140.62,1);
INSERT INTO ORDERDETAILS VALUES (10419,'S18_1889',39,83.93,9);
INSERT INTO ORDERDETAILS VALUES (10419,'S18_1984',34,135.14,4);
INSERT INTO ORDERDETAILS VALUES (10419,'S18_2870',55,139.92,2);
INSERT INTO ORDERDETAILS VALUES (10419,'S18_3232',35,169.34,6);
INSERT INTO ORDERDETAILS VALUES (10419,'S18_3685',43,129.98,3);
INSERT INTO ORDERDETAILS VALUES (10419,'S24_2972',15,42.67,7);
INSERT INTO ORDERDETAILS VALUES (10419,'S24_3371',55,52.66,12);
INSERT INTO ORDERDETAILS VALUES (10419,'S24_3856',70,132.0,8);
INSERT INTO ORDERDETAILS VALUES (10420,'S18_1749',37,142.8,5);
INSERT INTO ORDERDETAILS VALUES (10420,'S18_2248',36,63.57,4);
INSERT INTO ORDERDETAILS VALUES (10420,'S18_2325',45,110.6,2);
INSERT INTO ORDERDETAILS VALUES (10420,'S18_4409',66,92.95,6);
INSERT INTO ORDERDETAILS VALUES (10420,'S18_4933',36,57.73,7);
INSERT INTO ORDERDETAILS VALUES (10420,'S24_1046',60,64.67,11);
INSERT INTO ORDERDETAILS VALUES (10420,'S24_1628',37,60.37,13);
INSERT INTO ORDERDETAILS VALUES (10420,'S24_1937',45,26.88,1);
INSERT INTO ORDERDETAILS VALUES (10420,'S24_2766',39,100.87,9);
INSERT INTO ORDERDETAILS VALUES (10420,'S24_2887',55,96.3,8);
INSERT INTO ORDERDETAILS VALUES (10420,'S24_3191',35,96.74,10);
INSERT INTO ORDERDETAILS VALUES (10420,'S24_3432',26,100.66,12);
INSERT INTO ORDERDETAILS VALUES (10420,'S24_3969',15,43.49,3);
INSERT INTO ORDERDETAILS VALUES (10421,'S18_2795',35,155.25,1);
INSERT INTO ORDERDETAILS VALUES (10421,'S24_2022',40,45.7,2);
INSERT INTO ORDERDETAILS VALUES (10422,'S18_1342',51,95.55,2);
INSERT INTO ORDERDETAILS VALUES (10422,'S18_1367',25,51.75,1);
INSERT INTO ORDERDETAILS VALUES (10423,'S18_2949',10,88.14,1);
INSERT INTO ORDERDETAILS VALUES (10423,'S18_2957',31,53.72,3);
INSERT INTO ORDERDETAILS VALUES (10423,'S18_3136',21,84.82,2);
INSERT INTO ORDERDETAILS VALUES (10423,'S18_3320',21,89.29,5);
INSERT INTO ORDERDETAILS VALUES (10423,'S24_4258',28,78.89,4);
INSERT INTO ORDERDETAILS VALUES (10424,'S10_1949',50,240.02,6);
INSERT INTO ORDERDETAILS VALUES (10424,'S12_1666',49,162.64,3);
INSERT INTO ORDERDETAILS VALUES (10424,'S18_1097',54,133.0,5);
INSERT INTO ORDERDETAILS VALUES (10424,'S18_4668',26,59.87,4);
INSERT INTO ORDERDETAILS VALUES (10424,'S32_3522',44,61.41,2);
INSERT INTO ORDERDETAILS VALUES (10424,'S700_2824',46,80.92,1);
INSERT INTO ORDERDETAILS VALUES (10425,'S10_4962',38,155.13,12);
INSERT INTO ORDERDETAILS VALUES (10425,'S12_4473',33,142.2,4);
INSERT INTO ORDERDETAILS VALUES (10425,'S18_2238',28,189.93,3);
INSERT INTO ORDERDETAILS VALUES (10425,'S18_2319',38,99.41,7);
INSERT INTO ORDERDETAILS VALUES (10425,'S18_2432',19,49.22,10);
INSERT INTO ORDERDETAILS VALUES (10425,'S18_3232',28,135.47,8);
INSERT INTO ORDERDETAILS VALUES (10425,'S18_4600',38,113.82,13);
INSERT INTO ORDERDETAILS VALUES (10425,'S24_1444',55,46.82,1);
INSERT INTO ORDERDETAILS VALUES (10425,'S24_2300',49,112.46,9);
INSERT INTO ORDERDETAILS VALUES (10425,'S24_2840',31,33.24,5);
INSERT INTO ORDERDETAILS VALUES (10425,'S32_1268',41,86.68,11);
INSERT INTO ORDERDETAILS VALUES (10425,'S32_2509',11,43.83,6);
INSERT INTO ORDERDETAILS VALUES (10425,'S50_1392',18,105.33,2);
INSERT INTO ORDERS VALUES (10100,to_date('2003-01-06','YYYY-MM-DD'),to_date('2003-01-13','YYYY-MM-DD'),to_date('2003-01-10','YYYY-MM-DD'),'Shipped',NULL,363);
INSERT INTO ORDERS VALUES (10101,to_date('2003-01-09','YYYY-MM-DD'),to_date('2003-01-18','YYYY-MM-DD'),to_date('2003-01-11','YYYY-MM-DD'),'Shipped','Check on availability',128);
INSERT INTO ORDERS VALUES (10102,to_date('2003-01-10','YYYY-MM-DD'),to_date('2003-01-18','YYYY-MM-DD'),to_date('2003-01-14','YYYY-MM-DD'),'Shipped',NULL,181);
INSERT INTO ORDERS VALUES (10103,to_date('2003-01-29','YYYY-MM-DD'),to_date('2003-02-07','YYYY-MM-DD'),to_date('2003-02-02','YYYY-MM-DD'),'Shipped',NULL,121);
INSERT INTO ORDERS VALUES (10104,to_date('2003-01-31','YYYY-MM-DD'),to_date('2003-02-09','YYYY-MM-DD'),to_date('2003-02-01','YYYY-MM-DD'),'Shipped',NULL,141);
INSERT INTO ORDERS VALUES (10105,to_date('2003-02-11','YYYY-MM-DD'),to_date('2003-02-21','YYYY-MM-DD'),to_date('2003-02-12','YYYY-MM-DD'),'Shipped',NULL,145);
INSERT INTO ORDERS VALUES (10106,to_date('2003-02-17','YYYY-MM-DD'),to_date('2003-02-24','YYYY-MM-DD'),to_date('2003-02-21','YYYY-MM-DD'),'Shipped',NULL,278);
INSERT INTO ORDERS VALUES (10107,to_date('2003-02-24','YYYY-MM-DD'),to_date('2003-03-03','YYYY-MM-DD'),to_date('2003-02-26','YYYY-MM-DD'),'Shipped','Difficult to negotiate with customer. We need more marketing materials',131);
INSERT INTO ORDERS VALUES (10108,to_date('2003-03-03','YYYY-MM-DD'),to_date('2003-03-12','YYYY-MM-DD'),to_date('2003-03-08','YYYY-MM-DD'),'Shipped',NULL,385);
INSERT INTO ORDERS VALUES (10109,to_date('2003-03-10','YYYY-MM-DD'),to_date('2003-03-19','YYYY-MM-DD'),to_date('2003-03-11','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',486);
INSERT INTO ORDERS VALUES (10110,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187);
INSERT INTO ORDERS VALUES (10111,to_date('2003-03-25','YYYY-MM-DD'),to_date('2003-03-31','YYYY-MM-DD'),to_date('2003-03-30','YYYY-MM-DD'),'Shipped',NULL,129);
INSERT INTO ORDERS VALUES (10112,to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-04-03','YYYY-MM-DD'),to_date('2003-03-29','YYYY-MM-DD'),'Shipped','Customer requested that ad materials (such as posters, pamphlets) be included in the shipment',144);
INSERT INTO ORDERS VALUES (10113,to_date('2003-03-26','YYYY-MM-DD'),to_date('2003-04-02','YYYY-MM-DD'),to_date('2003-03-27','YYYY-MM-DD'),'Shipped',NULL,124);
INSERT INTO ORDERS VALUES (10114,to_date('2003-04-01','YYYY-MM-DD'),to_date('2003-04-07','YYYY-MM-DD'),to_date('2003-04-02','YYYY-MM-DD'),'Shipped',NULL,172);
INSERT INTO ORDERS VALUES (10115,to_date('2003-04-04','YYYY-MM-DD'),to_date('2003-04-12','YYYY-MM-DD'),to_date('2003-04-07','YYYY-MM-DD'),'Shipped',NULL,424);
INSERT INTO ORDERS VALUES (10116,to_date('2003-04-11','YYYY-MM-DD'),to_date('2003-04-19','YYYY-MM-DD'),to_date('2003-04-13','YYYY-MM-DD'),'Shipped',NULL,381);
INSERT INTO ORDERS VALUES (10117,to_date('2003-04-16','YYYY-MM-DD'),to_date('2003-04-24','YYYY-MM-DD'),to_date('2003-04-17','YYYY-MM-DD'),'Shipped',NULL,148);
INSERT INTO ORDERS VALUES (10118,to_date('2003-04-21','YYYY-MM-DD'),to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-04-26','YYYY-MM-DD'),'Shipped','Customer has worked with some of our vendors in the past and is aware of their MSRP',216);
INSERT INTO ORDERS VALUES (10119,to_date('2003-04-28','YYYY-MM-DD'),to_date('2003-05-05','YYYY-MM-DD'),to_date('2003-05-02','YYYY-MM-DD'),'Shipped',NULL,382);
INSERT INTO ORDERS VALUES (10120,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
01', 'YYYY-MM-DD'), 'Shipped', NULL, 114);
INSERT INTO ORDERS VALUES(10121, to_date('2003-05-07', 'YYYY-MM-DD'), to_date('2003-05-13', 'YYYY-MM-DD'), to_date('2003-05-13', 'YYYY-MM-DD'), 'Shipped', NULL, 353);
INSERT INTO ORDERS VALUES(10122, to_date('2003-05-08', 'YYYY-MM-DD'), to_date('2003-05-16', 'YYYY-MM-DD'), to_date('2003-05-13', 'YYYY-MM-DD'), 'Shipped', NULL, 350);
INSERT INTO ORDERS VALUES(10123, to_date('2003-05-20', 'YYYY-MM-DD'), to_date('2003-05-29', 'YYYY-MM-DD'), to_date('2003-05-22', 'YYYY-MM-DD'), 'Shipped', NULL, 103);
INSERT INTO ORDERS VALUES(10124, to_date('2003-05-21', 'YYYY-MM-DD'), to_date('2003-05-29', 'YYYY-MM-DD'), to_date('2003-05-25', 'YYYY-MM-DD'), 'Shipped', 'Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch', 112);
INSERT INTO ORDERS VALUES(10125, to_date('2003-05-21', 'YYYY-MM-DD'), to_date('2003-05-27', 'YYYY-MM-DD'), to_date('2003-05-24', 'YYYY-MM-DD'), 'Shipped', NULL, 114);
INSERT INTO ORDERS VALUES(10126, to_date('2003-05-28', 'YYYY-MM-DD'), to_date('2003-06-07', 'YYYY-MM-DD'), to_date('2003-06-02', 'YYYY-MM-DD'), 'Shipped', NULL, 458);
INSERT INTO ORDERS VALUES(10127, to_date('2003-06-03', 'YYYY-MM-DD'), to_date('2003-06-09', 'YYYY-MM-DD'), to_date('2003-06-06', 'YYYY-MM-DD'), 'Shipped', 'Customer requested special shipment. The instructions were passed along to the warehouse', 151);
INSERT INTO ORDERS VALUES(10128, to_date('2003-06-06', 'YYYY-MM-DD'), to_date('2003-06-12', 'YYYY-MM-DD'), to_date('2003-06-11', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10129, to_date('2003-06-12', 'YYYY-MM-DD'), to_date('2003-06-18', 'YYYY-MM-DD'), to_date('2003-06-14', 'YYYY-MM-DD'), 'Shipped', NULL, 324);
INSERT INTO ORDERS VALUES(10130, to_date('2003-06-16', 'YYYY-MM-DD'), to_date('2003-06-24', 'YYYY-MM-DD'), to_date('2003-06-21', 'YYYY-MM-DD'), 'Shipped', NULL, 198);
INSERT INTO ORDERS VALUES(10131, to_date('2003-06-16', 'YYYY-MM-DD'), to_date('2003-06-25', 'YYYY-MM-DD'), to_date('2003-06-21', 'YYYY-MM-DD'), 'Shipped', NULL, 447);
INSERT INTO ORDERS VALUES(10132, to_date('2003-06-25', 'YYYY-MM-DD'), to_date('2003-07-01', 'YYYY-MM-DD'), to_date('2003-06-28', 'YYYY-MM-DD'), 'Shipped', NULL, 323);
INSERT INTO ORDERS VALUES(10133, to_date('2003-06-27', 'YYYY-MM-DD'), to_date('2003-07-04', 'YYYY-MM-DD'), to_date('2003-07-03', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10134, to_date('2003-07-01', 'YYYY-MM-DD'), to_date('2003-07-10', 'YYYY-MM-DD'), to_date('2003-07-05', 'YYYY-MM-DD'), 'Shipped', NULL, 250);
INSERT INTO ORDERS VALUES(10135, to_date('2003-07-02', 'YYYY-MM-DD'), to_date('2003-07-12', 'YYYY-MM-DD'), to_date('2003-07-03', 'YYYY-MM-DD'), 'Shipped', NULL, 124);
INSERT INTO ORDERS VALUES(10136, to_date('2003-07-04', 'YYYY-MM-DD'), to_date('2003-07-14', 'YYYY-MM-DD'), to_date('2003-07-06', 'YYYY-MM-DD'), 'Shipped', 'Customer is interested in buying more Ferrari models', 242);
INSERT INTO ORDERS VALUES(10137, to_date('2003-07-10', 'YYYY-MM-DD'), to_date('2003-07-20', 'YYYY-MM-DD'), to_date('2003-07-14', 'YYYY-MM-DD'), 'Shipped', NULL, 353);
INSERT INTO ORDERS VALUES(10138, to_date('2003-07-07', 'YYYY-MM-DD'), to_date('2003-07-16', 'YYYY-MM-DD'), to_date('2003-07-13', 'YYYY-MM-DD'), 'Shipped', NULL, 496);
INSERT INTO ORDERS VALUES(10139, to_date('2003-07-16', 'YYYY-MM-DD'), to_date('2003-07-23', 'YYYY-MM-DD'), to_date('2003-07-21', 'YYYY-MM-DD'), 'Shipped', NULL, 282);
INSERT INTO ORDERS VALUES(10140, to_date('2003-07-24', 'YYYY-MM-DD'), to_date('2003-08-02', 'YYYY-MM-DD'), to_date('2003-07-30', 'YYYY-MM-DD'), 'Shipped', NULL, 161);
INSERT INTO ORDERS VALUES(10141, to_date('2003-08-01', 'YYYY-MM-DD'), to_date('2003-08-09', 'YYYY-MM-DD'), to_date('2003-08-04', 'YYYY-MM-DD'), 'Shipped', NULL, 334);
INSERT INTO ORDERS VALUES(10142, to_date('2003-08-08', 'YYYY-MM-DD'), to_date('2003-08-16', 'YYYY-MM-DD'), to_date('2003-08-13', 'YYYY-MM-DD'), 'Shipped', NULL, 124);
INSERT INTO ORDERS VALUES(10143, to_date('2003-08-10', 'YYYY-MM-DD'), to_date('2003-08-18', 'YYYY-MM-DD'), to_date('2003-08-12', 'YYYY-MM-DD'), 'Shipped', 'Can we deliver the new Ford Mustang models by end-of-quarter?', 320);
INSERT INTO ORDERS VALUES(10144, to_date('2003-08-13', 'YYYY-MM-DD'), to_date('2003-08-21', 'YYYY-MM-DD'), to_date('2003-08-14', 'YYYY-MM-DD'), 'Shipped', NULL, 381);
INSERT INTO ORDERS VALUES(10145, to_date('2003-08-25', 'YYYY-MM-DD'), to_date('2003-09-02', 'YYYY-MM-DD'), to_date('2003-08-31', 'YYYY-MM-DD'), 'Shipped', NULL, 205);
INSERT INTO ORDERS VALUES(10146, to_date('2003-09-03', 'YYYY-MM-DD'), to_date('2003-09-13', 'YYYY-MM-DD'), to_date('2003-09-06', 'YYYY-MM-DD'), 'Shipped', NULL, 447);
INSERT INTO ORDERS VALUES(10147, to_date('2003-09-05', 'YYYY-MM-DD'), to_date('2003-09-12', 'YYYY-MM-DD'), to_date('2003-09-09', 'YYYY-MM-DD'), 'Shipped', NULL, 379);
INSERT INTO ORDERS VALUES(10148, to_date('2003-09-11', 'YYYY-MM-DD'), to_date('2003-09-21', 'YYYY-MM-DD'), to_date('2003-09-15', 'YYYY-MM-DD'), 'Shipped', 'They want to reevaluate their terms agreement with Finance.', 276);
INSERT INTO ORDERS VALUES(10149, to_date('2003-09-12', 'YYYY-MM-DD'), to_date('2003-09-18', 'YYYY-MM-DD'), to_date('2003-09-17', 'YYYY-MM-DD'), 'Shipped', NULL, 487);
INSERT INTO ORDERS VALUES(10150, to_date('2003-09-19', 'YYYY-MM-DD'), to_date('2003-09-27', 'YYYY-MM-DD'), to_date('2003-09-21', 'YYYY-MM-DD'), 'Shipped', 'They want to reevaluate their terms agreement with Finance.', 148);
INSERT INTO ORDERS VALUES(10151, to_date('2003-09-21', 'YYYY-MM-DD'), to_date('2003-09-30', 'YYYY-MM-DD'), to_date('2003-09-24', 'YYYY-MM-DD'), 'Shipped', NULL, 311);
INSERT INTO ORDERS VALUES(10152, to_date('2003-09-25', 'YYYY-MM-DD'), to_date('2003-10-03', 'YYYY-MM-DD'), to_date('2003-10-01', 'YYYY-MM-DD'), 'Shipped', NULL, 333);
INSERT INTO ORDERS VALUES(10153, to_date('2003-09-28', 'YYYY-MM-DD'), to_date('2003-10-05', 'YYYY-MM-DD'), to_date('2003-10-03', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10154, to_date('2003-10-02', 'YYYY-MM-DD'), to_date('2003-10-12', 'YYYY-MM-DD'), to_date('2003-10-08', 'YYYY-MM-DD'), 'Shipped', NULL, 219);
INSERT INTO ORDERS VALUES(10155, to_date('2003-10-06', 'YYYY-MM-DD'), to_date('2003-10-13', 'YYYY-MM-DD'), to_date('2003-10-07', 'YYYY-MM-DD'), 'Shipped', NULL, 186);
INSERT INTO ORDERS VALUES(10156, to_date('2003-10-08', 'YYYY-MM-DD'), to_date('2003-10-17', 'YYYY-MM-DD'), to_date('2003-10-11', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10157, to_date('2003-10-09', 'YYYY-MM-DD'), to_date('2003-10-15', 'YYYY-MM-DD'), to_date('2003-10-14', 'YYYY-MM-DD'), 'Shipped', NULL, 473);
INSERT INTO ORDERS VALUES(10158, to_date('2003-10-10', 'YYYY-MM-DD'), to_date('2003-10-18', 'YYYY-MM-DD'), to_date('2003-10-15', 'YYYY-MM-DD'), 'Shipped', NULL, 121);
INSERT INTO ORDERS VALUES(10159, to_date('2003-10-10', 'YYYY-MM-DD'), to_date('2003-10-19', 'YYYY-MM-DD'), to_date('2003-10-16', 'YYYY-MM-DD'), 'Shipped', NULL, 321);
INSERT INTO ORDERS VALUES(10160, to_date('2003-10-11', 'YYYY-MM-DD'), to_date('2003-10-17', 'YYYY-MM-DD'), to_date('2003-10-17', 'YYYY-MM-DD'), 'Shipped', NULL, 347);
INSERT INTO ORDERS VALUES(10161, to_date('2003-10-17', 'YYYY-MM-DD'), to_date('2003-10-25', 'YYYY-MM-DD'), to_date('2003-10-20', 'YYYY-MM-DD'), 'Shipped', NULL, 227);
INSERT INTO ORDERS VALUES(10162, to_date('2003-10-18', 'YYYY-MM-DD'), to_date('2003-10-26', 'YYYY-MM-DD'), to_date('2003-10-19', 'YYYY-MM-DD'), 'Shipped', NULL, 321);
INSERT INTO ORDERS VALUES(10163, to_date('2003-10-20', 'YYYY-MM-DD'), to_date('2003-10-27', 'YYYY-MM-DD'), to_date('2003-10-24', 'YYYY-MM-DD'), 'Shipped', NULL, 424);
INSERT INTO ORDERS VALUES(10164, to_date('2003-10-21', 'YYYY-MM-DD'), to_date('2003-10-30', 'YYYY-MM-DD'), to_date('2003-10-23', 'YYYY-MM-DD'), 'Resolved', 'This order was disputed, but resolved on 11/1/2003; Customer doesn't like the colors and precision of the models.', 452);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERS VALUES(10165,to_date('2003-10-22','YYYY-MM-DD'),to_date('2003-10-31','YYYY-MM-DD'),to_date('2003-12-26','YYYY-MM-DD'),'Shipped','This order was on hold because customers's credit limit had been exceeded. Order will ship when payment is received.',148);
INSERT INTO ORDERS VALUES(10166,to_date('2003-10-21','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),to_date('2003-10-27','YYYY-MM-DD'),'Shipped',NULL,462);
INSERT INTO ORDERS VALUES(10167,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448);
INSERT INTO ORDERS VALUES(10168,to_date('2003-10-28','YYYY-MM-DD'),to_date('2003-11-03','YYYY-MM-DD'),to_date('2003-11-01','YYYY-MM-DD'),'Shipped',NULL,161);
INSERT INTO ORDERS VALUES(10169,to_date('2003-11-04','YYYY-MM-DD'),to_date('2003-11-14','YYYY-MM-DD'),to_date('2003-11-09','YYYY-MM-DD'),'Shipped',NULL,276);
INSERT INTO ORDERS VALUES(10170,to_date('2003-11-04','YYYY-MM-DD'),to_date('2003-11-12','YYYY-MM-DD'),to_date('2003-11-07','YYYY-MM-DD'),'Shipped',NULL,452);
INSERT INTO ORDERS VALUES(10171,to_date('2003-11-05','YYYY-MM-DD'),to_date('2003-11-13','YYYY-MM-DD'),to_date('2003-11-07','YYYY-MM-DD'),'Shipped',NULL,233);
INSERT INTO ORDERS VALUES(10172,to_date('2003-11-05','YYYY-MM-DD'),to_date('2003-11-14','YYYY-MM-DD'),to_date('2003-11-11','YYYY-MM-DD'),'Shipped',NULL,175);
INSERT INTO ORDERS VALUES(10173,to_date('2003-11-05','YYYY-MM-DD'),to_date('2003-11-15','YYYY-MM-DD'),to_date('2003-11-09','YYYY-MM-DD'),'Shipped','Cautious optimism. We have happy customers here, if we can keep them well stocked. I need all the information I can get on the planned shipments of Porches',278);
INSERT INTO ORDERS VALUES(10174,to_date('2003-11-06','YYYY-MM-DD'),to_date('2003-11-15','YYYY-MM-DD'),to_date('2003-11-10','YYYY-MM-DD'),'Shipped',NULL,333);
INSERT INTO ORDERS VALUES(10175,to_date('2003-11-06','YYYY-MM-DD'),to_date('2003-11-14','YYYY-MM-DD'),to_date('2003-11-09','YYYY-MM-DD'),'Shipped',NULL,324);
INSERT INTO ORDERS VALUES(10176,to_date('2003-11-06','YYYY-MM-DD'),to_date('2003-11-15','YYYY-MM-DD'),to_date('2003-11-12','YYYY-MM-DD'),'Shipped',NULL,386);
INSERT INTO ORDERS VALUES(10177,to_date('2003-11-07','YYYY-MM-DD'),to_date('2003-11-17','YYYY-MM-DD'),to_date('2003-11-12','YYYY-MM-DD'),'Shipped',NULL,344);
INSERT INTO ORDERS VALUES(10178,to_date('2003-11-08','YYYY-MM-DD'),to_date('2003-11-16','YYYY-MM-DD'),to_date('2003-11-10','YYYY-MM-DD'),'Shipped','Custom shipping instructions sent to warehouse',242);
INSERT INTO ORDERS VALUES(10179,to_date('2003-11-11','YYYY-MM-DD'),to_date('2003-11-17','YYYY-MM-DD'),to_date('2003-11-13','YYYY-MM-DD'),'Cancelled','Customer cancelled due to urgent budgeting issues. Must be cautious when dealing with them in the future. Since order shipped already we must discuss who would cover the shipping charges.',496);
INSERT INTO ORDERS VALUES(10180,to_date('2003-11-11','YYYY-MM-DD'),to_date('2003-11-19','YYYY-MM-DD'),to_date('2003-11-14','YYYY-MM-DD'),'Shipped',NULL,171);
INSERT INTO ORDERS VALUES(10181,to_date('2003-11-12','YYYY-MM-DD'),to_date('2003-11-19','YYYY-MM-DD'),to_date('2003-11-15','YYYY-MM-DD'),'Shipped',NULL,167);
INSERT INTO ORDERS VALUES(10182,to_date('2003-11-12','YYYY-MM-DD'),to_date('2003-11-21','YYYY-MM-DD'),to_date('2003-11-18','YYYY-MM-DD'),'Shipped',NULL,124);
INSERT INTO ORDERS VALUES(10183,to_date('2003-11-13','YYYY-MM-DD'),to_date('2003-11-22','YYYY-MM-DD'),to_date('2003-11-15','YYYY-MM-DD'),'Shipped','We need to keep in close contact with their Marketing VP. He is the decision maker for all their purchases.',339);
INSERT INTO ORDERS VALUES(10184,to_date('2003-11-14','YYYY-MM-DD'),to_date('2003-11-22','YYYY-MM-DD'),to_date('2003-11-20','YYYY-MM-DD'),'Shipped',NULL,484);
INSERT INTO ORDERS VALUES(10185,to_date('2003-11-14','YYYY-MM-DD'),to_date('2003-11-21','YYYY-MM-DD'),to_date('2003-11-20','YYYY-MM-DD'),'Shipped',NULL,320);
INSERT INTO ORDERS VALUES(10186,to_date('2003-11-14','YYYY-MM-DD'),to_date('2003-11-20','YYYY-MM-DD'),to_date('2003-11-18','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with the VP of Sales',489);
INSERT INTO ORDERS VALUES(10187,to_date('2003-11-15','YYYY-MM-DD'),to_date('2003-11-24','YYYY-MM-DD'),to_date('2003-11-16','YYYY-MM-DD'),'Shipped',NULL,211);
INSERT INTO ORDERS VALUES(10188,to_date('2003-11-18','YYYY-MM-DD'),to_date('2003-11-26','YYYY-MM-DD'),to_date('2003-11-24','YYYY-MM-DD'),'Shipped',NULL,167);
INSERT INTO ORDERS VALUES(10189,to_date('2003-11-18','YYYY-MM-DD'),to_date('2003-11-25','YYYY-MM-DD'),to_date('2003-11-24','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',205);
INSERT INTO ORDERS VALUES(10190,to_date('2003-11-19','YYYY-MM-DD'),to_date('2003-11-29','YYYY-MM-DD'),to_date('2003-11-20','YYYY-MM-DD'),'Shipped',NULL,141);
INSERT INTO ORDERS VALUES(10191,to_date('2003-11-20','YYYY-MM-DD'),to_date('2003-11-30','YYYY-MM-DD'),to_date('2003-11-24','YYYY-MM-DD'),'Shipped','We must be cautious with this customer. Their VP of Sales resigned. Company may be heading down.',259);
INSERT INTO ORDERS VALUES(10192,to_date('2003-11-20','YYYY-MM-DD'),to_date('2003-11-29','YYYY-MM-DD'),to_date('2003-11-25','YYYY-MM-DD'),'Shipped',NULL,363);
INSERT INTO ORDERS VALUES(10193,to_date('2003-11-21','YYYY-MM-DD'),to_date('2003-11-28','YYYY-MM-DD'),to_date('2003-11-27','YYYY-MM-DD'),'Shipped',NULL,471);
INSERT INTO ORDERS VALUES(10194,to_date('2003-11-25','YYYY-MM-DD'),to_date('2003-12-02','YYYY-MM-DD'),to_date('2003-11-26','YYYY-MM-DD'),'Shipped',NULL,146);
INSERT INTO ORDERS VALUES(10195,to_date('2003-11-25','YYYY-MM-DD'),to_date('2003-12-01','YYYY-MM-DD'),to_date('2003-11-28','YYYY-MM-DD'),'Shipped',NULL,319);
INSERT INTO ORDERS VALUES(10196,to_date('2003-11-26','YYYY-MM-DD'),to_date('2003-12-03','YYYY-MM-DD'),to_date('2003-12-01','YYYY-MM-DD'),'Shipped',NULL,455);
INSERT INTO ORDERS VALUES(10197,to_date('2003-11-26','YYYY-MM-DD'),to_date('2003-12-02','YYYY-MM-DD'),to_date('2003-12-01','YYYY-MM-DD'),'Shipped','Customer inquired about remote controlled models and gold models.',216);
INSERT INTO ORDERS VALUES(10198,to_date('2003-11-27','YYYY-MM-DD'),to_date('2003-12-06','YYYY-MM-DD'),to_date('2003-12-03','YYYY-MM-DD'),'Shipped',NULL,385);
INSERT INTO ORDERS VALUES(10199,to_date('2003-12-01','YYYY-MM-DD'),to_date('2003-12-10','YYYY-MM-DD'),to_date('2003-12-06','YYYY-MM-DD'),'Shipped',NULL,475);
INSERT INTO ORDERS VALUES(10200,to_date('2003-12-01','YYYY-MM-DD'),to_date('2003-12-09','YYYY-MM-DD'),to_date('2003-12-06','YYYY-MM-DD'),'Shipped',NULL,211);
INSERT INTO ORDERS VALUES(10201,to_date('2003-12-01','YYYY-MM-DD'),to_date('2003-12-11','YYYY-MM-DD'),to_date('2003-12-02','YYYY-MM-DD'),'Shipped',NULL,129);
INSERT INTO ORDERS VALUES(10202,to_date('2003-12-02','YYYY-MM-DD'),to_date('2003-12-09','YYYY-MM-DD'),to_date('2003-12-06','YYYY-MM-DD'),'Shipped',NULL,357);
INSERT INTO ORDERS VALUES(10203,to_date('2003-12-02','YYYY-MM-DD'),to_date('2003-12-11','YYYY-MM-DD'),to_date('2003-12-07','YYYY-MM-DD'),'Shipped',NULL,141);
INSERT INTO ORDERS VALUES(10204,to_date('2003-12-02','YYYY-MM-DD'),to_date('2003-12-10','YYYY-MM-DD'),to_date('2003-12-04','YYYY-MM-DD'),'Shipped',NULL,151);
INSERT INTO ORDERS VALUES(10205,to_date('2003-12-03','YYYY-MM-DD'),to_date('2003-12-09','YYYY-MM-DD'),to_date('2003-12-07','YYYY-MM-DD'),'Shipped','I need all the information I can get on our competitors.',141);
INSERT INTO ORDERS VALUES(10206,to_date('2003-12-05','YYYY-MM-DD'),to_date('2003-12-13','YYYY-MM-DD'),to_date('2003-12-08','YYYY-MM-DD'),'Shipped','Can we renegotiate this one?',202);
INSERT INTO ORDERS VALUES(10207,to_date('2003-12-09','YYYY-MM-DD'),to_date('2003-12-17','YYYY-MM-DD'),to_date('2003-12-11','YYYY-MM-DD'),'Shipped','Check on availability.',495);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERS VALUES(10208,to_date('2004-01-02','YYYY-MM-DD'),to_date('2004-01-11','YYYY-MM-DD'),to_date('2004-01-04','YYYY-MM-DD'),'Shipped',NULL,146);
INSERT INTO ORDERS VALUES(10209,to_date('2004-01-09','YYYY-MM-DD'),to_date('2004-01-15','YYYY-MM-DD'),to_date('2004-01-12','YYYY-MM-DD'),'Shipped',NULL,347);
INSERT INTO ORDERS VALUES(10210,to_date('2004-01-12','YYYY-MM-DD'),to_date('2004-01-22','YYYY-MM-DD'),to_date('2004-01-20','YYYY-MM-DD'),'Shipped',NULL,177);
INSERT INTO ORDERS VALUES(10211,to_date('2004-01-15','YYYY-MM-DD'),to_date('2004-01-25','YYYY-MM-DD'),to_date('2004-01-18','YYYY-MM-DD'),'Shipped',NULL,406);
INSERT INTO ORDERS VALUES(10212,to_date('2004-01-16','YYYY-MM-DD'),to_date('2004-01-24','YYYY-MM-DD'),to_date('2004-01-18','YYYY-MM-DD'),'Shipped',NULL,141);
INSERT INTO ORDERS VALUES(10213,to_date('2004-01-22','YYYY-MM-DD'),to_date('2004-01-28','YYYY-MM-DD'),to_date('2004-01-27','YYYY-MM-DD'),'Shipped','Difficult to negotiate with customer. We need more marketing materials',489);
INSERT INTO ORDERS VALUES(10214,to_date('2004-01-26','YYYY-MM-DD'),to_date('2004-02-04','YYYY-MM-DD'),to_date('2004-01-29','YYYY-MM-DD'),'Shipped',NULL,458);
INSERT INTO ORDERS VALUES(10215,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08','YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',475);
INSERT INTO ORDERS VALUES(10216,to_date('2004-02-02','YYYY-MM-DD'),to_date('2004-02-10','YYYY-MM-DD'),to_date('2004-02-04','YYYY-MM-DD'),'Shipped',NULL,256);
INSERT INTO ORDERS VALUES(10217,to_date('2004-02-04','YYYY-MM-DD'),to_date('2004-02-14','YYYY-MM-DD'),to_date('2004-02-06','YYYY-MM-DD'),'Shipped',NULL,166);
INSERT INTO ORDERS VALUES(10218,to_date('2004-02-09','YYYY-MM-DD'),to_date('2004-02-16','YYYY-MM-DD'),to_date('2004-02-11','YYYY-MM-DD'),'Shipped','Customer requested that ad materials (such as posters, pamphlets) be included in the shipment',473);
INSERT INTO ORDERS VALUES(10219,to_date('2004-02-10','YYYY-MM-DD'),to_date('2004-02-17','YYYY-MM-DD'),to_date('2004-02-12','YYYY-MM-DD'),'Shipped',NULL,487);
INSERT INTO ORDERS VALUES(10220,to_date('2004-02-12','YYYY-MM-DD'),to_date('2004-02-19','YYYY-MM-DD'),to_date('2004-02-16','YYYY-MM-DD'),'Shipped',NULL,189);
INSERT INTO ORDERS VALUES(10221,to_date('2004-02-18','YYYY-MM-DD'),to_date('2004-02-26','YYYY-MM-DD'),to_date('2004-02-19','YYYY-MM-DD'),'Shipped',NULL,314);
INSERT INTO ORDERS VALUES(10222,to_date('2004-02-19','YYYY-MM-DD'),to_date('2004-02-27','YYYY-MM-DD'),to_date('2004-02-20','YYYY-MM-DD'),'Shipped',NULL,239);
INSERT INTO ORDERS VALUES(10223,to_date('2004-02-20','YYYY-MM-DD'),to_date('2004-02-29','YYYY-MM-DD'),to_date('2004-02-24','YYYY-MM-DD'),'Shipped',NULL,114);
INSERT INTO ORDERS VALUES(10224,to_date('2004-02-21','YYYY-MM-DD'),to_date('2004-03-02','YYYY-MM-DD'),to_date('2004-02-26','YYYY-MM-DD'),'Shipped','Customer has worked with some of our vendors in the past and is aware of their MSRP',171);
INSERT INTO ORDERS VALUES(10225,to_date('2004-02-22','YYYY-MM-DD'),to_date('2004-03-01','YYYY-MM-DD'),to_date('2004-02-24','YYYY-MM-DD'),'Shipped',NULL,298);
INSERT INTO ORDERS VALUES(10226,to_date('2004-02-26','YYYY-MM-DD'),to_date('2004-03-06','YYYY-MM-DD'),to_date('2004-03-02','YYYY-MM-DD'),'Shipped',NULL,239);
INSERT INTO ORDERS VALUES(10227,to_date('2004-03-02','YYYY-MM-DD'),to_date('2004-03-12','YYYY-MM-DD'),to_date('2004-03-08','YYYY-MM-DD'),'Shipped',NULL,146);
INSERT INTO ORDERS VALUES(10228,to_date('2004-03-10','YYYY-MM-DD'),to_date('2004-03-18','YYYY-MM-DD'),to_date('2004-03-13','YYYY-MM-DD'),'Shipped',NULL,173);
INSERT INTO ORDERS VALUES(10229,to_date('2004-03-11','YYYY-MM-DD'),to_date('2004-03-20','YYYY-MM-DD'),to_date('2004-03-12','YYYY-MM-DD'),'Shipped',NULL,124);
INSERT INTO ORDERS VALUES(10230,to_date('2004-03-15','YYYY-MM-DD'),to_date('2004-03-24','YYYY-MM-DD'),to_date('2004-03-20','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',128);
INSERT INTO ORDERS VALUES(10231,to_date('2004-03-19','YYYY-MM-DD'),to_date('2004-03-26','YYYY-MM-DD'),to_date('2004-03-25','YYYY-MM-DD'),'Shipped',NULL,344);
INSERT INTO ORDERS VALUES(10232,to_date('2004-03-20','YYYY-MM-DD'),to_date('2004-03-30','YYYY-MM-DD'),to_date('2004-03-25','YYYY-MM-DD'),'Shipped',NULL,240);
INSERT INTO ORDERS VALUES(10233,to_date('2004-03-29','YYYY-MM-DD'),to_date('2004-04-04','YYYY-MM-DD'),to_date('2004-04-02','YYYY-MM-DD'),'Shipped','Customer requested special shipment. The instructions were passed along to the warehouse',328);
INSERT INTO ORDERS VALUES(10234,to_date('2004-03-30','YYYY-MM-DD'),to_date('2004-04-05','YYYY-MM-DD'),to_date('2004-04-02','YYYY-MM-DD'),'Shipped',NULL,412);
INSERT INTO ORDERS VALUES(10235,to_date('2004-04-02','YYYY-MM-DD'),to_date('2004-04-12','YYYY-MM-DD'),to_date('2004-04-06','YYYY-MM-DD'),'Shipped',NULL,260);
INSERT INTO ORDERS VALUES(10236,to_date('2004-04-03','YYYY-MM-DD'),to_date('2004-04-11','YYYY-MM-DD'),to_date('2004-04-08','YYYY-MM-DD'),'Shipped',NULL,486);
INSERT INTO ORDERS VALUES(10237,to_date('2004-04-05','YYYY-MM-DD'),to_date('2004-04-12','YYYY-MM-DD'),to_date('2004-04-10','YYYY-MM-DD'),'Shipped',NULL,181);
INSERT INTO ORDERS VALUES(10238,to_date('2004-04-09','YYYY-MM-DD'),to_date('2004-04-16','YYYY-MM-DD'),to_date('2004-04-10','YYYY-MM-DD'),'Shipped',NULL,145);
INSERT INTO ORDERS VALUES(10239,to_date('2004-04-12','YYYY-MM-DD'),to_date('2004-04-21','YYYY-MM-DD'),to_date('2004-04-17','YYYY-MM-DD'),'Shipped',NULL,311);
INSERT INTO ORDERS VALUES(10240,to_date('2004-04-13','YYYY-MM-DD'),to_date('2004-04-20','YYYY-MM-DD'),to_date('2004-04-20','YYYY-MM-DD'),'Shipped',NULL,177);
INSERT INTO ORDERS VALUES(10241,to_date('2004-04-13','YYYY-MM-DD'),to_date('2004-04-20','YYYY-MM-DD'),to_date('2004-04-19','YYYY-MM-DD'),'Shipped',NULL,209);
INSERT INTO ORDERS VALUES(10242,to_date('2004-04-20','YYYY-MM-DD'),to_date('2004-04-28','YYYY-MM-DD'),to_date('2004-04-25','YYYY-MM-DD'),'Shipped','Customer is interested in buying more Ferrari models',456);
INSERT INTO ORDERS VALUES(10243,to_date('2004-04-26','YYYY-MM-DD'),to_date('2004-05-03','YYYY-MM-DD'),to_date('2004-04-28','YYYY-MM-DD'),'Shipped',NULL,495);
INSERT INTO ORDERS VALUES(10244,to_date('2004-04-29','YYYY-MM-DD'),to_date('2004-05-09','YYYY-MM-DD'),to_date('2004-05-04','YYYY-MM-DD'),'Shipped',NULL,141);
INSERT INTO ORDERS VALUES(10245,to_date('2004-05-04','YYYY-MM-DD'),to_date('2004-05-12','YYYY-MM-DD'),to_date('2004-05-09','YYYY-MM-DD'),'Shipped',NULL,455);
INSERT INTO ORDERS VALUES(10246,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-13','YYYY-MM-DD'),to_date('2004-05-06','YYYY-MM-DD'),'Shipped',NULL,141);
INSERT INTO ORDERS VALUES(10247,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-08','YYYY-MM-DD'),'Shipped',NULL,334);
INSERT INTO ORDERS VALUES(10248,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation',131);
INSERT INTO ORDERS VALUES(10249,to_date('2004-05-08','YYYY-MM-DD'),to_date('2004-05-17','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),'Shipped','Can we deliver the new Ford Mustang models by end-of-quarter?',173);
INSERT INTO ORDERS VALUES(10250,to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-19','YYYY-MM-DD'),to_date('2004-05-15','YYYY-MM-DD'),'Shipped',NULL,450);
INSERT INTO ORDERS VALUES(10251,to_date('2004-05-18','YYYY-MM-DD'),to_date('2004-05-24','YYYY-MM-DD'),to_date('2004-05-24','YYYY-MM-DD'),'Shipped',NULL,328);
INSERT INTO ORDERS VALUES(10252,to_date('2004-05-26','YYYY-MM-DD'),to_date('2004-06-04','YYYY-MM-DD'),to_date('2004-05-
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
29', 'YYYY-MM-DD'),'Shipped',NULL,406);
INSERT INTO ORDERS VALUES(10253,to date( '2004-06-01', 'YYYY-MM-DD'),to date( '2004-06-09', 'YYYY-MM-DD'),to date( '2004-06-02', 'YYYY-MM-DD'),'Cancelled','Customer disputed the order and we agreed to cancel it. We must be more cautious with this customer going forward, since they are very hard to please. We must cover the shipping fees.',201);
INSERT INTO ORDERS VALUES(10254,to date( '2004-06-03', 'YYYY-MM-DD'),to date( '2004-06-13', 'YYYY-MM-DD'),to date( '2004-06-04', 'YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',323);
INSERT INTO ORDERS VALUES(10255,to date( '2004-06-04', 'YYYY-MM-DD'),to date( '2004-06-12', 'YYYY-MM-DD'),to date( '2004-06-09', 'YYYY-MM-DD'),'Shipped',NULL,209);
INSERT INTO ORDERS VALUES(10256,to date( '2004-06-08', 'YYYY-MM-DD'),to date( '2004-06-16', 'YYYY-MM-DD'),to date( '2004-06-10', 'YYYY-MM-DD'),'Shipped',NULL,145);
INSERT INTO ORDERS VALUES(10257,to date( '2004-06-14', 'YYYY-MM-DD'),to date( '2004-06-24', 'YYYY-MM-DD'),to date( '2004-06-15', 'YYYY-MM-DD'),'Shipped',NULL,450);
INSERT INTO ORDERS VALUES(10258,to date( '2004-06-15', 'YYYY-MM-DD'),to date( '2004-06-25', 'YYYY-MM-DD'),to date( '2004-06-23', 'YYYY-MM-DD'),'Shipped',NULL,398);
INSERT INTO ORDERS VALUES(10259,to date( '2004-06-15', 'YYYY-MM-DD'),to date( '2004-06-22', 'YYYY-MM-DD'),to date( '2004-06-17', 'YYYY-MM-DD'),'Shipped',NULL,166);
INSERT INTO ORDERS VALUES(10260,to date( '2004-06-16', 'YYYY-MM-DD'),to date( '2004-06-22', 'YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357);
INSERT INTO ORDERS VALUES(10261,to date( '2004-06-17', 'YYYY-MM-DD'),to date( '2004-06-25', 'YYYY-MM-DD'),to date( '2004-06-22', 'YYYY-MM-DD'),'Shipped',NULL,233);
INSERT INTO ORDERS VALUES(10262,to date( '2004-06-24', 'YYYY-MM-DD'),to date( '2004-07-01', 'YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141);
INSERT INTO ORDERS VALUES(10263,to date( '2004-06-28', 'YYYY-MM-DD'),to date( '2004-07-04', 'YYYY-MM-DD'),to date( '2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175);
INSERT INTO ORDERS VALUES(10264,to date( '2004-06-30', 'YYYY-MM-DD'),to date( '2004-07-06', 'YYYY-MM-DD'),to date( '2004-07-01', 'YYYY-MM-DD'),'Shipped','Customer will send a truck to our local warehouse on 7/1/2004',362);
INSERT INTO ORDERS VALUES(10265,to date( '2004-07-02', 'YYYY-MM-DD'),to date( '2004-07-09', 'YYYY-MM-DD'),to date( '2004-07-07', 'YYYY-MM-DD'),'Shipped',NULL,471);
INSERT INTO ORDERS VALUES(10266,to date( '2004-07-06', 'YYYY-MM-DD'),to date( '2004-07-14', 'YYYY-MM-DD'),to date( '2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386);
INSERT INTO ORDERS VALUES(10267,to date( '2004-07-07', 'YYYY-MM-DD'),to date( '2004-07-17', 'YYYY-MM-DD'),to date( '2004-07-09', 'YYYY-MM-DD'),'Shipped',NULL,151);
INSERT INTO ORDERS VALUES(10268,to date( '2004-07-12', 'YYYY-MM-DD'),to date( '2004-07-18', 'YYYY-MM-DD'),to date( '2004-07-14', 'YYYY-MM-DD'),'Shipped',NULL,412);
INSERT INTO ORDERS VALUES(10269,to date( '2004-07-16', 'YYYY-MM-DD'),to date( '2004-07-22', 'YYYY-MM-DD'),to date( '2004-07-18', 'YYYY-MM-DD'),'Shipped',NULL,382);
INSERT INTO ORDERS VALUES(10270,to date( '2004-07-19', 'YYYY-MM-DD'),to date( '2004-07-27', 'YYYY-MM-DD'),to date( '2004-07-24', 'YYYY-MM-DD'),'Shipped','Can we renegotiate this one?',282);
INSERT INTO ORDERS VALUES(10271,to date( '2004-07-20', 'YYYY-MM-DD'),to date( '2004-07-29', 'YYYY-MM-DD'),to date( '2004-07-23', 'YYYY-MM-DD'),'Shipped',NULL,124);
INSERT INTO ORDERS VALUES(10272,to date( '2004-07-20', 'YYYY-MM-DD'),to date( '2004-07-26', 'YYYY-MM-DD'),to date( '2004-07-22', 'YYYY-MM-DD'),'Shipped',NULL,157);
INSERT INTO ORDERS VALUES(10273,to date( '2004-07-21', 'YYYY-MM-DD'),to date( '2004-07-28', 'YYYY-MM-DD'),to date( '2004-07-22', 'YYYY-MM-DD'),'Shipped',NULL,314);
INSERT INTO ORDERS VALUES(10274,to date( '2004-07-21', 'YYYY-MM-DD'),to date( '2004-07-29', 'YYYY-MM-DD'),to date( '2004-07-22', 'YYYY-MM-DD'),'Shipped',NULL,379);
INSERT INTO ORDERS VALUES(10275,to date( '2004-07-23', 'YYYY-MM-DD'),to date( '2004-08-02', 'YYYY-MM-DD'),to date( '2004-07-29', 'YYYY-MM-DD'),'Shipped',NULL,119);
INSERT INTO ORDERS VALUES(10276,to date( '2004-08-02', 'YYYY-MM-DD'),to date( '2004-08-11', 'YYYY-MM-DD'),to date( '2004-08-08', 'YYYY-MM-DD'),'Shipped',NULL,204);
INSERT INTO ORDERS VALUES(10277,to date( '2004-08-04', 'YYYY-MM-DD'),to date( '2004-08-12', 'YYYY-MM-DD'),to date( '2004-08-05', 'YYYY-MM-DD'),'Shipped',NULL,148);
INSERT INTO ORDERS VALUES(10278,to date( '2004-08-06', 'YYYY-MM-DD'),to date( '2004-08-16', 'YYYY-MM-DD'),to date( '2004-08-09', 'YYYY-MM-DD'),'Shipped',NULL,112);
INSERT INTO ORDERS VALUES(10279,to date( '2004-08-09', 'YYYY-MM-DD'),to date( '2004-08-19', 'YYYY-MM-DD'),to date( '2004-08-15', 'YYYY-MM-DD'),'Shipped','Cautious optimism. We have happy customers here, if we can keep them well stocked. I need all the information I can get on the planned shipments of Porches',141);
INSERT INTO ORDERS VALUES(10280,to date( '2004-08-17', 'YYYY-MM-DD'),to date( '2004-08-27', 'YYYY-MM-DD'),to date( '2004-08-19', 'YYYY-MM-DD'),'Shipped',NULL,249);
INSERT INTO ORDERS VALUES(10281,to date( '2004-08-19', 'YYYY-MM-DD'),to date( '2004-08-28', 'YYYY-MM-DD'),to date( '2004-08-23', 'YYYY-MM-DD'),'Shipped',NULL,157);
INSERT INTO ORDERS VALUES(10282,to date( '2004-08-20', 'YYYY-MM-DD'),to date( '2004-08-26', 'YYYY-MM-DD'),to date( '2004-08-22', 'YYYY-MM-DD'),'Shipped',NULL,124);
INSERT INTO ORDERS VALUES(10283,to date( '2004-08-20', 'YYYY-MM-DD'),to date( '2004-08-30', 'YYYY-MM-DD'),to date( '2004-08-23', 'YYYY-MM-DD'),'Shipped',NULL,260);
INSERT INTO ORDERS VALUES(10284,to date( '2004-08-21', 'YYYY-MM-DD'),to date( '2004-08-29', 'YYYY-MM-DD'),to date( '2004-08-26', 'YYYY-MM-DD'),'Shipped','Custom shipping instructions sent to warehouse',299);
INSERT INTO ORDERS VALUES(10285,to date( '2004-08-27', 'YYYY-MM-DD'),to date( '2004-09-04', 'YYYY-MM-DD'),to date( '2004-08-31', 'YYYY-MM-DD'),'Shipped',NULL,286);
INSERT INTO ORDERS VALUES(10286,to date( '2004-08-28', 'YYYY-MM-DD'),to date( '2004-09-06', 'YYYY-MM-DD'),to date( '2004-09-01', 'YYYY-MM-DD'),'Shipped',NULL,172);
INSERT INTO ORDERS VALUES(10287,to date( '2004-08-30', 'YYYY-MM-DD'),to date( '2004-09-06', 'YYYY-MM-DD'),to date( '2004-09-01', 'YYYY-MM-DD'),'Shipped',NULL,298);
INSERT INTO ORDERS VALUES(10288,to date( '2004-09-01', 'YYYY-MM-DD'),to date( '2004-09-11', 'YYYY-MM-DD'),to date( '2004-09-05', 'YYYY-MM-DD'),'Shipped',NULL,166);
INSERT INTO ORDERS VALUES(10289,to date( '2004-09-03', 'YYYY-MM-DD'),to date( '2004-09-13', 'YYYY-MM-DD'),to date( '2004-09-04', 'YYYY-MM-DD'),'Shipped','We need to keep in close contact with their Marketing VP. He is the decision maker for all their purchases.',167);
INSERT INTO ORDERS VALUES(10290,to date( '2004-09-07', 'YYYY-MM-DD'),to date( '2004-09-15', 'YYYY-MM-DD'),to date( '2004-09-13', 'YYYY-MM-DD'),'Shipped',NULL,198);
INSERT INTO ORDERS VALUES(10291,to date( '2004-09-08', 'YYYY-MM-DD'),to date( '2004-09-17', 'YYYY-MM-DD'),to date( '2004-09-14', 'YYYY-MM-DD'),'Shipped',NULL,448);
INSERT INTO ORDERS VALUES(10292,to date( '2004-09-08', 'YYYY-MM-DD'),to date( '2004-09-18', 'YYYY-MM-DD'),to date( '2004-09-11', 'YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',131);
INSERT INTO ORDERS VALUES(10293,to date( '2004-09-09', 'YYYY-MM-DD'),to date( '2004-09-18', 'YYYY-MM-DD'),to date( '2004-09-14', 'YYYY-MM-DD'),'Shipped',NULL,249);
INSERT INTO ORDERS VALUES(10294,to date( '2004-09-10', 'YYYY-MM-DD'),to date( '2004-09-17', 'YYYY-MM-DD'),to date( '2004-09-14', 'YYYY-MM-DD'),'Shipped',NULL,204);
INSERT INTO ORDERS VALUES(10295,to date( '2004-09-10', 'YYYY-MM-DD'),to date( '2004-09-17', 'YYYY-MM-DD'),to date( '2004-09-14', 'YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',362);
INSERT INTO ORDERS VALUES(10296,to date( '2004-09-15', 'YYYY-MM-DD'),to date( '2004-09-22', 'YYYY-MM-DD'),to date( '2004-09-
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
16', 'YYYY-MM-DD'),'Shipped',NULL,415);
INSERT INTO ORDERS VALUES(10297,to_date('2004-09-16', 'YYYY-MM-DD'),to_date('2004-09-22', 'YYYY-MM-DD'),to_date('2004-09-21', 'YYYY-MM-DD'),'Shipped','We must be cautious with this customer. Their VP of Sales resigned. Company may be heading down.',189);
INSERT INTO ORDERS VALUES(10298,to_date('2004-09-27', 'YYYY-MM-DD'),to_date('2004-10-05', 'YYYY-MM-DD'),to_date('2004-10-01', 'YYYY-MM-DD'),'Shipped',NULL,103);
INSERT INTO ORDERS VALUES(10299,to_date('2004-09-30', 'YYYY-MM-DD'),to_date('2004-10-10', 'YYYY-MM-DD'),to_date('2004-10-01', 'YYYY-MM-DD'),'Shipped',NULL,186);
INSERT INTO ORDERS VALUES(10300,to_date('2003-10-04', 'YYYY-MM-DD'),to_date('2003-10-13', 'YYYY-MM-DD'),to_date('2003-10-09', 'YYYY-MM-DD'),'Shipped',NULL,128);
INSERT INTO ORDERS VALUES(10301,to_date('2003-10-05', 'YYYY-MM-DD'),to_date('2003-10-15', 'YYYY-MM-DD'),to_date('2003-10-08', 'YYYY-MM-DD'),'Shipped',NULL,299);
INSERT INTO ORDERS VALUES(10302,to_date('2003-10-06', 'YYYY-MM-DD'),to_date('2003-10-16', 'YYYY-MM-DD'),to_date('2003-10-07', 'YYYY-MM-DD'),'Shipped',NULL,201);
INSERT INTO ORDERS VALUES(10303,to_date('2004-10-06', 'YYYY-MM-DD'),to_date('2004-10-14', 'YYYY-MM-DD'),to_date('2004-10-09', 'YYYY-MM-DD'),'Shipped','Customer inquired about remote controlled models and gold models.',484);
INSERT INTO ORDERS VALUES(10304,to_date('2004-10-11', 'YYYY-MM-DD'),to_date('2004-10-20', 'YYYY-MM-DD'),to_date('2004-10-17', 'YYYY-MM-DD'),'Shipped',NULL,256);
INSERT INTO ORDERS VALUES(10305,to_date('2004-10-13', 'YYYY-MM-DD'),to_date('2004-10-22', 'YYYY-MM-DD'),to_date('2004-10-15', 'YYYY-MM-DD'),'Shipped','Check on availability.',286);
INSERT INTO ORDERS VALUES(10306,to_date('2004-10-14', 'YYYY-MM-DD'),to_date('2004-10-21', 'YYYY-MM-DD'),to_date('2004-10-17', 'YYYY-MM-DD'),'Shipped',NULL,187);
INSERT INTO ORDERS VALUES(10307,to_date('2004-10-14', 'YYYY-MM-DD'),to_date('2004-10-23', 'YYYY-MM-DD'),to_date('2004-10-20', 'YYYY-MM-DD'),'Shipped',NULL,339);
INSERT INTO ORDERS VALUES(10308,to_date('2004-10-15', 'YYYY-MM-DD'),to_date('2004-10-24', 'YYYY-MM-DD'),to_date('2004-10-20', 'YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',319);
INSERT INTO ORDERS VALUES(10309,to_date('2004-10-15', 'YYYY-MM-DD'),to_date('2004-10-24', 'YYYY-MM-DD'),to_date('2004-10-18', 'YYYY-MM-DD'),'Shipped',NULL,121);
INSERT INTO ORDERS VALUES(10310,to_date('2004-10-16', 'YYYY-MM-DD'),to_date('2004-10-24', 'YYYY-MM-DD'),to_date('2004-10-18', 'YYYY-MM-DD'),'Shipped',NULL,259);
INSERT INTO ORDERS VALUES(10311,to_date('2004-10-16', 'YYYY-MM-DD'),to_date('2004-10-23', 'YYYY-MM-DD'),to_date('2004-10-20', 'YYYY-MM-DD'),'Shipped','Difficult to negotiate with customer. We need more marketing materials.',141);
INSERT INTO ORDERS VALUES(10312,to_date('2004-10-21', 'YYYY-MM-DD'),to_date('2004-10-27', 'YYYY-MM-DD'),to_date('2004-10-23', 'YYYY-MM-DD'),'Shipped',NULL,124);
INSERT INTO ORDERS VALUES(10313,to_date('2004-10-22', 'YYYY-MM-DD'),to_date('2004-10-28', 'YYYY-MM-DD'),to_date('2004-10-25', 'YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',202);
INSERT INTO ORDERS VALUES(10314,to_date('2004-10-22', 'YYYY-MM-DD'),to_date('2004-11-01', 'YYYY-MM-DD'),to_date('2004-10-23', 'YYYY-MM-DD'),'Shipped',NULL,227);
INSERT INTO ORDERS VALUES(10315,to_date('2004-10-29', 'YYYY-MM-DD'),to_date('2004-11-08', 'YYYY-MM-DD'),to_date('2004-10-30', 'YYYY-MM-DD'),'Shipped',NULL,119);
INSERT INTO ORDERS VALUES(10316,to_date('2004-11-01', 'YYYY-MM-DD'),to_date('2004-11-09', 'YYYY-MM-DD'),to_date('2004-11-07', 'YYYY-MM-DD'),'Shipped','Customer requested that ad materials (such as posters, pamphlets) be included in the shipment',240);
INSERT INTO ORDERS VALUES(10317,to_date('2004-11-02', 'YYYY-MM-DD'),to_date('2004-11-12', 'YYYY-MM-DD'),to_date('2004-11-08', 'YYYY-MM-DD'),'Shipped',NULL,161);
INSERT INTO ORDERS VALUES(10318,to_date('2004-11-02', 'YYYY-MM-DD'),to_date('2004-11-09', 'YYYY-MM-DD'),to_date('2004-11-07', 'YYYY-MM-DD'),'Shipped',NULL,157);
INSERT INTO ORDERS VALUES(10319,to_date('2004-11-03', 'YYYY-MM-DD'),to_date('2004-11-11', 'YYYY-MM-DD'),to_date('2004-11-06', 'YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',456);
INSERT INTO ORDERS VALUES(10320,to_date('2004-11-03', 'YYYY-MM-DD'),to_date('2004-11-13', 'YYYY-MM-DD'),to_date('2004-11-07', 'YYYY-MM-DD'),'Shipped',NULL,144);
INSERT INTO ORDERS VALUES(10321,to_date('2004-11-04', 'YYYY-MM-DD'),to_date('2004-11-12', 'YYYY-MM-DD'),to_date('2004-11-07', 'YYYY-MM-DD'),'Shipped',NULL,462);
INSERT INTO ORDERS VALUES(10322,to_date('2004-11-04', 'YYYY-MM-DD'),to_date('2004-11-12', 'YYYY-MM-DD'),to_date('2004-11-10', 'YYYY-MM-DD'),'Shipped','Customer has worked with some of our vendors in the past and is aware of their MSRP',363);
INSERT INTO ORDERS VALUES(10323,to_date('2004-11-05', 'YYYY-MM-DD'),to_date('2004-11-12', 'YYYY-MM-DD'),to_date('2004-11-09', 'YYYY-MM-DD'),'Shipped',NULL,128);
INSERT INTO ORDERS VALUES(10324,to_date('2004-11-05', 'YYYY-MM-DD'),to_date('2004-11-11', 'YYYY-MM-DD'),to_date('2004-11-08', 'YYYY-MM-DD'),'Shipped',NULL,181);
INSERT INTO ORDERS VALUES(10325,to_date('2004-11-05', 'YYYY-MM-DD'),to_date('2004-11-13', 'YYYY-MM-DD'),to_date('2004-11-08', 'YYYY-MM-DD'),'Shipped',NULL,121);
INSERT INTO ORDERS VALUES(10326,to_date('2004-11-09', 'YYYY-MM-DD'),to_date('2004-11-16', 'YYYY-MM-DD'),to_date('2004-11-10', 'YYYY-MM-DD'),'Shipped',NULL,144);
INSERT INTO ORDERS VALUES(10327,to_date('2004-11-10', 'YYYY-MM-DD'),to_date('2004-11-19', 'YYYY-MM-DD'),to_date('2004-11-13', 'YYYY-MM-DD'),'Resolved','Order was disputed and resolved on 12/1/04. The Sales Manager was involved. Customer claims the scales of the models don't match what was discussed.',145);
INSERT INTO ORDERS VALUES(10328,to_date('2004-11-12', 'YYYY-MM-DD'),to_date('2004-11-21', 'YYYY-MM-DD'),to_date('2004-11-18', 'YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278);
INSERT INTO ORDERS VALUES(10329,to_date('2004-11-15', 'YYYY-MM-DD'),to_date('2004-11-24', 'YYYY-MM-DD'),to_date('2004-11-16', 'YYYY-MM-DD'),'Shipped',NULL,131);
INSERT INTO ORDERS VALUES(10330,to_date('2004-11-16', 'YYYY-MM-DD'),to_date('2004-11-25', 'YYYY-MM-DD'),to_date('2004-11-21', 'YYYY-MM-DD'),'Shipped',NULL,385);
INSERT INTO ORDERS VALUES(10331,to_date('2004-11-17', 'YYYY-MM-DD'),to_date('2004-11-23', 'YYYY-MM-DD'),to_date('2004-11-23', 'YYYY-MM-DD'),'Shipped','Customer requested special shipment. The instructions were passed along to the warehouse',486);
INSERT INTO ORDERS VALUES(10332,to_date('2004-11-17', 'YYYY-MM-DD'),to_date('2004-11-25', 'YYYY-MM-DD'),to_date('2004-11-18', 'YYYY-MM-DD'),'Shipped',NULL,187);
INSERT INTO ORDERS VALUES(10333,to_date('2004-11-18', 'YYYY-MM-DD'),to_date('2004-11-27', 'YYYY-MM-DD'),to_date('2004-11-20', 'YYYY-MM-DD'),'Shipped',NULL,129);
INSERT INTO ORDERS VALUES(10334,to_date('2004-11-19', 'YYYY-MM-DD'),to_date('2004-11-28', 'YYYY-MM-DD'),NULL,'On Hold','The outstanding balance for this customer exceeds their credit limit. Order will be shipped when a payment is received.',144);
INSERT INTO ORDERS VALUES(10335,to_date('2004-11-19', 'YYYY-MM-DD'),to_date('2004-11-29', 'YYYY-MM-DD'),to_date('2004-11-23', 'YYYY-MM-DD'),'Shipped',NULL,124);
INSERT INTO ORDERS VALUES(10336,to_date('2004-11-20', 'YYYY-MM-DD'),to_date('2004-11-26', 'YYYY-MM-DD'),to_date('2004-11-24', 'YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172);
INSERT INTO ORDERS VALUES(10337,to_date('2004-11-21', 'YYYY-MM-DD'),to_date('2004-11-30', 'YYYY-MM-DD'),to_date('2004-11-26', 'YYYY-MM-DD'),'Shipped',NULL,424);
INSERT INTO ORDERS VALUES(10338,to_date('2004-11-22', 'YYYY-MM-DD'),to_date('2004-12-02', 'YYYY-MM-DD'),to_date('2004-11-27', 'YYYY-MM-DD'),'Shipped',NULL,381);
INSERT INTO ORDERS VALUES(10339,to_date('2004-11-23', 'YYYY-MM-DD'),to_date('2004-11-30', 'YYYY-MM-DD'),to_date('2004-11-
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
30', 'YYYY-MM-DD'), 'Shipped', NULL, 398);
INSERT INTO ORDERS VALUES(10340, to_date('2004-11-24', 'YYYY-MM-DD'), to_date('2004-12-01', 'YYYY-MM-DD'), to_date('2004-11-25', 'YYYY-MM-DD'), 'Shipped', 'Customer is interested in buying more Ferrari models', 216);
INSERT INTO ORDERS VALUES(10341, to_date('2004-11-24', 'YYYY-MM-DD'), to_date('2004-12-01', 'YYYY-MM-DD'), to_date('2004-11-29', 'YYYY-MM-DD'), 'Shipped', NULL, 382);
INSERT INTO ORDERS VALUES(10342, to_date('2004-11-24', 'YYYY-MM-DD'), to_date('2004-12-01', 'YYYY-MM-DD'), to_date('2004-11-29', 'YYYY-MM-DD'), 'Shipped', NULL, 114);
INSERT INTO ORDERS VALUES(10343, to_date('2004-11-24', 'YYYY-MM-DD'), to_date('2004-12-01', 'YYYY-MM-DD'), to_date('2004-11-26', 'YYYY-MM-DD'), 'Shipped', NULL, 353);
INSERT INTO ORDERS VALUES(10344, to_date('2004-11-25', 'YYYY-MM-DD'), to_date('2004-12-02', 'YYYY-MM-DD'), to_date('2004-11-29', 'YYYY-MM-DD'), 'Shipped', NULL, 350);
INSERT INTO ORDERS VALUES(10345, to_date('2004-11-25', 'YYYY-MM-DD'), to_date('2004-12-01', 'YYYY-MM-DD'), to_date('2004-11-26', 'YYYY-MM-DD'), 'Shipped', NULL, 103);
INSERT INTO ORDERS VALUES(10346, to_date('2004-11-29', 'YYYY-MM-DD'), to_date('2004-12-05', 'YYYY-MM-DD'), to_date('2004-11-30', 'YYYY-MM-DD'), 'Shipped', NULL, 112);
INSERT INTO ORDERS VALUES(10347, to_date('2004-11-29', 'YYYY-MM-DD'), to_date('2004-12-07', 'YYYY-MM-DD'), to_date('2004-11-30', 'YYYY-MM-DD'), 'Shipped', 'Can we deliver the new Ford Mustang models by end-of-quarter?', 114);
INSERT INTO ORDERS VALUES(10348, to_date('2004-11-01', 'YYYY-MM-DD'), to_date('2004-11-08', 'YYYY-MM-DD'), to_date('2004-11-05', 'YYYY-MM-DD'), 'Shipped', NULL, 458);
INSERT INTO ORDERS VALUES(10349, to_date('2004-12-01', 'YYYY-MM-DD'), to_date('2004-12-07', 'YYYY-MM-DD'), to_date('2004-12-03', 'YYYY-MM-DD'), 'Shipped', NULL, 151);
INSERT INTO ORDERS VALUES(10350, to_date('2004-12-02', 'YYYY-MM-DD'), to_date('2004-12-08', 'YYYY-MM-DD'), to_date('2004-12-05', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10351, to_date('2004-12-03', 'YYYY-MM-DD'), to_date('2004-12-11', 'YYYY-MM-DD'), to_date('2004-12-07', 'YYYY-MM-DD'), 'Shipped', NULL, 324);
INSERT INTO ORDERS VALUES(10352, to_date('2004-12-03', 'YYYY-MM-DD'), to_date('2004-12-12', 'YYYY-MM-DD'), to_date('2004-12-09', 'YYYY-MM-DD'), 'Shipped', NULL, 198);
INSERT INTO ORDERS VALUES(10353, to_date('2004-12-04', 'YYYY-MM-DD'), to_date('2004-12-11', 'YYYY-MM-DD'), to_date('2004-12-05', 'YYYY-MM-DD'), 'Shipped', NULL, 447);
INSERT INTO ORDERS VALUES(10354, to_date('2004-12-04', 'YYYY-MM-DD'), to_date('2004-12-10', 'YYYY-MM-DD'), to_date('2004-12-05', 'YYYY-MM-DD'), 'Shipped', NULL, 323);
INSERT INTO ORDERS VALUES(10355, to_date('2004-12-07', 'YYYY-MM-DD'), to_date('2004-12-14', 'YYYY-MM-DD'), to_date('2004-12-13', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10356, to_date('2004-12-09', 'YYYY-MM-DD'), to_date('2004-12-15', 'YYYY-MM-DD'), to_date('2004-12-12', 'YYYY-MM-DD'), 'Shipped', NULL, 250);
INSERT INTO ORDERS VALUES(10357, to_date('2004-12-10', 'YYYY-MM-DD'), to_date('2004-12-16', 'YYYY-MM-DD'), to_date('2004-12-14', 'YYYY-MM-DD'), 'Shipped', NULL, 124);
INSERT INTO ORDERS VALUES(10358, to_date('2004-12-10', 'YYYY-MM-DD'), to_date('2004-12-16', 'YYYY-MM-DD'), to_date('2004-12-16', 'YYYY-MM-DD'), 'Shipped', 'Customer requested that DHL is used for this shipping', 141);
INSERT INTO ORDERS VALUES(10359, to_date('2004-12-15', 'YYYY-MM-DD'), to_date('2004-12-23', 'YYYY-MM-DD'), to_date('2004-12-18', 'YYYY-MM-DD'), 'Shipped', NULL, 353);
INSERT INTO ORDERS VALUES(10360, to_date('2004-12-16', 'YYYY-MM-DD'), to_date('2004-12-22', 'YYYY-MM-DD'), to_date('2004-12-18', 'YYYY-MM-DD'), 'Shipped', NULL, 496);
INSERT INTO ORDERS VALUES(10361, to_date('2004-12-17', 'YYYY-MM-DD'), to_date('2004-12-24', 'YYYY-MM-DD'), to_date('2004-12-20', 'YYYY-MM-DD'), 'Shipped', NULL, 282);
INSERT INTO ORDERS VALUES(10362, to_date('2005-01-05', 'YYYY-MM-DD'), to_date('2005-01-16', 'YYYY-MM-DD'), to_date('2005-01-10', 'YYYY-MM-DD'), 'Shipped', NULL, 161);
INSERT INTO ORDERS VALUES(10363, to_date('2005-01-06', 'YYYY-MM-DD'), to_date('2005-01-12', 'YYYY-MM-DD'), to_date('2005-01-10', 'YYYY-MM-DD'), 'Shipped', NULL, 334);
INSERT INTO ORDERS VALUES(10364, to_date('2005-01-06', 'YYYY-MM-DD'), to_date('2005-01-17', 'YYYY-MM-DD'), to_date('2005-01-09', 'YYYY-MM-DD'), 'Shipped', NULL, 350);
INSERT INTO ORDERS VALUES(10365, to_date('2005-01-07', 'YYYY-MM-DD'), to_date('2005-01-18', 'YYYY-MM-DD'), to_date('2005-01-11', 'YYYY-MM-DD'), 'Shipped', NULL, 320);
INSERT INTO ORDERS VALUES(10366, to_date('2005-01-10', 'YYYY-MM-DD'), to_date('2005-01-19', 'YYYY-MM-DD'), to_date('2005-01-12', 'YYYY-MM-DD'), 'Shipped', NULL, 381);
INSERT INTO ORDERS VALUES(10367, to_date('2005-01-12', 'YYYY-MM-DD'), to_date('2005-01-21', 'YYYY-MM-DD'), to_date('2005-01-16', 'YYYY-MM-DD'), 'Resolved', 'This order was disputed and resolved on 2/1/2005. Customer claimed that container with shipment was damaged. FedEx's investigation proved this wrong.', 205);
INSERT INTO ORDERS VALUES(10368, to_date('2005-01-19', 'YYYY-MM-DD'), to_date('2005-01-27', 'YYYY-MM-DD'), to_date('2005-01-24', 'YYYY-MM-DD'), 'Shipped', 'Can we renegotiate this one?', 124);
INSERT INTO ORDERS VALUES(10369, to_date('2005-01-20', 'YYYY-MM-DD'), to_date('2005-01-28', 'YYYY-MM-DD'), to_date('2005-01-24', 'YYYY-MM-DD'), 'Shipped', NULL, 379);
INSERT INTO ORDERS VALUES(10370, to_date('2005-01-20', 'YYYY-MM-DD'), to_date('2005-02-01', 'YYYY-MM-DD'), to_date('2005-01-25', 'YYYY-MM-DD'), 'Shipped', NULL, 276);
INSERT INTO ORDERS VALUES(10371, to_date('2005-01-23', 'YYYY-MM-DD'), to_date('2005-02-03', 'YYYY-MM-DD'), to_date('2005-01-25', 'YYYY-MM-DD'), 'Shipped', NULL, 124);
INSERT INTO ORDERS VALUES(10372, to_date('2005-01-26', 'YYYY-MM-DD'), to_date('2005-02-05', 'YYYY-MM-DD'), to_date('2005-01-28', 'YYYY-MM-DD'), 'Shipped', NULL, 398);
INSERT INTO ORDERS VALUES(10373, to_date('2005-01-31', 'YYYY-MM-DD'), to_date('2005-02-08', 'YYYY-MM-DD'), to_date('2005-02-06', 'YYYY-MM-DD'), 'Shipped', NULL, 311);
INSERT INTO ORDERS VALUES(10374, to_date('2005-02-02', 'YYYY-MM-DD'), to_date('2005-02-09', 'YYYY-MM-DD'), to_date('2005-02-03', 'YYYY-MM-DD'), 'Shipped', NULL, 333);
INSERT INTO ORDERS VALUES(10375, to_date('2005-02-03', 'YYYY-MM-DD'), to_date('2005-02-10', 'YYYY-MM-DD'), to_date('2005-02-06', 'YYYY-MM-DD'), 'Shipped', NULL, 119);
INSERT INTO ORDERS VALUES(10376, to_date('2005-02-08', 'YYYY-MM-DD'), to_date('2005-02-18', 'YYYY-MM-DD'), to_date('2005-02-13', 'YYYY-MM-DD'), 'Shipped', NULL, 219);
INSERT INTO ORDERS VALUES(10377, to_date('2005-02-09', 'YYYY-MM-DD'), to_date('2005-02-21', 'YYYY-MM-DD'), to_date('2005-02-12', 'YYYY-MM-DD'), 'Shipped', 'Cautious optimism. We have happy customers here, if we can keep them well stocked. I need all the information I can get on the planned shipments of Porches', 186);
INSERT INTO ORDERS VALUES(10378, to_date('2005-02-10', 'YYYY-MM-DD'), to_date('2005-02-18', 'YYYY-MM-DD'), to_date('2005-02-11', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10379, to_date('2005-02-10', 'YYYY-MM-DD'), to_date('2005-02-18', 'YYYY-MM-DD'), to_date('2005-02-11', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10380, to_date('2005-02-16', 'YYYY-MM-DD'), to_date('2005-02-24', 'YYYY-MM-DD'), to_date('2005-02-18', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10381, to_date('2005-02-17', 'YYYY-MM-DD'), to_date('2005-02-25', 'YYYY-MM-DD'), to_date('2005-02-18', 'YYYY-MM-DD'), 'Shipped', NULL, 321);
INSERT INTO ORDERS VALUES(10382, to_date('2005-02-17', 'YYYY-MM-DD'), to_date('2005-02-23', 'YYYY-MM-DD'), to_date('2005-02-18', 'YYYY-MM-DD'), 'Shipped', 'Custom shipping instructions sent to warehouse', 124);
INSERT INTO ORDERS VALUES(10383, to_date('2005-02-22', 'YYYY-MM-DD'), to_date('2005-03-02', 'YYYY-MM-DD'), to_date('2005-02-25', 'YYYY-MM-DD'), 'Shipped', NULL, 141);
INSERT INTO ORDERS VALUES(10384, to_date('2005-02-23', 'YYYY-MM-DD'), to_date('2005-03-06', 'YYYY-MM-DD'), to_date('2005-02-
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
27', 'YYYY-MM-DD'),'Shipped',NULL,321);
INSERT INTO ORDERS VALUES(10385,to_date('2005-02-28','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-01','YYYY-MM-DD'),'Shipped',NULL,124);
INSERT INTO ORDERS VALUES(10386,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmanship of the models.',141);
INSERT INTO ORDERS VALUES(10387,to_date('2005-03-02','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Shipped','We need to keep in close contact with their Marketing VP. He is the decision maker for all their purchases.',148);
INSERT INTO ORDERS VALUES(10388,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),'Shipped',NULL,462);
INSERT INTO ORDERS VALUES(10389,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-08','YYYY-MM-DD'),'Shipped',NULL,448);
INSERT INTO ORDERS VALUES(10390,to_date('2005-03-04','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-07','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',124);
INSERT INTO ORDERS VALUES(10391,to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-20','YYYY-MM-DD'),to_date('2005-03-15','YYYY-MM-DD'),'Shipped',NULL,276);
INSERT INTO ORDERS VALUES(10392,to_date('2005-03-10','YYYY-MM-DD'),to_date('2005-03-18','YYYY-MM-DD'),to_date('2005-03-12','YYYY-MM-DD'),'Shipped',NULL,452);
INSERT INTO ORDERS VALUES(10393,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323);
INSERT INTO ORDERS VALUES(10394,to_date('2005-03-15','YYYY-MM-DD'),to_date('2005-03-25','YYYY-MM-DD'),to_date('2005-03-19','YYYY-MM-DD'),'Shipped',NULL,141);
INSERT INTO ORDERS VALUES(10395,to_date('2005-03-17','YYYY-MM-DD'),to_date('2005-03-24','YYYY-MM-DD'),to_date('2005-03-23','YYYY-MM-DD'),'Shipped','We must be cautious with this customer. Their VP of Sales resigned. Company may be heading down.',250);
INSERT INTO ORDERS VALUES(10396,to_date('2005-03-23','YYYY-MM-DD'),to_date('2005-04-02','YYYY-MM-DD'),to_date('2005-03-28','YYYY-MM-DD'),'Shipped',NULL,124);
INSERT INTO ORDERS VALUES(10397,to_date('2005-03-28','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-04-01','YYYY-MM-DD'),'Shipped',NULL,242);
INSERT INTO ORDERS VALUES(10398,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353);
INSERT INTO ORDERS VALUES(10399,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),'Shipped',NULL,496);
INSERT INTO ORDERS VALUES(10400,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450);
INSERT INTO ORDERS VALUES(10401,to_date('2005-04-03','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328);
INSERT INTO ORDERS VALUES(10402,to_date('2005-04-07','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),'Shipped',NULL,406);
INSERT INTO ORDERS VALUES(10403,to_date('2005-04-08','YYYY-MM-DD'),to_date('2005-04-18','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),'Shipped',NULL,201);
INSERT INTO ORDERS VALUES(10404,to_date('2005-04-08','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),'Shipped',NULL,323);
INSERT INTO ORDERS VALUES(10405,to_date('2005-04-14','YYYY-MM-DD'),to_date('2005-04-24','YYYY-MM-DD'),to_date('2005-04-20','YYYY-MM-DD'),'Shipped',NULL,209);
INSERT INTO ORDERS VALUES(10406,to_date('2005-04-15','YYYY-MM-DD'),to_date('2005-04-25','YYYY-MM-DD'),to_date('2005-04-21','YYYY-MM-DD'),'Disputed','Customer claims container with shipment was damaged during shipping and some items are missing. I am talking to FedEx about this.',145);
INSERT INTO ORDERS VALUES(10407,to_date('2005-04-22','YYYY-MM-DD'),to_date('2005-05-04','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450);
INSERT INTO ORDERS VALUES(10408,to_date('2005-04-22','YYYY-MM-DD'),to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-04-27','YYYY-MM-DD'),'Shipped',NULL,398);
INSERT INTO ORDERS VALUES(10409,to_date('2005-04-23','YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),to_date('2005-04-24','YYYY-MM-DD'),'Shipped',NULL,166);
INSERT INTO ORDERS VALUES(10410,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357);
INSERT INTO ORDERS VALUES(10411,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08','YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233);
INSERT INTO ORDERS VALUES(10412,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141);
INSERT INTO ORDERS VALUES(10413,to_date('2005-05-05','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),to_date('2005-05-09','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',175);
INSERT INTO ORDERS VALUES(10414,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362);
INSERT INTO ORDERS VALUES(10415,to_date('2005-05-09','YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),to_date('2005-05-12','YYYY-MM-DD'),'Disputed','Customer claims the scales of the models don't match what was discussed. I keep all the paperwork though to prove otherwise',471);
INSERT INTO ORDERS VALUES(10416,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386);
INSERT INTO ORDERS VALUES(10417,to_date('2005-05-13','YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Disputed','Customer doesn't like the colors and precision of the models.',141);
INSERT INTO ORDERS VALUES(10418,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24','YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412);
INSERT INTO ORDERS VALUES(10419,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28','YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382);
INSERT INTO ORDERS VALUES(10420,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,282);
INSERT INTO ORDERS VALUES(10421,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-06','YYYY-MM-DD'),NULL,'In Process','Custom shipping instructions were sent to warehouse',124);
INSERT INTO ORDERS VALUES(10422,to_date('2005-05-30','YYYY-MM-DD'),to_date('2005-06-11','YYYY-MM-DD'),NULL,'In Process',NULL,157);
INSERT INTO ORDERS VALUES(10423,to_date('2005-05-30','YYYY-MM-DD'),to_date('2005-06-05','YYYY-MM-DD'),NULL,'In Process',NULL,314);
INSERT INTO ORDERS VALUES(10424,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-08','YYYY-MM-DD'),NULL,'In Process',NULL,141);
INSERT INTO ORDERS VALUES(10425,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119);
INSERT INTO PAYMENTS VALUES(103,'HQ336336',to_date('2004-10-19','YYYY-MM-DD'),5307.98);
INSERT INTO PAYMENTS VALUES(103,'JM555205',to_date('2003-06-05','YYYY-MM-DD'),16560.3);
INSERT INTO PAYMENTS VALUES(103,'OM314933',to_date('2004-12-18','YYYY-MM-DD'),2311.68);
INSERT INTO PAYMENTS VALUES(112,'BO864823',to_date('2004-12-17','YYYY-MM-DD'),14449.61);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO PAYMENTS VALUES (112, 'HQ55022', to_date( '2003-06-06', 'YYYY-MM-DD'), 33847.62);
INSERT INTO PAYMENTS VALUES (112, 'ND748579', to_date( '2004-08-20', 'YYYY-MM-DD'), 34453.85);
INSERT INTO PAYMENTS VALUES (114, 'GG31455', to_date( '2003-05-20', 'YYYY-MM-DD'), 50397.66);
INSERT INTO PAYMENTS VALUES (114, 'MA76515', to_date( '2004-12-15', 'YYYY-MM-DD'), 85591.32);
INSERT INTO PAYMENTS VALUES (114, 'NF603840', to_date( '2003-05-31', 'YYYY-MM-DD'), 9738.18);
INSERT INTO PAYMENTS VALUES (114, 'NR27552', to_date( '2004-03-10', 'YYYY-MM-DD'), 49637.57);
INSERT INTO PAYMENTS VALUES (119, 'DB933704', to_date( '2004-11-14', 'YYYY-MM-DD'), 20719.91);
INSERT INTO PAYMENTS VALUES (119, 'LN373447', to_date( '2004-08-08', 'YYYY-MM-DD'), 56002.9);
INSERT INTO PAYMENTS VALUES (119, 'NG94694', to_date( '2005-02-22', 'YYYY-MM-DD'), 59617.44);
INSERT INTO PAYMENTS VALUES (121, 'DB889831', to_date( '2003-02-16', 'YYYY-MM-DD'), 54702.0);
INSERT INTO PAYMENTS VALUES (121, 'FD317790', to_date( '2003-10-28', 'YYYY-MM-DD'), 1474.66);
INSERT INTO PAYMENTS VALUES (121, 'KI813359', to_date( '2004-11-04', 'YYYY-MM-DD'), 19769.68);
INSERT INTO PAYMENTS VALUES (121, 'MA302151', to_date( '2004-11-28', 'YYYY-MM-DD'), 40652.85);
INSERT INTO PAYMENTS VALUES (124, 'AE215433', to_date( '2005-02-18', 'YYYY-MM-DD'), 51826.36);
INSERT INTO PAYMENTS VALUES (124, 'AQ50522', to_date( '2005-06-03', 'YYYY-MM-DD'), 32194.79);
INSERT INTO PAYMENTS VALUES (124, 'BG255406', to_date( '2004-08-28', 'YYYY-MM-DD'), 93928.73);
INSERT INTO PAYMENTS VALUES (124, 'CQ287967', to_date( '2003-04-11', 'YYYY-MM-DD'), 12398.56);
INSERT INTO PAYMENTS VALUES (124, 'ET64396', to_date( '2005-04-16', 'YYYY-MM-DD'), 121972.78);
INSERT INTO PAYMENTS VALUES (124, 'HI366474', to_date( '2004-12-27', 'YYYY-MM-DD'), 50547.68);
INSERT INTO PAYMENTS VALUES (124, 'HR86578', to_date( '2004-11-02', 'YYYY-MM-DD'), 63075.06);
INSERT INTO PAYMENTS VALUES (124, 'KI131716', to_date( '2003-08-15', 'YYYY-MM-DD'), 122368.67);
INSERT INTO PAYMENTS VALUES (124, 'LF217299', to_date( '2004-03-26', 'YYYY-MM-DD'), 48922.77);
INSERT INTO PAYMENTS VALUES (124, 'NT141748', to_date( '2003-11-25', 'YYYY-MM-DD'), 50360.89);
INSERT INTO PAYMENTS VALUES (128, 'DI925118', to_date( '2003-01-28', 'YYYY-MM-DD'), 11432.34);
INSERT INTO PAYMENTS VALUES (128, 'FA465482', to_date( '2003-10-18', 'YYYY-MM-DD'), 27257.79);
INSERT INTO PAYMENTS VALUES (128, 'FH668230', to_date( '2004-03-24', 'YYYY-MM-DD'), 37266.49);
INSERT INTO PAYMENTS VALUES (128, 'IP383901', to_date( '2004-11-18', 'YYYY-MM-DD'), 9214.97);
INSERT INTO PAYMENTS VALUES (129, 'DM826140', to_date( '2004-12-08', 'YYYY-MM-DD'), 30348.72);
INSERT INTO PAYMENTS VALUES (129, 'ID449593', to_date( '2003-12-11', 'YYYY-MM-DD'), 25431.88);
INSERT INTO PAYMENTS VALUES (129, 'PI42991', to_date( '2003-04-09', 'YYYY-MM-DD'), 18695.58);
INSERT INTO PAYMENTS VALUES (131, 'CL442705', to_date( '2003-03-12', 'YYYY-MM-DD'), 25783.76);
INSERT INTO PAYMENTS VALUES (131, 'KG113538', to_date( '2004-05-22', 'YYYY-MM-DD'), 45357.66);
INSERT INTO PAYMENTS VALUES (131, 'MA724562', to_date( '2004-12-02', 'YYYY-MM-DD'), 53152.28);
INSERT INTO PAYMENTS VALUES (131, 'NB445135', to_date( '2004-09-11', 'YYYY-MM-DD'), 39775.74);
INSERT INTO PAYMENTS VALUES (141, 'AU364101', to_date( '2003-07-19', 'YYYY-MM-DD'), 39615.82);
INSERT INTO PAYMENTS VALUES (141, 'DB583216', to_date( '2004-11-01', 'YYYY-MM-DD'), 34872.13);
INSERT INTO PAYMENTS VALUES (141, 'DL460618', to_date( '2005-05-19', 'YYYY-MM-DD'), 22353.86);
INSERT INTO PAYMENTS VALUES (141, 'HJ32686', to_date( '2004-01-30', 'YYYY-MM-DD'), 65165.17);
INSERT INTO PAYMENTS VALUES (141, 'ID10962', to_date( '2004-12-31', 'YYYY-MM-DD'), 133588.75);
INSERT INTO PAYMENTS VALUES (141, 'IN446258', to_date( '2005-03-25', 'YYYY-MM-DD'), 95065.46);
INSERT INTO PAYMENTS VALUES (141, 'JE105477', to_date( '2005-03-18', 'YYYY-MM-DD'), 90135.87);
INSERT INTO PAYMENTS VALUES (141, 'JN355280', to_date( '2003-10-26', 'YYYY-MM-DD'), 53502.3);
INSERT INTO PAYMENTS VALUES (141, 'JN722010', to_date( '2003-02-25', 'YYYY-MM-DD'), 44621.96);
INSERT INTO PAYMENTS VALUES (141, 'KT52578', to_date( '2003-12-09', 'YYYY-MM-DD'), 72487.5);
INSERT INTO PAYMENTS VALUES (141, 'MC46946', to_date( '2004-07-09', 'YYYY-MM-DD'), 91328.4);
INSERT INTO PAYMENTS VALUES (141, 'MF629602', to_date( '2004-08-16', 'YYYY-MM-DD'), 21986.27);
INSERT INTO PAYMENTS VALUES (141, 'NU627706', to_date( '2004-05-17', 'YYYY-MM-DD'), 28327.64);
INSERT INTO PAYMENTS VALUES (144, 'IR846303', to_date( '2004-12-12', 'YYYY-MM-DD'), 66005.88);
INSERT INTO PAYMENTS VALUES (144, 'LA685678', to_date( '2003-04-09', 'YYYY-MM-DD'), 9749.0);
INSERT INTO PAYMENTS VALUES (145, 'CN328545', to_date( '2004-07-03', 'YYYY-MM-DD'), 4749.45);
INSERT INTO PAYMENTS VALUES (145, 'ED39322', to_date( '2004-04-26', 'YYYY-MM-DD'), 31329.56);
INSERT INTO PAYMENTS VALUES (145, 'HR182688', to_date( '2004-12-01', 'YYYY-MM-DD'), 24078.61);
INSERT INTO PAYMENTS VALUES (145, 'JJ246391', to_date( '2003-02-20', 'YYYY-MM-DD'), 58871.11);
INSERT INTO PAYMENTS VALUES (146, 'FP549817', to_date( '2004-03-18', 'YYYY-MM-DD'), 46802.27);
INSERT INTO PAYMENTS VALUES (146, 'FU793410', to_date( '2004-01-16', 'YYYY-MM-DD'), 54536.87);
INSERT INTO PAYMENTS VALUES (146, 'LJ160635', to_date( '2003-12-10', 'YYYY-MM-DD'), 41535.11);
INSERT INTO PAYMENTS VALUES (148, 'BI507030', to_date( '2003-04-22', 'YYYY-MM-DD'), 43657.47);
INSERT INTO PAYMENTS VALUES (148, 'DD635282', to_date( '2004-08-11', 'YYYY-MM-DD'), 3127.88);
INSERT INTO PAYMENTS VALUES (148, 'KM172879', to_date( '2003-12-26', 'YYYY-MM-DD'), 122028.73);
INSERT INTO PAYMENTS VALUES (148, 'ME497970', to_date( '2005-03-27', 'YYYY-MM-DD'), 4175.6);
INSERT INTO PAYMENTS VALUES (151, 'BF686658', to_date( '2003-12-22', 'YYYY-MM-DD'), 64316.09);
INSERT INTO PAYMENTS VALUES (151, 'GB852215', to_date( '2004-07-26', 'YYYY-MM-DD'), 23252.18);
INSERT INTO PAYMENTS VALUES (151, 'IP568906', to_date( '2003-06-18', 'YYYY-MM-DD'), 68462.15);
INSERT INTO PAYMENTS VALUES (151, 'KI884577', to_date( '2004-12-14', 'YYYY-MM-DD'), 41706.52);
INSERT INTO PAYMENTS VALUES (157, 'HI618861', to_date( '2004-11-19', 'YYYY-MM-DD'), 44040.73);
INSERT INTO PAYMENTS VALUES (157, 'NN711988', to_date( '2004-09-07', 'YYYY-MM-DD'), 71930.61);
INSERT INTO PAYMENTS VALUES (161, 'BR352384', to_date( '2004-11-14', 'YYYY-MM-DD'), 2916.2);
INSERT INTO PAYMENTS VALUES (161, 'BR478494', to_date( '2003-11-18', 'YYYY-MM-DD'), 62305.47);
INSERT INTO PAYMENTS VALUES (161, 'KG644125', to_date( '2005-02-02', 'YYYY-MM-DD'), 13529.57);
INSERT INTO PAYMENTS VALUES (161, 'NI908214', to_date( '2003-08-05', 'YYYY-MM-DD'), 42031.83);
INSERT INTO PAYMENTS VALUES (166, 'BQ327613', to_date( '2004-09-16', 'YYYY-MM-DD'), 42902.84);
INSERT INTO PAYMENTS VALUES (166, 'DC979307', to_date( '2004-07-07', 'YYYY-MM-DD'), 45788.72);
INSERT INTO PAYMENTS VALUES (166, 'LA318629', to_date( '2004-02-28', 'YYYY-MM-DD'), 24219.59);
INSERT INTO PAYMENTS VALUES (167, 'ED743615', to_date( '2004-09-19', 'YYYY-MM-DD'), 16363.1);
INSERT INTO PAYMENTS VALUES (167, 'GN228846', to_date( '2003-12-03', 'YYYY-MM-DD'), 95277.18);
INSERT INTO PAYMENTS VALUES (171, 'GB878038', to_date( '2004-03-15', 'YYYY-MM-DD'), 20178.13);
INSERT INTO PAYMENTS VALUES (171, 'IL104425', to_date( '2003-11-22', 'YYYY-MM-DD'), 48874.28);
INSERT INTO PAYMENTS VALUES (172, 'AD832091', to_date( '2004-09-09', 'YYYY-MM-DD'), 2173.6);
INSERT INTO PAYMENTS VALUES (172, 'CE51751', to_date( '2004-12-04', 'YYYY-MM-DD'), 56812.67);
INSERT INTO PAYMENTS VALUES (172, 'EH208589', to_date( '2003-04-20', 'YYYY-MM-DD'), 38217.41);
INSERT INTO PAYMENTS VALUES (173, 'GP545698', to_date( '2004-05-13', 'YYYY-MM-DD'), 14380.92);
INSERT INTO PAYMENTS VALUES (173, 'IG462397', to_date( '2004-03-29', 'YYYY-MM-DD'), 21782.7);
INSERT INTO PAYMENTS VALUES (175, 'I0448913', to_date( '2003-11-19', 'YYYY-MM-DD'), 26115.8);
INSERT INTO PAYMENTS VALUES (175, 'PI15215', to_date( '2004-07-10', 'YYYY-MM-DD'), 44130.52);
INSERT INTO PAYMENTS VALUES (177, 'AU750837', to_date( '2004-04-17', 'YYYY-MM-DD'), 17114.43);
INSERT INTO PAYMENTS VALUES (177, 'CI381435', to_date( '2004-01-19', 'YYYY-MM-DD'), 50490.64);
INSERT INTO PAYMENTS VALUES (181, 'CM564612', to_date( '2004-04-25', 'YYYY-MM-DD'), 24804.34);
INSERT INTO PAYMENTS VALUES (181, 'GQ132144', to_date( '2003-01-30', 'YYYY-MM-DD'), 6864.05);
INSERT INTO PAYMENTS VALUES (181, 'OH367219', to_date( '2004-11-16', 'YYYY-MM-DD'), 56372.87);
INSERT INTO PAYMENTS VALUES (186, 'AE192287', to_date( '2005-03-10', 'YYYY-MM-DD'), 26422.82);
INSERT INTO PAYMENTS VALUES (186, 'AK412714', to_date( '2003-10-27', 'YYYY-MM-DD'), 42083.5);
INSERT INTO PAYMENTS VALUES (186, 'RA602407', to_date( '2004-10-21', 'YYYY-MM-DD'), 42744.06);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO PAYMENTS VALUES (187, 'AM968797', to_date('2004-11-03', 'YYYY-MM-DD'), 57827.61);
INSERT INTO PAYMENTS VALUES (187, 'BQ39062', to_date('2004-12-08', 'YYYY-MM-DD'), 48962.28);
INSERT INTO PAYMENTS VALUES (187, 'KL124726', to_date('2003-03-27', 'YYYY-MM-DD'), 51017.92);
INSERT INTO PAYMENTS VALUES (189, 'BO711618', to_date('2004-10-03', 'YYYY-MM-DD'), 18971.96);
INSERT INTO PAYMENTS VALUES (189, 'NM916675', to_date('2004-03-01', 'YYYY-MM-DD'), 38784.47);
INSERT INTO PAYMENTS VALUES (198, 'FI192930', to_date('2004-12-06', 'YYYY-MM-DD'), 11528.53);
INSERT INTO PAYMENTS VALUES (198, 'HQ920205', to_date('2003-07-06', 'YYYY-MM-DD'), 7277.35);
INSERT INTO PAYMENTS VALUES (198, 'IS946883', to_date('2004-09-21', 'YYYY-MM-DD'), 7673.38);
INSERT INTO PAYMENTS VALUES (201, 'DP677013', to_date('2003-10-20', 'YYYY-MM-DD'), 26797.21);
INSERT INTO PAYMENTS VALUES (201, 'O0846801', to_date('2004-06-15', 'YYYY-MM-DD'), 50408.25);
INSERT INTO PAYMENTS VALUES (202, 'HI358554', to_date('2003-12-18', 'YYYY-MM-DD'), 38662.21);
INSERT INTO PAYMENTS VALUES (202, 'IQ627690', to_date('2004-11-08', 'YYYY-MM-DD'), 36576.71);
INSERT INTO PAYMENTS VALUES (204, 'GC697638', to_date('2004-08-13', 'YYYY-MM-DD'), 52505.36);
INSERT INTO PAYMENTS VALUES (204, 'IS150005', to_date('2004-09-24', 'YYYY-MM-DD'), 4692.6);
INSERT INTO PAYMENTS VALUES (205, 'GL756480', to_date('2003-12-04', 'YYYY-MM-DD'), 4512.48);
INSERT INTO PAYMENTS VALUES (205, 'LL562733', to_date('2003-09-05', 'YYYY-MM-DD'), 55776.12);
INSERT INTO PAYMENTS VALUES (205, 'NM739638', to_date('2005-02-06', 'YYYY-MM-DD'), 44273.36);
INSERT INTO PAYMENTS VALUES (209, 'ED520529', to_date('2004-06-21', 'YYYY-MM-DD'), 5416.9);
INSERT INTO PAYMENTS VALUES (209, 'PH785937', to_date('2004-05-04', 'YYYY-MM-DD'), 39341.23);
INSERT INTO PAYMENTS VALUES (211, 'BJ535230', to_date('2003-12-09', 'YYYY-MM-DD'), 48784.36);
INSERT INTO PAYMENTS VALUES (216, 'BG407567', to_date('2003-05-09', 'YYYY-MM-DD'), 4219.2);
INSERT INTO PAYMENTS VALUES (216, 'ML780814', to_date('2004-12-06', 'YYYY-MM-DD'), 21249.77);
INSERT INTO PAYMENTS VALUES (216, 'MM342086', to_date('2003-12-14', 'YYYY-MM-DD'), 44009.31);
INSERT INTO PAYMENTS VALUES (219, 'BN17870', to_date('2005-03-02', 'YYYY-MM-DD'), 3987.2);
INSERT INTO PAYMENTS VALUES (219, 'BR941480', to_date('2003-10-18', 'YYYY-MM-DD'), 5142.15);
INSERT INTO PAYMENTS VALUES (227, 'MQ413968', to_date('2003-10-31', 'YYYY-MM-DD'), 40321.61);
INSERT INTO PAYMENTS VALUES (227, 'NU21326', to_date('2004-11-02', 'YYYY-MM-DD'), 60273.94);
INSERT INTO PAYMENTS VALUES (233, 'II180006', to_date('2004-07-01', 'YYYY-MM-DD'), 24564.53);
INSERT INTO PAYMENTS VALUES (233, 'JG981190', to_date('2003-11-18', 'YYYY-MM-DD'), 15947.29);
INSERT INTO PAYMENTS VALUES (239, 'NQ865547', to_date('2004-03-15', 'YYYY-MM-DD'), 87489.23);
INSERT INTO PAYMENTS VALUES (240, 'IF245157', to_date('2004-11-16', 'YYYY-MM-DD'), 51334.16);
INSERT INTO PAYMENTS VALUES (240, 'JO719695', to_date('2004-03-28', 'YYYY-MM-DD'), 26906.68);
INSERT INTO PAYMENTS VALUES (242, 'AF40894', to_date('2003-11-22', 'YYYY-MM-DD'), 38098.24);
INSERT INTO PAYMENTS VALUES (242, 'HR224331', to_date('2005-06-03', 'YYYY-MM-DD'), 15139.12);
INSERT INTO PAYMENTS VALUES (242, 'KI744716', to_date('2003-07-21', 'YYYY-MM-DD'), 17251.08);
INSERT INTO PAYMENTS VALUES (249, 'IJ399820', to_date('2004-09-19', 'YYYY-MM-DD'), 38039.0);
INSERT INTO PAYMENTS VALUES (249, 'NE404084', to_date('2004-09-04', 'YYYY-MM-DD'), 56078.26);
INSERT INTO PAYMENTS VALUES (250, 'EQ12267', to_date('2005-05-17', 'YYYY-MM-DD'), 20321.53);
INSERT INTO PAYMENTS VALUES (250, 'HD284647', to_date('2004-12-30', 'YYYY-MM-DD'), 32623.93);
INSERT INTO PAYMENTS VALUES (250, 'HN114306', to_date('2003-07-18', 'YYYY-MM-DD'), 25624.88);
INSERT INTO PAYMENTS VALUES (256, 'EP227123', to_date('2004-02-10', 'YYYY-MM-DD'), 5759.42);
INSERT INTO PAYMENTS VALUES (256, 'HE84936', to_date('2004-10-22', 'YYYY-MM-DD'), 59074.88);
INSERT INTO PAYMENTS VALUES (259, 'EU280955', to_date('2004-11-06', 'YYYY-MM-DD'), 68943.4);
INSERT INTO PAYMENTS VALUES (259, 'GB361972', to_date('2003-12-07', 'YYYY-MM-DD'), 31363.18);
INSERT INTO PAYMENTS VALUES (260, 'IO164641', to_date('2004-08-30', 'YYYY-MM-DD'), 43332.35);
INSERT INTO PAYMENTS VALUES (260, 'NH776924', to_date('2004-04-24', 'YYYY-MM-DD'), 31302.5);
INSERT INTO PAYMENTS VALUES (276, 'EM979878', to_date('2005-02-09', 'YYYY-MM-DD'), 29852.17);
INSERT INTO PAYMENTS VALUES (276, 'KM841847', to_date('2003-11-13', 'YYYY-MM-DD'), 41791.95);
INSERT INTO PAYMENTS VALUES (276, 'LE432182', to_date('2003-09-28', 'YYYY-MM-DD'), 47191.76);
INSERT INTO PAYMENTS VALUES (276, 'OJ819725', to_date('2005-04-30', 'YYYY-MM-DD'), 35160.25);
INSERT INTO PAYMENTS VALUES (278, 'BJ483870', to_date('2004-12-05', 'YYYY-MM-DD'), 41696.69);
INSERT INTO PAYMENTS VALUES (278, 'GP636783', to_date('2003-03-02', 'YYYY-MM-DD'), 56181.32);
INSERT INTO PAYMENTS VALUES (278, 'NI983021', to_date('2003-11-24', 'YYYY-MM-DD'), 40077.71);
INSERT INTO PAYMENTS VALUES (282, 'IA793562', to_date('2003-08-03', 'YYYY-MM-DD'), 28397.26);
INSERT INTO PAYMENTS VALUES (282, 'JT819493', to_date('2004-08-02', 'YYYY-MM-DD'), 41297.14);
INSERT INTO PAYMENTS VALUES (282, 'OD327378', to_date('2005-01-03', 'YYYY-MM-DD'), 37905.15);
INSERT INTO PAYMENTS VALUES (286, 'DR578578', to_date('2004-10-28', 'YYYY-MM-DD'), 54251.66);
INSERT INTO PAYMENTS VALUES (286, 'KH910279', to_date('2004-09-05', 'YYYY-MM-DD'), 48828.72);
INSERT INTO PAYMENTS VALUES (298, 'AJ574927', to_date('2004-03-13', 'YYYY-MM-DD'), 50432.55);
INSERT INTO PAYMENTS VALUES (298, 'LF501133', to_date('2004-09-18', 'YYYY-MM-DD'), 67281.01);
INSERT INTO PAYMENTS VALUES (299, 'AD304085', to_date('2003-10-24', 'YYYY-MM-DD'), 45078.76);
INSERT INTO PAYMENTS VALUES (299, 'NR157385', to_date('2004-09-05', 'YYYY-MM-DD'), 34145.47);
INSERT INTO PAYMENTS VALUES (311, 'DG336041', to_date('2005-02-15', 'YYYY-MM-DD'), 49055.4);
INSERT INTO PAYMENTS VALUES (311, 'FA728475', to_date('2003-10-06', 'YYYY-MM-DD'), 37501.58);
INSERT INTO PAYMENTS VALUES (311, 'NQ966143', to_date('2004-04-25', 'YYYY-MM-DD'), 17813.4);
INSERT INTO PAYMENTS VALUES (314, 'LQ244073', to_date('2004-08-09', 'YYYY-MM-DD'), 47760.48);
INSERT INTO PAYMENTS VALUES (314, 'MD809704', to_date('2004-03-03', 'YYYY-MM-DD'), 18800.09);
INSERT INTO PAYMENTS VALUES (319, 'HL685576', to_date('2004-11-06', 'YYYY-MM-DD'), 46873.04);
INSERT INTO PAYMENTS VALUES (319, 'OM548174', to_date('2003-12-07', 'YYYY-MM-DD'), 38682.95);
INSERT INTO PAYMENTS VALUES (320, 'GJ597719', to_date('2005-01-18', 'YYYY-MM-DD'), 11021.3);
INSERT INTO PAYMENTS VALUES (320, 'HO576374', to_date('2003-08-20', 'YYYY-MM-DD'), 45738.39);
INSERT INTO PAYMENTS VALUES (320, 'MU817160', to_date('2003-11-24', 'YYYY-MM-DD'), 52191.44);
INSERT INTO PAYMENTS VALUES (321, 'DJ15149', to_date('2003-11-03', 'YYYY-MM-DD'), 95678.88);
INSERT INTO PAYMENTS VALUES (321, 'LA556321', to_date('2005-03-15', 'YYYY-MM-DD'), 54203.62);
INSERT INTO PAYMENTS VALUES (323, 'AL493079', to_date('2005-05-23', 'YYYY-MM-DD'), 39267.74);
INSERT INTO PAYMENTS VALUES (323, 'ES347491', to_date('2004-06-24', 'YYYY-MM-DD'), 40034.67);
INSERT INTO PAYMENTS VALUES (323, 'HG738664', to_date('2003-07-05', 'YYYY-MM-DD'), 2476.8);
INSERT INTO PAYMENTS VALUES (323, 'PQ803830', to_date('2004-12-24', 'YYYY-MM-DD'), 43930.62);
INSERT INTO PAYMENTS VALUES (324, 'DQ409197', to_date('2004-12-13', 'YYYY-MM-DD'), 13739.9);
INSERT INTO PAYMENTS VALUES (324, 'FP443161', to_date('2003-07-07', 'YYYY-MM-DD'), 32376.29);
INSERT INTO PAYMENTS VALUES (324, 'HB150714', to_date('2003-11-23', 'YYYY-MM-DD'), 42688.31);
INSERT INTO PAYMENTS VALUES (328, 'EN930356', to_date('2004-04-16', 'YYYY-MM-DD'), 8722.12);
INSERT INTO PAYMENTS VALUES (328, 'NR631421', to_date('2004-05-30', 'YYYY-MM-DD'), 27987.07);
INSERT INTO PAYMENTS VALUES (333, 'HL209210', to_date('2003-11-15', 'YYYY-MM-DD'), 27098.8);
INSERT INTO PAYMENTS VALUES (333, 'JK479662', to_date('2003-10-17', 'YYYY-MM-DD'), 10640.29);
INSERT INTO PAYMENTS VALUES (333, 'NF959653', to_date('2005-03-01', 'YYYY-MM-DD'), 21730.03);
INSERT INTO PAYMENTS VALUES (334, 'CS435306', to_date('2005-01-27', 'YYYY-MM-DD'), 51373.49);
INSERT INTO PAYMENTS VALUES (334, 'HH517378', to_date('2003-08-16', 'YYYY-MM-DD'), 31569.43);
INSERT INTO PAYMENTS VALUES (334, 'LF737277', to_date('2004-05-22', 'YYYY-MM-DD'), 31018.23);
INSERT INTO PAYMENTS VALUES (339, 'AP286625', to_date('2004-10-24', 'YYYY-MM-DD'), 27445.31);
INSERT INTO PAYMENTS VALUES (339, 'DA98827', to_date('2003-11-28', 'YYYY-MM-DD'), 40061.66);
INSERT INTO PAYMENTS VALUES (344, 'AF246722', to_date('2003-11-24', 'YYYY-MM-DD'), 34311.35);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO PAYMENTS VALUES (344, 'NJ906924', to_date('2004-04-02', 'YYYY-MM-DD'), 15330.7);
INSERT INTO PAYMENTS VALUES (347, 'DG700707', to_date('2004-01-18', 'YYYY-MM-DD'), 23889.32);
INSERT INTO PAYMENTS VALUES (347, 'LG808674', to_date('2003-10-24', 'YYYY-MM-DD'), 24159.14);
INSERT INTO PAYMENTS VALUES (350, 'BQ602907', to_date('2004-12-11', 'YYYY-MM-DD'), 20136.86);
INSERT INTO PAYMENTS VALUES (350, 'CI471510', to_date('2003-05-25', 'YYYY-MM-DD'), 52481.84);
INSERT INTO PAYMENTS VALUES (350, 'OB648482', to_date('2005-01-29', 'YYYY-MM-DD'), 2317.44);
INSERT INTO PAYMENTS VALUES (353, 'CO351193', to_date('2005-01-10', 'YYYY-MM-DD'), 48895.59);
INSERT INTO PAYMENTS VALUES (353, 'ED878227', to_date('2003-07-21', 'YYYY-MM-DD'), 15146.32);
INSERT INTO PAYMENTS VALUES (353, 'GT878649', to_date('2003-05-21', 'YYYY-MM-DD'), 18971.96);
INSERT INTO PAYMENTS VALUES (353, 'HJ618252', to_date('2005-06-09', 'YYYY-MM-DD'), 52029.07);
INSERT INTO PAYMENTS VALUES (357, 'AG240323', to_date('2003-12-16', 'YYYY-MM-DD'), 23294.8);
INSERT INTO PAYMENTS VALUES (357, 'NB291497', to_date('2004-07-01', 'YYYY-MM-DD'), 41418.55);
INSERT INTO PAYMENTS VALUES (362, 'FP170292', to_date('2004-07-11', 'YYYY-MM-DD'), 19548.35);
INSERT INTO PAYMENTS VALUES (362, 'OG208861', to_date('2004-09-21', 'YYYY-MM-DD'), 15344.64);
INSERT INTO PAYMENTS VALUES (363, 'HL575273', to_date('2004-11-17', 'YYYY-MM-DD'), 55570.6);
INSERT INTO PAYMENTS VALUES (363, 'IS232033', to_date('2003-01-16', 'YYYY-MM-DD'), 12133.25);
INSERT INTO PAYMENTS VALUES (363, 'PN238558', to_date('2003-12-05', 'YYYY-MM-DD'), 63981.45);
INSERT INTO PAYMENTS VALUES (379, 'CA762595', to_date('2005-02-12', 'YYYY-MM-DD'), 31474.78);
INSERT INTO PAYMENTS VALUES (379, 'FR499138', to_date('2003-09-16', 'YYYY-MM-DD'), 34992.4);
INSERT INTO PAYMENTS VALUES (379, 'GB890854', to_date('2004-08-02', 'YYYY-MM-DD'), 15110.8);
INSERT INTO PAYMENTS VALUES (381, 'BC726082', to_date('2004-12-03', 'YYYY-MM-DD'), 13463.48);
INSERT INTO PAYMENTS VALUES (381, 'CC475233', to_date('2003-04-19', 'YYYY-MM-DD'), 1711.26);
INSERT INTO PAYMENTS VALUES (381, 'GB117430', to_date('2005-02-03', 'YYYY-MM-DD'), 16628.16);
INSERT INTO PAYMENTS VALUES (381, 'MS154481', to_date('2003-08-22', 'YYYY-MM-DD'), 1637.2);
INSERT INTO PAYMENTS VALUES (382, 'CC871084', to_date('2003-05-12', 'YYYY-MM-DD'), 38629.14);
INSERT INTO PAYMENTS VALUES (382, 'CT821147', to_date('2004-08-01', 'YYYY-MM-DD'), 6693.28);
INSERT INTO PAYMENTS VALUES (382, 'PH29054', to_date('2004-11-27', 'YYYY-MM-DD'), 37353.16);
INSERT INTO PAYMENTS VALUES (385, 'BN347084', to_date('2003-12-02', 'YYYY-MM-DD'), 22841.96);
INSERT INTO PAYMENTS VALUES (385, 'CP804873', to_date('2004-11-19', 'YYYY-MM-DD'), 15928.75);
INSERT INTO PAYMENTS VALUES (385, 'EK785462', to_date('2003-03-09', 'YYYY-MM-DD'), 55245.02);
INSERT INTO PAYMENTS VALUES (386, 'DO106109', to_date('2003-11-18', 'YYYY-MM-DD'), 44669.74);
INSERT INTO PAYMENTS VALUES (386, 'HG438769', to_date('2004-07-18', 'YYYY-MM-DD'), 56421.65);
INSERT INTO PAYMENTS VALUES (398, 'AJ478695', to_date('2005-02-14', 'YYYY-MM-DD'), 38191.39);
INSERT INTO PAYMENTS VALUES (398, 'DO787644', to_date('2004-06-21', 'YYYY-MM-DD'), 25928.75);
INSERT INTO PAYMENTS VALUES (398, 'KB54275', to_date('2004-11-29', 'YYYY-MM-DD'), 44802.04);
INSERT INTO PAYMENTS VALUES (406, 'HJ217687', to_date('2004-01-28', 'YYYY-MM-DD'), 51172.65);
INSERT INTO PAYMENTS VALUES (406, 'NA197101', to_date('2004-06-17', 'YYYY-MM-DD'), 27931.21);
INSERT INTO PAYMENTS VALUES (412, 'GH197075', to_date('2004-07-25', 'YYYY-MM-DD'), 35911.81);
INSERT INTO PAYMENTS VALUES (412, 'PJ434867', to_date('2004-04-14', 'YYYY-MM-DD'), 36409.31);
INSERT INTO PAYMENTS VALUES (415, 'ER54537', to_date('2004-09-28', 'YYYY-MM-DD'), 34993.92);
INSERT INTO PAYMENTS VALUES (424, 'KF480160', to_date('2004-12-07', 'YYYY-MM-DD'), 27733.04);
INSERT INTO PAYMENTS VALUES (424, 'LM271923', to_date('2003-04-16', 'YYYY-MM-DD'), 24777.41);
INSERT INTO PAYMENTS VALUES (424, 'OA595449', to_date('2003-10-31', 'YYYY-MM-DD'), 25284.75);
INSERT INTO PAYMENTS VALUES (447, 'AO757239', to_date('2003-09-15', 'YYYY-MM-DD'), 7600.12);
INSERT INTO PAYMENTS VALUES (447, 'ER615123', to_date('2003-06-25', 'YYYY-MM-DD'), 20350.95);
INSERT INTO PAYMENTS VALUES (447, 'OU516561', to_date('2004-12-17', 'YYYY-MM-DD'), 29343.35);
INSERT INTO PAYMENTS VALUES (448, 'EQ620556', to_date('2003-11-06', 'YYYY-MM-DD'), 48710.92);
INSERT INTO PAYMENTS VALUES (448, 'FS299615', to_date('2005-04-18', 'YYYY-MM-DD'), 31606.72);
INSERT INTO PAYMENTS VALUES (448, 'KR822727', to_date('2004-09-30', 'YYYY-MM-DD'), 53941.69);
INSERT INTO PAYMENTS VALUES (450, 'EF485824', to_date('2004-06-21', 'YYYY-MM-DD'), 64600.34);
INSERT INTO PAYMENTS VALUES (452, 'ED473873', to_date('2003-11-15', 'YYYY-MM-DD'), 28550.59);
INSERT INTO PAYMENTS VALUES (452, 'FN640986', to_date('2003-11-20', 'YYYY-MM-DD'), 14938.15);
INSERT INTO PAYMENTS VALUES (452, 'HG635467', to_date('2005-05-03', 'YYYY-MM-DD'), 8775.16);
INSERT INTO PAYMENTS VALUES (455, 'HA777606', to_date('2003-12-05', 'YYYY-MM-DD'), 42498.76);
INSERT INTO PAYMENTS VALUES (455, 'IR662429', to_date('2004-05-12', 'YYYY-MM-DD'), 36973.31);
INSERT INTO PAYMENTS VALUES (456, 'GJ715659', to_date('2004-11-13', 'YYYY-MM-DD'), 31446.15);
INSERT INTO PAYMENTS VALUES (456, 'MO743231', to_date('2004-04-30', 'YYYY-MM-DD'), 1698.78);
INSERT INTO PAYMENTS VALUES (458, 'DD995006', to_date('2004-11-15', 'YYYY-MM-DD'), 34546.6);
INSERT INTO PAYMENTS VALUES (458, 'NA377824', to_date('2004-02-06', 'YYYY-MM-DD'), 24995.47);
INSERT INTO PAYMENTS VALUES (458, 'OO606861', to_date('2003-06-13', 'YYYY-MM-DD'), 61073.21);
INSERT INTO PAYMENTS VALUES (462, 'ED203908', to_date('2005-04-15', 'YYYY-MM-DD'), 37557.7);
INSERT INTO PAYMENTS VALUES (462, 'GC60330', to_date('2003-11-08', 'YYYY-MM-DD'), 11861.69);
INSERT INTO PAYMENTS VALUES (462, 'PE176846', to_date('2004-11-27', 'YYYY-MM-DD'), 49504.38);
INSERT INTO PAYMENTS VALUES (471, 'AB661578', to_date('2004-07-28', 'YYYY-MM-DD'), 12334.82);
INSERT INTO PAYMENTS VALUES (471, 'CO645196', to_date('2003-12-10', 'YYYY-MM-DD'), 37878.55);
INSERT INTO PAYMENTS VALUES (473, 'LL427009', to_date('2004-02-17', 'YYYY-MM-DD'), 7278.98);
INSERT INTO PAYMENTS VALUES (473, 'PC688499', to_date('2003-10-27', 'YYYY-MM-DD'), 21672.93);
INSERT INTO PAYMENTS VALUES (475, 'JP113227', to_date('2003-12-09', 'YYYY-MM-DD'), 8234.56);
INSERT INTO PAYMENTS VALUES (475, 'PB951268', to_date('2004-02-13', 'YYYY-MM-DD'), 37850.08);
INSERT INTO PAYMENTS VALUES (484, 'GK294076', to_date('2004-10-26', 'YYYY-MM-DD'), 3220.88);
INSERT INTO PAYMENTS VALUES (484, 'JH546765', to_date('2003-11-29', 'YYYY-MM-DD'), 51502.74);
INSERT INTO PAYMENTS VALUES (486, 'BL66528', to_date('2004-04-14', 'YYYY-MM-DD'), 7287.24);
INSERT INTO PAYMENTS VALUES (486, 'HS86661', to_date('2004-11-23', 'YYYY-MM-DD'), 48996.1);
INSERT INTO PAYMENTS VALUES (486, 'JB117768', to_date('2003-03-20', 'YYYY-MM-DD'), 27398.82);
INSERT INTO PAYMENTS VALUES (487, 'AH612904', to_date('2003-09-28', 'YYYY-MM-DD'), 34100.03);
INSERT INTO PAYMENTS VALUES (487, 'PT550181', to_date('2004-02-29', 'YYYY-MM-DD'), 16118.48);
INSERT INTO PAYMENTS VALUES (489, 'OC773849', to_date('2003-12-04', 'YYYY-MM-DD'), 27541.82);
INSERT INTO PAYMENTS VALUES (489, 'PO860906', to_date('2004-01-31', 'YYYY-MM-DD'), 8477.22);
INSERT INTO PAYMENTS VALUES (495, 'BH167026', to_date('2003-12-26', 'YYYY-MM-DD'), 63730.78);
INSERT INTO PAYMENTS VALUES (495, 'FN155234', to_date('2004-05-14', 'YYYY-MM-DD'), 7129.0);
INSERT INTO PAYMENTS VALUES (496, 'EU531600', to_date('2005-06-25', 'YYYY-MM-DD'), 34332.29);
INSERT INTO PAYMENTS VALUES (496, 'MB342426', to_date('2003-07-16', 'YYYY-MM-DD'), 37754.33);
INSERT INTO PAYMENTS VALUES (496, 'MN89921', to_date('2004-12-31', 'YYYY-MM-DD'), 58593.28);
INSERT INTO PAYMENTS VALUES (496, 'PL783960', to_date('2003-11-29', 'YYYY-MM-DD'), 26421.24);
INSERT INTO PRODUCTS VALUES ('S10 1678', '1969 Harley Davidson Ultimate Chopper', 'Motorcycles', '1:10', 'Min Lin Diecast', 'This replica features working kickstand, front suspension, gear-shift lever, footbrake lever, drive chain, wheels and steering. All parts are particularly delicate due to their precise scale and require special care and attention.', 7933, 48.81, 95.7);
INSERT INTO PRODUCTS VALUES ('S10 1949', '1952 Alpine Renault 1300', 'Classic Cars', '1:10', 'Classic Metal Creations', 'Turnable front wheels; steering function; detailed interior; detailed engine; opening hood; opening trunk; opening doors; and detailed chassis.', 7305, 98.58, 214.3);
INSERT INTO PRODUCTS VALUES ('S10 2016', '1996 Moto Guzzi 1100i', 'Motorcycles', '1:10', 'Highway 66 Mini Classics', 'Official Moto Guzzi logos and insignias, saddle bags located on side of motorcycle, detailed engine, working steering, working
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
suspension, two leather seats, luggage rack, dual exhaust pipes, small saddle bag located on handle bars, two-tone paint with chrome accents, superior die-cast detail , rotating wheels , working kick stand, diecast metal with plastic parts and baked enamel finish.',6625,68.99,118.94);
INSERT INTO PRODUCTS VALUES('S10_4698','2003 Harley-Davidson Eagle Drag Bike','Motorcycles','1:10','Red Start Diecast','Model features, official Harley Davidson logos and insignias, detachable rear wheelie bar, heavy diecast metal with resin parts, authentic multi-color tampo-printed graphics, separate engine drive belts, free-turning front fork, rotating tires and rear racing slick, certificate of authenticity, detailed engine, display stand\u000d\u0000a, precision diecast replica, baked enamel finish, 1:10 scale model, removable fender, seat and tank cover piece for displaying the superior detail of the v-twin engine',5582,91.02,193.66);
INSERT INTO PRODUCTS VALUES('S10_4757','1972 Alfa Romeo GTA','Classic Cars','1:10','Motor City Art Classics','Features include: Turnable front wheels; steering function; detailed interior; detailed engine; opening hood; opening trunk; opening doors; and detailed chassis.',3252,85.68,136.0);
INSERT INTO PRODUCTS VALUES('S10_4962','1962 LanciaA Delta 16V','Classic Cars','1:10','Second Gear Diecast','Features include: Turnable front wheels; steering function; detailed interior; detailed engine; opening hood; opening trunk; opening doors; and detailed chassis.',6791,103.42,147.74);
INSERT INTO PRODUCTS VALUES('S12_1099','1968 Ford Mustang','Classic Cars','1:12','Autoart Studio Design','Hood, doors and trunk all open to reveal highly detailed interior features. Steering wheel actually turns the front wheels. Color dark green.',68,95.34,194.57);
INSERT INTO PRODUCTS VALUES('S12_1108','2001 Ferrari Enzo','Classic Cars','1:12','Second Gear Diecast','Turnable front wheels; steering function; detailed interior; detailed engine; opening hood; opening trunk; opening doors; and detailed chassis.',3619,95.59,207.8);
INSERT INTO PRODUCTS VALUES('S12_1666','1958 Setra Bus','Trucks and Buses','1:12','Welly Diecast Productions','Model features 30 windows, skylights ' || chr(38) || ' glare resistant glass, working steering system, original logos',1579,77.9,136.67);
INSERT INTO PRODUCTS VALUES('S12_2823','2002 Suzuki XREO','Motorcycles','1:12','Unimax Art Galleries','Official logos and insignias, saddle bags located on side of motorcycle, detailed engine, working steering, working suspension, two leather seats, luggage rack, dual exhaust pipes, small saddle bag located on handle bars, two-tone paint with chrome accents, superior die-cast detail , rotating wheels , working kick stand, diecast metal with plastic parts and baked enamel finish.',9997,66.27,150.62);
INSERT INTO PRODUCTS VALUES('S12_3148','1969 Corvaair Monza','Classic Cars','1:18','Welly Diecast Productions','1:18 scale die-cast about 10 long doors open, hood opens, trunk opens and wheels roll',6906,89.14,151.08);
INSERT INTO PRODUCTS VALUES('S12_3380','1968 Dodge Charger','Classic Cars','1:12','Welly Diecast Productions','1:12 scale model of a 1968 Dodge Charger. Hood, doors and trunk all open to reveal highly detailed interior features. Steering wheel actually turns the front wheels. Color black',9123,75.16,117.44);
INSERT INTO PRODUCTS VALUES('S12_3891','1969 Ford Falcon','Classic Cars','1:12','Second Gear Diecast','Turnable front wheels; steering function; detailed interior; detailed engine; opening hood; opening trunk; opening doors; and detailed chassis.',1049,83.05,173.02);
INSERT INTO PRODUCTS VALUES('S12_3990','1970 Plymouth Hemi Cuda','Classic Cars','1:12','Studio M Art Models','Very detailed 1970 Plymouth Cuda model in 1:12 scale. The Cuda is generally accepted as one of the fastest original muscle cars from the 1970s. This model is a reproduction of one of the original 652 cars built in 1970. Red color.',5663,31.92,79.8);
INSERT INTO PRODUCTS VALUES('S12_4473','1957 Chevy Pickup','Trucks and Buses','1:12','Exoto Designs','1:12 scale die-cast about 20 long Hood opens, Rubber wheels',6125,55.7,118.5);
INSERT INTO PRODUCTS VALUES('S12_4675','1969 Dodge Charger','Classic Cars','1:12','Welly Diecast Productions','Detailed model of the 1969 Dodge Charger. This model includes finely detailed interior and exterior features. Painted in red and white.',7323,58.73,115.16);
INSERT INTO PRODUCTS VALUES('S18_1097','1940 Ford Pickup Truck','Trucks and Buses','1:18','Studio M Art Models','This model features soft rubber tires, working steering, rubber mud guards, authentic Ford logos, detailed undercarriage, opening doors and hood, removable split rear gate, full size spare mounted in bed, detailed interior with opening glove box',2613,58.33,116.67);
INSERT INTO PRODUCTS VALUES('S18_1129','1993 Mazda RX-7','Classic Cars','1:18','Highway 66 Mini Classics','This model features, opening hood, opening doors, detailed engine, rear spoiler, opening trunk, working steering, tinted windows, baked enamel finish. Color red.',3975,83.51,141.54);
INSERT INTO PRODUCTS VALUES('S18_1342','1937 Lincoln Berline','Vintage Cars','1:18','Motor City Art Classics','Features opening engine cover, doors, trunk, and fuel filler cap. Color black',8693,60.62,102.74);
INSERT INTO PRODUCTS VALUES('S18_1367','1936 Mercedes-Benz 500K Special Roadster','Vintage Cars','1:18','Studio M Art Models','This 1:18 scale replica is constructed of heavy die-cast metal and has all the features of the original: working doors and rumble seat, independent spring suspension, detailed interior, working steering system, and a bifold hood that reveals an engine so accurate that it even includes the wiring. All this is topped off with a baked enamel finish. Color white.',8635,24.26,53.91);
INSERT INTO PRODUCTS VALUES('S18_1589','1965 Aston Martin DB5','Classic Cars','1:18','Classic Metal Creations','Die-cast model of the silver 1965 Aston Martin DB5 in silver. This model includes full wire wheels and doors that open with fully detailed passenger compartment. In 1:18 scale, this model measures approximately 10 inches/20 cm long.',9042,65.96,124.44);
INSERT INTO PRODUCTS VALUES('S18_1662','1980s Black Hawk Helicopter','Planes','1:18','Red Start Diecast','1:18 scale replica of actual Army's UH-60L BLACK HAWK Helicopter. 100% hand-assembled. Features rotating rotor blades, propeller blades and rubber wheels.',5330,77.27,157.69);
INSERT INTO PRODUCTS VALUES('S18_1749','1917 Grand Touring Sedan','Vintage Cars','1:18','Welly Diecast Productions','This 1:18 scale replica of the 1917 Grand Touring car has all the features you would expect from museum quality reproductions: all four doors and bi-fold hood opening, detailed engine and instrument panel, chrome-look trim, and tufted upholstery, all topped off with a factory baked-enamel finish.',2724,86.7,170.0);
INSERT INTO PRODUCTS VALUES('S18_1889','1948 Porsche 356-A Roadster','Classic Cars','1:18','Gearbox Collectibles','This precision die-cast replica features opening doors, superb detail and craftsmanship, working steering system, opening forward compartment, opening rear trunk with removable spare, 4 wheel independent spring suspension as well as factory baked enamel finish.',8826,53.9,77.0);
INSERT INTO PRODUCTS VALUES('S18_1984','1995 Honda Civic','Classic Cars','1:18','Min Lin Diecast','This model features, opening hood, opening doors, detailed engine, rear spoiler, opening trunk, working steering, tinted windows, baked enamel finish. Color yellow.',9772,93.89,142.25);
INSERT INTO PRODUCTS VALUES('S18_2238','1998 Chrysler Plymouth Prowler','Classic Cars','1:18','Gearbox Collectibles','Turnable front wheels; steering function; detailed interior; detailed engine; opening hood; opening trunk; opening doors; and detailed chassis.',4724,101.51,163.73);
INSERT INTO PRODUCTS VALUES('S18_2248','1911 Ford Town Car','Vintage Cars','1:18','Motor City Art Classics','Features opening hood, opening doors, opening trunk, wide white wall tires, front door arm rests, working steering system',540,33.3,60.54);
INSERT INTO PRODUCTS VALUES('S18_2319','1964 Mercedes Tour Bus','Trucks and Buses','1:18','Unimax Art Galleries','Exact replica. 100+ parts. working steering system, original logos',8258,74.86,122.73);
INSERT INTO PRODUCTS VALUES('S18_2325','1932 Model A Ford J-Coupe','Vintage Cars','1:18','Autoart Studio Design','This model features grille-mounted chrome horn, lift-up louvered hood, fold-down rumble seat, working steering system, chrome-covered spare, opening doors, detailed and wired engine',9354,58.48,127.13);
INSERT INTO PRODUCTS VALUES('S18_2432','1926 Ford Fire Engine','Trucks and Buses','1:18','Carousel DieCast Legends','Gleaming red handsome appearance. Everything is here the fire hoses, ladder, axes, bells, lanterns, ready to fight any inferno.',2018,24.92,60.77);
INSERT INTO PRODUCTS VALUES('S18_2581','P-51-D Mustang','Planes','1:72','Gearbox Collectibles','Has retractable wheels and comes with a stand',992,49.0,84.48);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO PRODUCTS VALUES('S18_2625','1936 Harley Davidson El Knucklehead','Motorcycles','1:18','Welly Diecast Productions','Intricately detailed with chrome accents and trim, official die-struck logos and baked enamel finish.',4357,24.23,60.57);
INSERT INTO PRODUCTS VALUES('S18_2795','1928 Mercedes-Benz SSK','Vintage Cars','1:18','Gearbox Collectibles','This 1:18 replica features grille-mounted chrome horn, lift-up louvered hood, fold-down rumble seat, working steering system, chrome-covered spare, opening doors, detailed and wired engine. Color black.',548,72.56,168.75);
INSERT INTO PRODUCTS VALUES('S18_2870','1999 Indy 500 Monte Carlo SS','Classic Cars','1:18','Red Start Diecast','Features include opening and closing doors. Color: Red',8164,56.76,132.0);
INSERT INTO PRODUCTS VALUES('S18_2949','1913 Ford Model T Speedster','Vintage Cars','1:18','Carousel DieCast Legends','This 250 part reproduction includes moving handbrakes, clutch, throttle and foot pedals, squeezable horn, detailed wired engine, removable water, gas, and oil cans, pivoting monocle windshield, all topped with a baked enamel red finish. Each replica comes with an Owners Title and Certificate of Authenticity. Color red.',4189,60.78,101.31);
INSERT INTO PRODUCTS VALUES('S18_2957','1934 Ford V8 Coupe','Vintage Cars','1:18','Min Lin Diecast','Chrome Trim, Chrome Grille, Opening Hood, Opening Doors, Opening Trunk, Detailed Engine, Working Steering System',5649,34.35,62.46);
INSERT INTO PRODUCTS VALUES('S18_3029','1999 Yamaha Speed Boat','Ships','1:18','Min Lin Diecast','Exact replica. Wood and Metal. Many extras including rigging, long boats, pilot house, anchors, etc. Comes with three masts, all square-rigged.',4259,51.61,86.02);
INSERT INTO PRODUCTS VALUES('S18_3136','18th Century Vintage Horse Carriage','Vintage Cars','1:18','Red Start Diecast','Hand crafted diecast-like metal horse carriage is re-created in about 1:18 scale of antique horse carriage. This antique style metal Stagecoach is all hand-assembled with many different parts.\u000d\u0000a\u0000d\u0000aThis collectible metal horse carriage is painted in classic Red, and features turning steering wheel and is entirely hand-finished.',5992,60.74,104.72);
INSERT INTO PRODUCTS VALUES('S18_3140','1903 Ford Model A','Vintage Cars','1:18','Unimax Art Galleries','Features opening trunk, working steering system',3913,68.3,136.59);
INSERT INTO PRODUCTS VALUES('S18_3232','1992 Ferrari 360 Spider red','Classic Cars','1:18','Unimax Art Galleries','his replica features opening doors, superb detail and craftsmanship, working steering system, opening forward compartment, opening rear trunk with removable spare, 4 wheel independent spring suspension as well as factory baked enamel finish.',8347,77.9,169.34);
INSERT INTO PRODUCTS VALUES('S18_3233','1985 Toyota Supra','Classic Cars','1:18','Highway 66 Mini Classics','This model features soft rubber tires, working steering, rubber mud guards, authentic Ford logos, detailed undercarriage, opening doors and hood, removable split rear gate, full size spare mounted in bed, detailed interior with opening glove box',7733,57.01,107.57);
INSERT INTO PRODUCTS VALUES('S18_3259','Collectable Wooden Train','Trains','1:18','Carousel DieCast Legends','Hand crafted wooden toy train set is in about 1:18 scale, 25 inches in total length including 2 additional carts, of actual vintage train. This antique style wooden toy train model set is all hand-assembled with 100% wood.',6450,67.56,100.84);
INSERT INTO PRODUCTS VALUES('S18_3278','1969 Dodge Super Bee','Classic Cars','1:18','Min Lin Diecast','This replica features opening doors, superb detail and craftsmanship, working steering system, opening forward compartment, opening rear trunk with removable spare, 4 wheel independent spring suspension as well as factory baked enamel finish.',1917,49.05,80.41);
INSERT INTO PRODUCTS VALUES('S18_3320','1917 Maxwell Touring Car','Vintage Cars','1:18','Exoto Designs','Features Gold Trim, Full Size Spare Tire, Chrome Trim, Chrome Grille, Opening Hood, Opening Doors, Opening Trunk, Detailed Engine, Working Steering System',7913,57.54,99.21);
INSERT INTO PRODUCTS VALUES('S18_3482','1976 Ford Gran Torino','Classic Cars','1:18','Gearbox Collectibles','Highly detailed 1976 Ford Gran Torino Starsky and Hutch diecast model. Very well constructed and painted in red and white patterns.',9127,73.49,146.99);
INSERT INTO PRODUCTS VALUES('S18_3685','1948 Porsche Type 356 Roadster','Classic Cars','1:18','Gearbox Collectibles','This model features working front and rear suspension on accurately replicated and actuating shock absorbers as well as opening engine cover, rear stabilizer flap, and 4 opening doors.',8990,62.16,141.28);
INSERT INTO PRODUCTS VALUES('S18_3782','1957 Vespa GS150','Motorcycles','1:18','Studio M Art Models','Features rotating wheels, working kick stand. Comes with stand.',7689,32.95,62.17);
INSERT INTO PRODUCTS VALUES('S18_3856','1941 Chevrolet Special Deluxe Cabriolet','Vintage Cars','1:18','Exoto Designs','Features opening hood, opening doors, opening trunk, wide white wall tires, front door arm rests, working steering system, leather upholstery. Color black.',2378,64.58,105.87);
INSERT INTO PRODUCTS VALUES('S18_4027','1970 Triumph Spitfire','Classic Cars','1:18','Min Lin Diecast','Features include opening and closing doors. Color: White.',5545,91.92,143.62);
INSERT INTO PRODUCTS VALUES('S18_4409','1932 Alfa Romeo 8C2300 Spider Sport','Vintage Cars','1:18','Exoto Designs','This 1:18 scale precision die cast replica features the 6 front headlights of the original, plus a detailed version of the 142 horsepower straight 8 engine, dual spares and their famous comprehensive dashboard. Color black.',6553,43.26,92.03);
INSERT INTO PRODUCTS VALUES('S18_4522','1904 Buick Runabout','Vintage Cars','1:18','Exoto Designs','Features opening trunk, working steering system',8290,52.66,87.77);
INSERT INTO PRODUCTS VALUES('S18_4600','1940s Ford truck','Trucks and Buses','1:18','Motor City Art Classics','This 1940s Ford Pick-Up truck is re-created in 1:18 scale of original 1940s Ford truck. This antique style metal 1940s Ford Flatbed truck is all hand-assembled. This collectible 1940's Pick-Up truck is painted in classic dark green color, and features rotating wheels.',3128,84.76,121.08);
INSERT INTO PRODUCTS VALUES('S18_4668','1939 Cadillac Limousine','Vintage Cars','1:18','Studio M Art Models','Features completely detailed interior including Velvet floored drapes,deluxe wood grain floor, and a wood grain casket with separate chrome handles',6645,23.14,50.31);
INSERT INTO PRODUCTS VALUES('S18_4721','1957 Corvette Convertible','Classic Cars','1:18','Classic Metal Creations','1957 die cast Corvette Convertible in Roman Red with white sides and whitewall tires. 1:18 scale quality die-cast with detailed engine and underbody. Now you can own The Classic Corvette.',1249,69.93,148.8);
INSERT INTO PRODUCTS VALUES('S18_4933','1957 Ford Thunderbird','Classic Cars','1:18','Studio M Art Models','This 1:18 scale precision die-cast replica, with its optional porthole hardtop and factory baked-enamel Thunderbird Bronze finish, is a 100% accurate rendition of this American classic.',3209,34.21,71.27);
INSERT INTO PRODUCTS VALUES('S24_1046','1970 Chevy Chevelle SS 454','Classic Cars','1:24','Unimax Art Galleries','This model features rotating wheels, working steering system and opening doors. All parts are particularly delicate due to their precise scale and require special care and attention. It should not be picked up by the doors, roof, hood or trunk.',1005,49.24,73.49);
INSERT INTO PRODUCTS VALUES('S24_1444','1970 Dodge Coronet','Classic Cars','1:24','Highway 66 Mini Classics','1:24 scale die-cast about 18 long doors open, hood opens and rubber wheels',4074,32.37,57.8);
INSERT INTO PRODUCTS VALUES('S24_1578','1997 BMW R 1100 S','Motorcycles','1:24','Autoart Studio Design','Detailed scale replica with working suspension and constructed from over 70 parts',7003,60.86,112.7);
INSERT INTO PRODUCTS VALUES('S24_1628','1966 Shelby Cobra 427 S/C','Classic Cars','1:24','Carousel DieCast Legends','This diecast model of the 1966 Shelby Cobra 427 S/C includes many authentic details and operating parts. The 1:24 scale model of this iconic lightweight sports car from the 1960s comes in silver and it's own display case.',8197,29.18,50.31);
INSERT INTO PRODUCTS VALUES('S24_1785','1928 British Royal Navy Airplane','Planes','1:24','Classic Metal Creations','Official logos and insignias',3627,66.74,109.42);
INSERT INTO PRODUCTS VALUES('S24_1937','1939 Chevrolet Deluxe Coupe','Vintage Cars','1:24','Motor City Art Classics','This 1:24 scale die-cast replica of the 1939 Chevrolet Deluxe Coupe has the same classy look as the original. Features opening trunk, hood and doors and a showroom quality baked enamel finish.',7332,22.57,33.19);
INSERT INTO PRODUCTS VALUES('S24_2000','1960 BSA Gold Star DBD34 1960','Motorcycles','1:24','Highway 66 Mini Classics','Detailed scale replica with working suspension and constructed from over 70 parts',15,37.32,76.17);
INSERT INTO PRODUCTS VALUES('S24_2011','18th century schooner','Ships','1:24','Carousel DieCast Legends','All wood with canvas sails. Many extras including rigging, long boats, pilot house, anchors, etc. Comes with 4 masts, all square-rigged.',1898,82.34,122.89);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO PRODUCTS VALUES('S24_2022','1938 Cadillac V-16 Presidential Limousine','Vintage Cars','1:24','Classic Metal Creations','This 1:24 scale precision die cast replica of the 1938 Cadillac V-16 Presidential Limousine has all the details of the original, from the flags on the front to an opening back seat compartment complete with telephone and rifle. Features factory baked-enamel black finish, hood goddess ornament, working jump seats.',2847,20.61,44.8);
INSERT INTO PRODUCTS VALUES('S24_2300','1962 Volkswagen Microbus','Trucks and Buses','1:24','Autoart Studio Design','This 1:18 scale die cast replica of the 1962 Microbus is loaded with features: A working steering system, opening front doors and tailgate, and famous two-tone factory baked enamel finish, are all topped of by the sliding, real fabric, sunroof.',2327,61.34,127.79);
INSERT INTO PRODUCTS VALUES('S24_2360','1982 Ducati 900 Monster','Motorcycles','1:24','Highway 66 Mini Classics','Features two-tone paint with chrome accents, superior die-cast detail , rotating wheels , working kick stand',6840,47.1,69.26);
INSERT INTO PRODUCTS VALUES('S24_2766','1949 Jaguar XK 120','Classic Cars','1:24','Classic Metal Creations','Precision-engineered from original Jaguar specification in perfect scale ratio. Features opening doors, superb detail and craftsmanship, working steering system, opening forward compartment, opening rear trunk with removable spare, 4 wheel independent spring suspension as well as factory baked enamel finish.',2350,47.25,90.87);
INSERT INTO PRODUCTS VALUES('S24_2840','1958 Chevy Corvette Limited Edition','Classic Cars','1:24','Carousel DieCast Legends','The operating parts of this 1958 Chevy Corvette Limited Edition are particularly delicate due to their precise scale and require special care and attention. Features rotating wheels, working steering, opening doors and trunk. Color dark green.',2542,15.91,35.36);
INSERT INTO PRODUCTS VALUES('S24_2841','1900s Vintage Bi-Plane','Planes','1:24','Autoart Studio Design','Hand crafted diecast-like metal bi-plane is re-created in about 1:24 scale of antique pioneer airplane. All hand-assembled with many different parts. Hand-painted in classic yellow and features correct markings of original airplane.',5942,34.25,68.51);
INSERT INTO PRODUCTS VALUES('S24_2887','1952 Citroen-15CV','Classic Cars','1:24','Exoto Designs','Precision crafted hand-assembled 1:18 scale reproduction of the 1952 15CV, with its independent spring suspension, working steering system, opening doors and hood, detailed engine and instrument panel, all topped of with a factory fresh baked enamel finish.',1452,72.82,117.44);
INSERT INTO PRODUCTS VALUES('S24_2972','1982 Lamborghini Diablo','Classic Cars','1:24','Second Gear Diecast','This replica features opening doors, superb detail and craftsmanship, working steering system, opening forward compartment, opening rear trunk with removable spare, 4 wheel independent spring suspension as well as factory baked enamel finish.',7723,16.24,37.76);
INSERT INTO PRODUCTS VALUES('S24_3151','1912 Ford Model T Delivery Wagon','Vintage Cars','1:24','Min Lin Diecast','This model features chrome trim and grille, opening hood, opening doors, opening trunk, detailed engine, working steering system. Color white.',9173,46.91,88.51);
INSERT INTO PRODUCTS VALUES('S24_3191','1969 Chevrolet Camaro Z28','Classic Cars','1:24','Exoto Designs','1969 Z/28 Chevy Camaro 1:24 scale replica. The operating parts of this limited edition 1:24 scale diecast model car 1969 Chevy Camaro Z28-hood, trunk, wheels, steering, suspension and doors- are particularly delicate due to their precise scale and require special care and attention.',4695,50.51,85.61);
INSERT INTO PRODUCTS VALUES('S24_3371','1971 Alpine Renault 1600s','Classic Cars','1:24','Welly Diecast Productions','This 1971 Alpine Renault 1600s replica Features opening doors, superb detail and craftsmanship, working steering system, opening forward compartment, opening rear trunk with removable spare, 4 wheel independent spring suspension as well as factory baked enamel finish.',7995,38.58,61.23);
INSERT INTO PRODUCTS VALUES('S24_3420','1937 Horch 930V Limousine','Vintage Cars','1:24','Autoart Studio Design','Features opening hood, opening doors, opening trunk, wide white wall tires, front door arm rests, working steering system',2902,26.3,65.75);
INSERT INTO PRODUCTS VALUES('S24_3432','2002 Chevy Corvette','Classic Cars','1:24','Gearbox Collectibles','The operating parts of this limited edition Diecast 2002 Chevy Corvette 50th Anniversary Pace car Limited Edition are particularly delicate due to their precise scale and require special care and attention. Features rotating wheels, poseable steering, opening doors and trunk.',9446,62.11,107.08);
INSERT INTO PRODUCTS VALUES('S24_3816','1940 Ford Delivery Sedan','Vintage Cars','1:24','Carousel DieCast Legends','Chrome Trim, Chrome Grille, Opening Hood, Opening Doors, Opening Trunk, Detailed Engine, Working Steering System. Color black.',6621,48.64,83.86);
INSERT INTO PRODUCTS VALUES('S24_3856','1956 Porsche 356A Coupe','Classic Cars','1:18','Classic Metal Creations','Features include: Turnable front wheels; steering function; detailed interior; detailed engine; opening hood; opening trunk; opening doors; and detailed chassis.',6600,98.3,140.43);
INSERT INTO PRODUCTS VALUES('S24_3949','Corsair F4U ( Bird Cage)','Planes','1:24','Second Gear Diecast','Has retractable wheels and comes with a stand. Official logos and insignias.',6812,29.34,68.24);
INSERT INTO PRODUCTS VALUES('S24_3969','1936 Mercedes Benz 500k Roadster','Vintage Cars','1:24','Red Start Diecast','This model features grille-mounted chrome horn, lift-up louvered hood, fold-down rumble seat, working steering system and rubber wheels. Color black.',2081,21.75,41.03);
INSERT INTO PRODUCTS VALUES('S24_4048','1992 Porsche Cayenne Turbo Silver','Classic Cars','1:24','Exoto Designs','This replica features opening doors, superb detail and craftsmanship, working steering system, opening forward compartment, opening rear trunk with removable spare, 4 wheel independent spring suspension as well as factory baked enamel finish.',6582,69.78,118.28);
INSERT INTO PRODUCTS VALUES('S24_4258','1936 Chrysler Airflow','Vintage Cars','1:24','Second Gear Diecast','Features opening trunk, working steering system. Color dark green.',4710,57.46,97.39);
INSERT INTO PRODUCTS VALUES('S24_4278','1900s Vintage Tri-Plane','Planes','1:24','Unimax Art Galleries','Hand crafted diecast-like metal Triplane is Re-created in about 1:24 scale of antique pioneer airplane. This antique style metal triplane is all hand-assembled with many different parts.',2756,36.23,72.45);
INSERT INTO PRODUCTS VALUES('S24_4620','1961 Chevrolet Impala','Classic Cars','1:18','Classic Metal Creations','This 1:18 scale precision die-cast reproduction of the 1961 Chevrolet Impala has all the features-doors, hood and trunk that open; detailed 409 cubic-inch engine; chrome dashboard and stick shift, two-tone interior; working steering system; all topped of with a factory baked-enamel finish.',7869,32.33,80.84);
INSERT INTO PRODUCTS VALUES('S32_1268','1980 GM Manhattan Express','Trucks and Buses','1:32','Motor City Art Classics','This 1980 GM Manhattan express is still active, running from the Bronx to mid-town Manhattan. Has 35 opening windows and working lights. Needs a battery.',5099,53.93,96.31);
INSERT INTO PRODUCTS VALUES('S32_1374','1997 BMW F650 ST','Motorcycles','1:32','Exoto Designs','Features official die-struck logos and baked enamel finish. Comes with stand.',178,66.92,99.89);
INSERT INTO PRODUCTS VALUES('S32_2206','1982 Ducati 996 R','Motorcycles','1:32','Gearbox Collectibles','Features rotating wheels , working kick stand. Comes with stand.',9241,24.14,40.23);
INSERT INTO PRODUCTS VALUES('S32_2509','1954 Greyhound Scenicruiser','Trucks and Buses','1:32','Classic Metal Creations','Model features bi-level seating, 50 windows, skylights || chr(38) || glare resistant glass, working steering system, original logos',2874,25.98,54.11);
INSERT INTO PRODUCTS VALUES('S32_3207','1950's Chicago Surface Lines Streetcar','Trains','1:32','Gearbox Collectibles','This streetcar is a joy to see. It has 80 separate windows, electric wire guides, detailed interiors with seats, poles and drivers controls, rolling and turning wheel assemblies, plus authentic factory baked-enamel finishes (Green Hornet for Chicago and Cream and Crimson for Boston).',8601,26.72,62.14);
INSERT INTO PRODUCTS VALUES('S32_3522','1996 Peterbilt 379 Stake Bed with Outrigger','Trucks and Buses','1:32','Red Start Diecast','This model features, opening doors, detailed engine, working steering, tinted windows, detailed interior, die-struck logos, removable stakes operating outriggers, detachable second trailer, functioning 360-degree self loader, precision molded resin trailer and trim, baked enamel finish on cab',814,33.61,64.64);
INSERT INTO PRODUCTS VALUES('S32_4289','1928 Ford Phaeton Deluxe','Vintage Cars','1:32','Highway 66 Mini Classics','This model features grille-mounted chrome horn, lift-up louvered hood, fold-down rumble seat, working steering system',136,33.02,68.79);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO PRODUCTS VALUES('S32_4485','1974 Ducati 350 Mk3 Desmo','Motorcycles','1:32','Second Gear Diecast','This model features two-tone paint with chrome accents, superior die-cast detail , rotating wheels , working kick stand',3341,56.13,102.05);
INSERT INTO PRODUCTS VALUES('S50_1341','1930 Buick Marquette Phaeton','Vintage Cars','1:50','Studio M Art Models','Features opening trunk, working steering system',7062,27.06,43.64);
INSERT INTO PRODUCTS VALUES('S50_1392','Diamond T620 Semi-Skirted Tanker','Trucks and Buses','1:50','Highway 66 Mini Classics','This limited edition model is licensed and perfectly scaled for Lionel Trains. The Diamond T620 has been produced in solid precision diecast and painted with a fire baked enamel finish. It comes with a removable tanker and is a perfect model to add authenticity to your static train or car layout or to just have on display.',1016,68.29,115.75);
INSERT INTO PRODUCTS VALUES('S50_1514','1962 City of Detroit Streetcar','Trains','1:50','Classic Metal Creations','This streetcar is a joy to see. It has 99 separate windows, electric wire guides, detailed interiors with seats, poles and drivers controls, rolling and turning wheel assemblies, plus authentic factory baked-enamel finishes (Green Hornet for Chicago and Cream and Crimson for Boston).',1645,37.49,58.58);
INSERT INTO PRODUCTS VALUES('S50_4713','2002 Yamaha YZR M1','Motorcycles','1:50','Autoart Studio Design','Features rotating wheels , working kick stand. Comes with stand.',600,34.17,81.36);
INSERT INTO PRODUCTS VALUES('S700_1138','The Schooner Bluenose','Ships','1:700','Autoart Studio Design','All wood with canvas sails. Measures 31 1/2 inches in Length, 22 inches High and 4 3/4 inches Wide. Many extras.\u000d\u000aThe schooner Bluenose was built in Nova Scotia in 1921 to fish the rough waters off the coast of Newfoundland. Because of the Bluenose racing prowess she became the pride of all Canadians. Still featured on stamps and the Canadian dime, the Bluenose was lost off Haiti in 1946.',1897,34.0,66.67);
INSERT INTO PRODUCTS VALUES('S700_1691','American Airlines: B767-300','Planes','1:700','Min Lin Diecast','Exact replia with official logos and insignias and retractable wheels',5841,51.15,91.34);
INSERT INTO PRODUCTS VALUES('S700_1938','The Mayflower','Ships','1:700','Studio M Art Models','Measures 31 1/2 inches Long x 25 1/2 inches High x 10 5/8 inches Wide\u000d\u000aall wood with canvas sail. Extras include long boats, rigging, ladders, railing, anchors, side cannons, hand painted, etc.\u000d\u000a\u000d\u000a\u000d\u000a\u000d\u000a\u000d\u000a\u000d\u000aThe Mayflower was already old in 1620, when the pilgrims charted her to bring their band of 103 to North America.',737,43.3,86.61);
INSERT INTO PRODUCTS VALUES('S700_2047','HMS Bounty','Ships','1:700','Unimax Art Galleries','Measures 30 inches Long x 27 1/2 inches High x 4 3/4 inches Wide. \u000d\u000d\u000aMany extras including rigging, long boats, pilot house, anchors, etc. Comes with three masts, all square-rigged.',3501,39.83,90.52);
INSERT INTO PRODUCTS VALUES('S700_2466','America West Airlines B757-200','Planes','1:700','Motor City Art Classics','Official logos and insignias. Working steering system. Rotating jet engines',9653,68.8,99.72);
INSERT INTO PRODUCTS VALUES('S700_2610','The USS Constitution Ship','Ships','1:700','Red Start Diecast','All wood with canvas sails. Measures 31 1/2 Length x 22 3/8 High x 8 1/4 Width. Extras include 4 boats on deck, sea sprite on bow, anchors, copper railing, pilot houses, etc.\u000d\u000a\u000a\u000d\u000d\u000a\u000d\u000a\u000d\u000a\u000d\u000aThis was one of six warships commissioned by George Washington and launched in 1797. The nickname Old Ironsides was given the ship when British cannonballs bounced off the 21-inch oak planking of the American frigate's hull. The Constitution has been restored and now resides in Boston Harbor.',7083,33.97,72.28);
INSERT INTO PRODUCTS VALUES('S700_2824','1982 Camaro Z28','Classic Cars','1:18','Carousel DieCast Legends','Features include opening and closing doors. Color: White. \u000d\u000d\u000aMeasures approximately 9 1/2 Long.',6934,46.53,101.15);
INSERT INTO PRODUCTS VALUES('S700_2834','ATA: B757-300','Planes','1:700','Highway 66 Mini Classics','Exact replia with official logos and insignias and retractable wheels',7106,59.33,118.65);
INSERT INTO PRODUCTS VALUES('S700_3167','F/A 18 Hornet 1/72','Planes','1:72','Motor City Art Classics','10 Wingspan with retractable landing gears.Comes with pilot',551,54.4,80.0);
INSERT INTO PRODUCTS VALUES('S700_3505','The Titanic','Ships','1:700','Carousel DieCast Legends','Completed model measures 19 1/2 inches long, 9 inches high, 3 inches wide and is in barn red/black. All wood and metal.',1956,51.09,100.17);
INSERT INTO PRODUCTS VALUES('S700_3962','The Queen Mary','Ships','1:700','Welly Diecast Productions','Exact replica. Wood and Metal. Many extras including rigging, long boats, pilot house, anchors, etc. Comes with three masts, all square-rigged.',5088,53.63,99.31);
INSERT INTO PRODUCTS VALUES('S700_4002','American Airlines: MD-11S','Planes','1:700','Second Gear Diecast','Polished finish. Exact replia with official logos and insignias and retractable wheels',8820,36.27,74.03);
INSERT INTO PRODUCTS VALUES('S72_1253','Boeing X-32A JSF','Planes','1:72','Motor City Art Classics','10 Wingspan with retractable landing gears.Comes with pilot',4857,32.77,49.66);
INSERT INTO PRODUCTS VALUES('S72_3212','Pont Yacht','Ships','1:72','Unimax Art Galleries','Measures 38 inches Long x 33 3/4 inches High. Includes a stand.\u000d\u000d\u000a\u000d\u000d\u000aMany extras including rigging, long boats, pilot house, anchors, etc. Comes with 2 masts, all square-rigged',414,33.3,54.6);
INSERT INTO TRIAL_BALANCE VALUES('I',4100,'Revenue','Direct Sales','Direct Sales',400000);
INSERT INTO TRIAL_BALANCE VALUES('I',4200,'Revenue','Channel Sales','Channel Sales',150000);
INSERT INTO TRIAL_BALANCE VALUES('I',5010,'Cost of goods','Cost of goods available for sale','Beginning inventory',-40000);
INSERT INTO TRIAL_BALANCE VALUES('I',5020,'Cost of goods','Cost of goods available for sale','Net purchases',-325000);
INSERT INTO TRIAL_BALANCE VALUES('I',5040,'Cost of goods','Ending inventory','Ending inventory',35000);
INSERT INTO TRIAL_BALANCE VALUES('E',5110,'Expenses','Selling expenses','Sales salaries',-48000);
INSERT INTO TRIAL_BALANCE VALUES('E',5120,'Expenses','Selling expenses','Nonrecurring item',-12000);
INSERT INTO TRIAL_BALANCE VALUES('E',5130,'Expenses','Selling expenses','Other',-13000);
INSERT INTO TRIAL_BALANCE VALUES('E',5310,'Expenses','General and administrative expenses','Office salaries',-27100);
INSERT INTO TRIAL_BALANCE VALUES('E',5320,'Expenses','General and administrative expenses','Depreciation',-5500);
INSERT INTO TRIAL_BALANCE VALUES('E',5330,'Expenses','General and administrative expenses','Amortization',-3200);
INSERT INTO TRIAL_BALANCE VALUES('E',5340,'Expenses','General and administrative expenses','Bad debt',-4500);
INSERT INTO TRIAL_BALANCE VALUES('E',5350,'Expenses','General and administrative expenses','Other',-24200);
INSERT INTO TRIAL_BALANCE VALUES('I',6110,'Other revenues','Interest','Interest',5200);
INSERT INTO TRIAL_BALANCE VALUES('I',6120,'Other revenues','Dividends','Dividends',7200);
INSERT INTO TRIAL_BALANCE VALUES('I',6130,'Other revenues','Gain on sale of equipment','Gain on sale of equipment',8600);
INSERT INTO TRIAL_BALANCE VALUES('E',7110,'Other expenses','Interest','Interest',-9400);
INSERT INTO TRIAL_BALANCE VALUES('E',7120,'Other expenses','Writeoff - goodwill','Writeoff - goodwill',-5000);
INSERT INTO TRIAL_BALANCE VALUES('E',7130,'Other expenses','Unusual item - loss on sale of long-term investment','Unusual item - loss on sale of long-term investment',-5100);
INSERT INTO TRIAL_BALANCE VALUES('E',7200,'Income tax expense','Income tax expense','Income tax expense',-33600);
INSERT INTO TRIAL_BALANCE VALUES('I',9100,'Extraordinary item - gain on disposal of business segment','Extraordinary item - gain on disposal of business segment','Extraordinary item - gain on disposal of business segment',24000);
INSERT INTO TRIAL_BALANCE VALUES('I',9200,'Other Comprehensive Income','Other Comprehensive Income','Other Comprehensive Income',12000);
-----
INSERT INTO ORDERFACT VALUES(10100,'S18_1749',30,100,3,5151,to_date( '2003-01-06', 'YYYY-MM-DD'),to_date( '2003-01-13', 'YYYY-MM-DD'),to_date( '2003-01-10', 'YYYY-MM-DD'),'Shipped',NULL,363,to_date( '2003-01-06', 'YYYY-MM-DD'),1,1,2003);
INSERT INTO ORDERFACT VALUES(10100,'S18_2248',50,67.8,2,3390,to_date( '2003-01-06', 'YYYY-MM-DD'),to_date( '2003-01-13', 'YYYY-MM-DD'),to_date( '2003-01-10', 'YYYY-MM-DD'),'Shipped',NULL,363,to_date( '2003-01-06', 'YYYY-MM-DD'),1,1,2003);
INSERT INTO ORDERFACT VALUES(10100,'S18_4409',22,86.51,4,1903.22,to_date( '2003-01-06', 'YYYY-MM-DD'),to_date( '2003-01-13', 'YYYY-MM-DD'),to_date( '2003-01-10', 'YYYY-MM-DD'),'Shipped',NULL,363,to_date( '2003-01-06', 'YYYY-MM-DD'),1,1,2003);
INSERT INTO ORDERFACT VALUES(10100,'S24_3969',49,34.47,1,1689.03,to_date( '2003-01-06', 'YYYY-MM-DD'),to_date( '2003-01-13', 'YYYY-MM-DD'),to_date( '2003-01-10', 'YYYY-MM-DD'),'Shipped',NULL,363,to_date( '2003-01-06', 'YYYY-MM-DD'),1,1,2003);
INSERT INTO ORDERFACT VALUES(10101,'S18_2325',25,100,4,3782,to_date( '2003-01-09', 'YYYY-MM-DD'),to_date( '2003-01-18', 'YYYY-MM-DD'),to_date( '2003-01-11', 'YYYY-MM-DD'),'Shipped','Check on availability',128,to_date( '2003-01-09', 'YYYY-MM-
```





# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES(10108,'S24 3856',40,100,1,5448.8,to_date('2003-03-03','YYYY-MM-DD'),to_date('2003-03-12','YYYY-MM-DD'),to_date('2003-03-08','YYYY-MM-DD'),'Shipped',NULL,385,to_date('2003-03-03','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10108,'S24 4620',31,68.71,10,2130.01,to_date('2003-03-03','YYYY-MM-DD'),to_date('2003-03-12','YYYY-MM-DD'),to_date('2003-03-08','YYYY-MM-DD'),'Shipped',NULL,385,to_date('2003-03-03','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10108,'S32 2206',27,43.45,13,1173.15,to_date('2003-03-03','YYYY-MM-DD'),to_date('2003-03-12','YYYY-MM-DD'),to_date('2003-03-08','YYYY-MM-DD'),'Shipped',NULL,385,to_date('2003-03-03','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10108,'S32 4485',31,100,16,3669.78,to_date('2003-03-03','YYYY-MM-DD'),to_date('2003-03-12','YYYY-MM-DD'),to_date('2003-03-08','YYYY-MM-DD'),'Shipped',NULL,385,to_date('2003-03-03','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10108,'S50 4713',34,82.99,14,2821.66,to_date('2003-03-03','YYYY-MM-DD'),to_date('2003-03-12','YYYY-MM-DD'),to_date('2003-03-08','YYYY-MM-DD'),'Shipped',NULL,385,to_date('2003-03-03','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10109,'S18 1129',26,100,4,4379.18,to_date('2003-03-10','YYYY-MM-DD'),to_date('2003-03-19','YYYY-MM-DD'),to_date('2003-03-11','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',486,to_date('2003-03-10','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10109,'S18 1984',38,100,3,4432.7,to_date('2003-03-10','YYYY-MM-DD'),to_date('2003-03-19','YYYY-MM-DD'),to_date('2003-03-11','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',486,to_date('2003-03-10','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10109,'S18 2870',26,100,1,3157.44,to_date('2003-03-10','YYYY-MM-DD'),to_date('2003-03-19','YYYY-MM-DD'),to_date('2003-03-11','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',486,to_date('2003-03-10','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10109,'S18 3232',46,100,5,8257,to_date('2003-03-10','YYYY-MM-DD'),to_date('2003-03-19','YYYY-MM-DD'),to_date('2003-03-11','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',486,to_date('2003-03-10','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10109,'S18 3685',47,100,2,6241.6,to_date('2003-03-10','YYYY-MM-DD'),to_date('2003-03-19','YYYY-MM-DD'),to_date('2003-03-11','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',486,to_date('2003-03-10','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10109,'S24 2972',29,32.1,6,930.9,to_date('2003-03-10','YYYY-MM-DD'),to_date('2003-03-19','YYYY-MM-DD'),to_date('2003-03-11','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this shipping',486,to_date('2003-03-10','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S18 1589',37,100,16,5433.08,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S18 1749',42,100,7,6069,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S18 2248',32,50.25,6,1608,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S18 2325',33,100,4,3859.68,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S18 2795',31,100,1,5074.39,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S18 4409',28,89.27,8,2499.56,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S18 4933',42,61.29,9,2574.18,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S24 1046',36,85.25,13,3069,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S24 1628',29,59.37,15,1721.73,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S24 1937',20,35.51,3,710.2,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S24 2022',39,44.35,2,1729.65,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S24 2766',43,78.15,11,3360.45,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S24 2887',46,100,10,5942.28,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S24 3191',27,73.62,12,1987.74,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S24 3432',37,100,14,3724.42,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10110,'S24 3969',48,34.47,5,1654.56,to_date('2003-03-18','YYYY-MM-DD'),to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-03-20','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2003-03-18','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10111,'S18 1342',33,99.66,6,3288.78,to_date('2003-03-25','YYYY-MM-DD'),to_date('2003-03-31','YYYY-MM-DD'),to_date('2003-03-30','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2003-03-25','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10111,'S18 1367',48,49.06,5,2354.88,to_date('2003-03-25','YYYY-MM-DD'),to_date('2003-03-31','YYYY-MM-DD'),to_date('2003-03-30','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2003-03-25','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10111,'S18 2957',28,64.33,2,1801.24,to_date('2003-03-25','YYYY-MM-DD'),to_date('2003-03-31','YYYY-MM-DD'),to_date('2003-03-30','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2003-03-25','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10111,'S18 3136',43,100,1,4818.15,to_date('2003-03-25','YYYY-MM-DD'),to_date('2003-03-31','YYYY-MM-DD'),to_date('2003-03-30','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2003-03-25','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10111,'S18 3320',39,100,4,4178.85,to_date('2003-03-25','YYYY-MM-DD'),to_date('2003-03-31','YYYY-MM-DD'),to_date('2003-03-30','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2003-03-25','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10111,'S24 4258',26,86.68,3,2253.68,to_date('2003-03-25','YYYY-MM-DD'),to_date('2003-03-31','YYYY-MM-DD'),to_date('2003-03-30','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2003-03-25','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10112,'S10 1949',29,100,1,7209.11,to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-04-03','YYYY-MM-DD'),to_date('2003-03-29','YYYY-MM-DD'),'Shipped','Customer requested that ad materials (such as posters, pamphlets) be included in the shipment',144,to_date('2003-03-24','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10112,'S18 2949',23,100,2,2539.89,to_date('2003-03-24','YYYY-MM-DD'),to_date('2003-04-03','YYYY-MM-DD'),to_date('2003-03-29','YYYY-MM-DD'),'Shipped','Customer requested that ad materials (such as posters, pamphlets) be included in the shipment',144,to_date('2003-03-24','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10113,'S12 1666',21,100,2,3415.44,to_date('2003-03-26','YYYY-MM-DD'),to_date('2003-04-02','YYYY-MM-DD'),to_date('2003-03-27','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2003-03-26','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10113,'S18 1097',49,100,4,4916.66,to_date('2003-03-26','YYYY-MM-DD'),to_date('2003-04-02','YYYY-MM-DD'),to_date('2003-03-27','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2003-03-26','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10113,'S18 4668',50,49.81,3,2490.5,to_date('2003-03-26','YYYY-MM-DD'),to_date('2003-04-02','YYYY-MM-DD'),to_date('2003-03-27','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2003-03-26','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10113,'S32 3522',23,68.52,1,1575.96,to_date('2003-03-26','YYYY-MM-DD'),to_date('2003-04-02','YYYY-MM-DD'),to_date('2003-03-27','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2003-03-26','YYYY-MM-DD'),1,3,2003);
INSERT INTO ORDERFACT VALUES(10114,'S10 4962',31,100,8,4305.28,to_date('2003-04-01','YYYY-MM-DD'),to_date('2003-04-07','YYYY-MM-DD'),to_date('2003-04-02','YYYY-MM-DD'),'Shipped',NULL,172,to_date('2003-04-01','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10114,'S18 2319',39,100,3,4164.42,to_date('2003-04-01','YYYY-MM-DD'),to_date('2003-04-07','YYYY-MM-DD'),to_date('2003-04-02','YYYY-MM-DD'),'Shipped',NULL,172,to_date('2003-04-01','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10114,'S18 2432',45,68.67,6,3090.15,to_date('2003-04-01','YYYY-MM-DD'),to_date('2003-04-07','YYYY-MM-DD'),to_date('2003-04-02','YYYY-MM-DD'),'Shipped',NULL,172,to_date('2003-04-01','YYYY-MM-DD'),2,4,2003);
```





# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10120,'S24 2000',34,83.79,5,2848.86,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08',
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10120,'S24 4278',29,85.49,9,2479.21,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08',
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10120,'S32 1374',22,100.6,2461.36,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08',
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10120,'S32 4289',29,72.23,11,2094.67,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08',
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10120,'S50 1341',49,50.62,12,2480.38,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08',
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10120,'S700 1691',47,82.21,13,3863.87,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08',
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10120,'S700 2466',24,100.15,2584.8,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08',
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10120,'S700 2834',24,100.7,3417.12,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08',
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10120,'S700 3167',43,76.14,3268,to_date('2003-04-29','YYYY-MM-DD'),to_date('2003-05-08',
'YYYY-MM-DD'),to_date('2003-05-01','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-04-29','YYYY-MM-DD'),2,4,2003);
INSERT INTO ORDERFACT VALUES(10121,'S10 1678',34,81.35,5,2765.9,to_date('2003-05-07','YYYY-MM-DD'),to_date('2003-05-13',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2003-05-07','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10121,'S12 2823',50,100.4,8284,to_date('2003-05-07','YYYY-MM-DD'),to_date('2003-05-13',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2003-05-07','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10121,'S24 2360',32,76.88,2,2460.16,to_date('2003-05-07','YYYY-MM-DD'),to_date('2003-05-13',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2003-05-07','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10121,'S32 4485',25,86.74,3,2168.5,to_date('2003-05-07','YYYY-MM-DD'),to_date('2003-05-13',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2003-05-07','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10121,'S50 4713',44,74.85,1,3293.4,to_date('2003-05-07','YYYY-MM-DD'),to_date('2003-05-13',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2003-05-07','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S12 1099',42,100.10,7599.9,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S12 3380',37,99.82,8,3693.34,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S12 3990',32,63.84,11,2042.88,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S12 4675',20,100.7,2142,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S18 1129',34,100.2,5004.8,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S18 1889',43,72.38,6,3112.34,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S18 1984',31,100.1,4100.99,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S18 3232',25,100.3,3598.5,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S18 3278',21,73.17,13,1536.57,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S18 3482',21,100.12,2469.39,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S18 3782',35,49.74,16,1740.9,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S18 4721',28,100.15,3583.16,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S24 2972',39,30.96,4,1207.44,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S24 3371',34,50.21,9,1707.14,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S24 3856',43,100.5,5494.97,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S24 4620',29,71.14,14,2063.06,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10122,'S32 2206',31,44.66,17,1384.46,to_date('2003-05-08','YYYY-MM-DD'),to_date('2003-05-16',
'YYYY-MM-DD'),to_date('2003-05-13','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2003-05-08','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10123,'S18 1589',26,100.2,3073.72,to_date('2003-05-20','YYYY-MM-DD'),to_date('2003-05-29',
'YYYY-MM-DD'),to_date('2003-05-22','YYYY-MM-DD'),'Shipped',NULL,103,to_date('2003-05-20','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10123,'S18 2870',46,100.3,5161.2,to_date('2003-05-20','YYYY-MM-DD'),to_date('2003-05-29',
'YYYY-MM-DD'),to_date('2003-05-22','YYYY-MM-DD'),'Shipped',NULL,103,to_date('2003-05-20','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10123,'S18 3685',34,100.4,5331.88,to_date('2003-05-20','YYYY-MM-DD'),to_date('2003-05-29',
'YYYY-MM-DD'),to_date('2003-05-22','YYYY-MM-DD'),'Shipped',NULL,103,to_date('2003-05-20','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10123,'S24 1628',50,59.87,1,2993.5,to_date('2003-05-20','YYYY-MM-DD'),to_date('2003-05-29',
'YYYY-MM-DD'),to_date('2003-05-22','YYYY-MM-DD'),'Shipped',NULL,103,to_date('2003-05-20','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S18 1749',21,100.6,2856,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29',
'YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models.
There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-
MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S18 2248',42,53.88,5,2262.96,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29',
'YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models.
There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-
MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S18 2325',42,100.3,4431.84,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29',
'YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models.
There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-
MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S18 4409',36,85.59,7,3081.24,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29',
'YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models.
There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-
MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S18 4933',23,57.73,8,1327.79,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29',
'YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models.
There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-
MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S24 1046',22,77.9,12,1713.8,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29',
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
'YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S24 1937',45,37.84,2,1702.8,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29','YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S24 2022',22,45.25,1,995.5,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29','YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S24 2766',32,72.7,10,2326.4,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29','YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S24 2887',25,93.95,9,2348.75,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29','YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S24 3191',49,83.04,11,4068.96,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29','YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S24 3432',43,100,13,5203,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29','YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10124,'S24 3969',46,33.23,4,1528.58,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-29','YYYY-MM-DD'),to_date('2003-05-25','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',112,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10125,'S18 1342',32,100,1,3254.72,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-27','YYYY-MM-DD'),to_date('2003-05-24','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10125,'S18 2795',34,100,2,6483.46,to_date('2003-05-21','YYYY-MM-DD'),to_date('2003-05-27','YYYY-MM-DD'),to_date('2003-05-24','YYYY-MM-DD'),'Shipped',NULL,114,to_date('2003-05-21','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S10 1949',38,100,11,7329.06,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S10 4962',22,100,4,3347.74,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S12 1666',21,100,8,2439.57,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S18 1097',38,100,10,3857,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S18 1367',42,54.99,17,2309.58,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S18 2432',43,65.02,2,2795.86,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S18 2949',31,90,17,12,2795.27,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S18 2957',46,73.7,14,3390.2,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S18 3136',30,97.39,13,2921.7,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S18 3320',38,82.34,16,3128.92,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S18 4600',50,100,5,7083,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S18 4668',43,53.83,9,2314.69,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S24 2300',27,100,1,3415.77,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S24 4258',34,100,15,3576.12,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S32 1268',43,96.31,3,4141.33,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S32 3522',26,62.7,7,1630.2,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10126,'S700 2824',45,100,6,4597.2,to_date('2003-05-28','YYYY-MM-DD'),to_date('2003-06-07','YYYY-MM-DD'),to_date('2003-06-02','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2003-05-28','YYYY-MM-DD'),2,5,2003);
INSERT INTO ORDERFACT VALUES(10127,'S12 1108',46,100,2,11279.2,to_date('2003-06-03','YYYY-MM-DD'),to_date('2003-06-09','YYYY-MM-DD'),to_date('2003-06-06','YYYY-MM-DD'),'Shipped','Customer requested special shipment. The instructions were passed along to the warehouse',151,to_date('2003-06-03','YYYY-MM-DD'),2,6,2003);
INSERT INTO ORDERFACT VALUES(10127,'S12 3148',46,100,3,7366.44,to_date('2003-06-03','YYYY-MM-DD'),to_date('2003-06-09','YYYY-MM-DD'),to_date('2003-06-06','YYYY-MM-DD'),'Shipped','Customer requested special shipment. The instructions were passed along to the warehouse',151,to_date('2003-06-03','YYYY-MM-DD'),2,6,2003);
INSERT INTO ORDERFACT VALUES(10127,'S12 3891',42,100,1,8138.76,to_date('2003-06-03','YYYY-MM-DD'),to_date('2003-06-09','YYYY-MM-DD'),to_date('2003-06-06','YYYY-MM-DD'),'Shipped','Customer requested special shipment. The instructions were passed along to the warehouse',151,to_date('2003-06-03','YYYY-MM-DD'),2,6,2003);
INSERT INTO ORDERFACT VALUES(10127,'S18 2319',45,100,14,6295.95,to_date('2003-06-03','YYYY-MM-DD'),to_date('2003-06-09','YYYY-MM-DD'),to_date('2003-06-06','YYYY-MM-DD'),'Shipped','Customer requested special shipment. The instructions were passed along to the warehouse',151,to_date('2003-06-03','YYYY-MM-DD'),2,6,2003);
INSERT INTO ORDERFACT VALUES(10127,'S18 3232',22,100,15,3837.24,to_date('2003-06-03','YYYY-MM-DD'),to_date('2003-06-09','YYYY-MM-DD'),to_date('2003-06-06','YYYY-MM-DD'),'Shipped','Customer requested special shipment. The instructions were passed along to the warehouse',151,to_date('2003-06-03','YYYY-MM-DD'),2,6,2003);
INSERT INTO ORDERFACT VALUES(10127,'S18 4027',25,100,5,3447,to_date('2003-06-03','YYYY-MM-DD'),to_date('2003-06-09','YYYY-MM-DD'),to_date('2003-06-06','YYYY-MM-DD'),'Shipped','Customer requested special shipment. The instructions were
```























# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES(10165,'S24 2840',27,31.82,13,859.14,to_date('2003-10-22','YYYY-MM-DD'),to_date('2003-10-31','YYYY-MM-DD'),to_date('2003-12-26','YYYY-MM-DD'),'Shipped','This order was on hold because customers's credit limit had been exceeded. Order will ship when payment is received',148,to_date('2003-10-22','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10165,'S24 4048',24,99.36,8,2384.64,to_date('2003-10-22','YYYY-MM-DD'),to_date('2003-10-31','YYYY-MM-DD'),to_date('2003-12-26','YYYY-MM-DD'),'Shipped','This order was on hold because customers's credit limit had been exceeded. Order will ship when payment is received',148,to_date('2003-10-22','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10165,'S32 2509',48,45.99,14,2207.52,to_date('2003-10-22','YYYY-MM-DD'),to_date('2003-10-31','YYYY-MM-DD'),to_date('2003-12-26','YYYY-MM-DD'),'Shipped','This order was on hold because customers's credit limit had been exceeded. Order will ship when payment is received',148,to_date('2003-10-22','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10165,'S32 3207',44,53.44,7,2351.36,to_date('2003-10-22','YYYY-MM-DD'),to_date('2003-10-31','YYYY-MM-DD'),to_date('2003-12-26','YYYY-MM-DD'),'Shipped','This order was on hold because customers's credit limit had been exceeded. Order will ship when payment is received',148,to_date('2003-10-22','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10165,'S50 1392',48,94.92,10,4556.16,to_date('2003-10-22','YYYY-MM-DD'),to_date('2003-10-31','YYYY-MM-DD'),to_date('2003-12-26','YYYY-MM-DD'),'Shipped','This order was on hold because customers's credit limit had been exceeded. Order will ship when payment is received',148,to_date('2003-10-22','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10165,'S50 1514',38,66.78,5,2537.64,to_date('2003-10-22','YYYY-MM-DD'),to_date('2003-10-31','YYYY-MM-DD'),to_date('2003-12-26','YYYY-MM-DD'),'Shipped','This order was on hold because customers's credit limit had been exceeded. Order will ship when payment is received',148,to_date('2003-10-22','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10166,'S18 3140',43,100.2,6930.74,to_date('2003-10-21','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),to_date('2003-10-27','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2003-10-21','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10166,'S18 4522',26,73.73,1,1916.98,to_date('2003-10-21','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),to_date('2003-10-27','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2003-10-21','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10166,'S700 1938',29,100.3,3013.97,to_date('2003-10-21','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),to_date('2003-10-27','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2003-10-21','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S10 4757',44,100.9,5924.16,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S18 1662',43,100.1,5763.72,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S18 3029',46,73.12,7,3363.52,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S18 3856',34,100.6,3599.58,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S24 2011',33,100.16,3812.16,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S24 2841',21,69.88,2,1467.48,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S24 3151',20,79.66,11,1593.2,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S24 3420',32,63.12,3,2019.84,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S24 3816',29,83.86,8,2431.94,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S700 1138',43,75.34,12,3239.62,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S700 2047',29,100.5,2940.02,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S700 2610',46,70.11,10,3225.06,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S700 3505',24,100.13,2812.8,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S700 3962',28,100.14,3003,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S72 1253',40,41.71,4,1668.4,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10167,'S72 3212',38,48.59,15,1846.42,to_date('2003-10-23','YYYY-MM-DD'),to_date('2003-10-30','YYYY-MM-DD'),NULL,'Cancelled','Customer called to cancel. The warehouse was notified in time and the order didn't ship. They have a new VP of Sales and are shifting their sales model. Our VP of Sales should contact them.',448,to_date('2003-10-23','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10168,'S10 1678',36,96.66,1,3479.76,to_date('2003-10-28','YYYY-MM-DD'),to_date('2003-11-03','YYYY-MM-DD'),to_date('2003-11-01','YYYY-MM-DD'),'Shipped',NULL,161,to_date('2003-10-28','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10168,'S10 2016',27,100.4,3660.93,to_date('2003-10-28','YYYY-MM-DD'),to_date('2003-11-03','YYYY-MM-DD'),to_date('2003-11-01','YYYY-MM-DD'),'Shipped',NULL,161,to_date('2003-10-28','YYYY-MM-DD'),4,10,2003);
```

































# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
'YYYY-MM-DD'),to_date('2004-01-18','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2004-01-16','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10212,'S24 3432',46,87.81,4,4039.26,to_date('2004-01-16','YYYY-MM-DD'),to_date('2004-01-24',
'YYYY-MM-DD'),to_date('2004-01-18','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2004-01-16','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10212,'S24 3856',49,100,13,6949.67,to_date('2004-01-16','YYYY-MM-DD'),to_date('2004-01-24',
'YYYY-MM-DD'),to_date('2004-01-18','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2004-01-16','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10213,'S18 4409',38,94.79,1,3602.02,to_date('2004-01-22','YYYY-MM-DD'),to_date('2004-01-28',
'YYYY-MM-DD'),to_date('2004-01-27','YYYY-MM-DD'),'Shipped','Difficult to negotiate with customer. We need more marketing
materials',489,to_date('2004-01-22','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10213,'S18 4933',25,83.39,2,2084.75,to_date('2004-01-22','YYYY-MM-DD'),to_date('2004-01-28',
'YYYY-MM-DD'),to_date('2004-01-27','YYYY-MM-DD'),'Shipped','Difficult to negotiate with customer. We need more marketing
materials',489,to_date('2004-01-22','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10213,'S24 2887',27,100,3,2790.45,to_date('2004-01-22','YYYY-MM-DD'),to_date('2004-01-28',
'YYYY-MM-DD'),to_date('2004-01-27','YYYY-MM-DD'),'Shipped','Difficult to negotiate with customer. We need more marketing
materials',489,to_date('2004-01-22','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10214,'S18 1749',30,100,7,5967,to_date('2004-01-26','YYYY-MM-DD'),to_date('2004-02-04',
'YYYY-MM-DD'),to_date('2004-01-29','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2004-01-26','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10214,'S18 2248',21,62.96,6,1322.16,to_date('2004-01-26','YYYY-MM-DD'),to_date('2004-02-04',
'YYYY-MM-DD'),to_date('2004-01-29','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2004-01-26','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10214,'S18 2325',27,100,4,3604.23,to_date('2004-01-26','YYYY-MM-DD'),to_date('2004-02-04',
'YYYY-MM-DD'),to_date('2004-01-29','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2004-01-26','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10214,'S18 2795',50,100,1,9534.5,to_date('2004-01-26','YYYY-MM-DD'),to_date('2004-02-04',
'YYYY-MM-DD'),to_date('2004-01-29','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2004-01-26','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10214,'S24 1937',20,34.19,3,683.8,to_date('2004-01-26','YYYY-MM-DD'),to_date('2004-02-04',
'YYYY-MM-DD'),to_date('2004-01-29','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2004-01-26','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10214,'S24 2022',49,47.94,2,2349.06,to_date('2004-01-26','YYYY-MM-DD'),to_date('2004-02-04',
'YYYY-MM-DD'),to_date('2004-01-29','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2004-01-26','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10214,'S24 3969',44,34.88,5,1534.72,to_date('2004-01-26','YYYY-MM-DD'),to_date('2004-02-04',
'YYYY-MM-DD'),to_date('2004-01-29','YYYY-MM-DD'),'Shipped',NULL,458,to_date('2004-01-26','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S10 1949',35,100,3,6075.3,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08',
'YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S18 1097',46,100,2,5152,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08',
'YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S18 1342',27,89.38,10,2413.26,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-
08','YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S18 1367',33,43.13,9,1423.29,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08',
'YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S18 2949',49,100,4,5510.05,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08',
'YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S18 2957',31,58.71,6,1820.01,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08',
'YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S18 3136',49,100,5,5285.14,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08',
'YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S18 3320',41,100,8,4555.92,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08',
'YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S18 4668',46,45.28,1,2082.88,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08',
'YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10215,'S24 4258',39,90.57,7,3532.23,to_date('2004-01-29','YYYY-MM-DD'),to_date('2004-02-08',
'YYYY-MM-DD'),to_date('2004-02-01','YYYY-MM-DD'),'Shipped','Customer requested that FedEx Ground is used for this
shipping',475,to_date('2004-01-29','YYYY-MM-DD'),1,1,2004);
INSERT INTO ORDERFACT VALUES(10216,'S12 1666',43,100,1,5759.42,to_date('2004-02-02','YYYY-MM-DD'),to_date('2004-02-10',
'YYYY-MM-DD'),to_date('2004-02-04','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-02-02','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10217,'S10 4962',48,100,4,7020.48,to_date('2004-02-04','YYYY-MM-DD'),to_date('2004-02-14',
'YYYY-MM-DD'),to_date('2004-02-06','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-02-04','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10217,'S18 2432',35,61.38,2,2148.3,to_date('2004-02-04','YYYY-MM-DD'),to_date('2004-02-14',
'YYYY-MM-DD'),to_date('2004-02-06','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-02-04','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10217,'S18 4600',38,100,5,4509.08,to_date('2004-02-04','YYYY-MM-DD'),to_date('2004-02-14',
'YYYY-MM-DD'),to_date('2004-02-06','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-02-04','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10217,'S24 2300',28,100,1,3148.88,to_date('2004-02-04','YYYY-MM-DD'),to_date('2004-02-14',
'YYYY-MM-DD'),to_date('2004-02-06','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-02-04','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10217,'S32 1268',21,100,3,2244.9,to_date('2004-02-04','YYYY-MM-DD'),to_date('2004-02-14',
'YYYY-MM-DD'),to_date('2004-02-06','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-02-04','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10217,'S32 3522',39,62.05,7,2419.95,to_date('2004-02-04','YYYY-MM-DD'),to_date('2004-02-14',
'YYYY-MM-DD'),to_date('2004-02-06','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-02-04','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10217,'S700 2824',31,88,6,2728,to_date('2004-02-04','YYYY-MM-DD'),to_date('2004-02-14',
'YYYY-MM-DD'),to_date('2004-02-06','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-02-04','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10218,'S18 2319',22,100,1,2673,to_date('2004-02-09','YYYY-MM-DD'),to_date('2004-02-16',
'YYYY-MM-DD'),to_date('2004-02-11','YYYY-MM-DD'),'Shipped','Customer requested that ad materials (such as posters,
pamphlets) be included in the shipment',473,to_date('2004-02-09','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10218,'S18 3232',34,100,2,4605.98,to_date('2004-02-09','YYYY-MM-DD'),to_date('2004-02-16',
'YYYY-MM-DD'),to_date('2004-02-11','YYYY-MM-DD'),'Shipped','Customer requested that ad materials (such as posters,
pamphlets) be included in the shipment',473,to_date('2004-02-09','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10219,'S12 4473',48,100,2,4891.68,to_date('2004-02-10','YYYY-MM-DD'),to_date('2004-02-17',
'YYYY-MM-DD'),to_date('2004-02-12','YYYY-MM-DD'),'Shipped',NULL,487,to_date('2004-02-10','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10219,'S18 2238',43,100,1,8448.64,to_date('2004-02-10','YYYY-MM-DD'),to_date('2004-02-17',
'YYYY-MM-DD'),to_date('2004-02-12','YYYY-MM-DD'),'Shipped',NULL,487,to_date('2004-02-10','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10219,'S24 2840',21,40.31,3,846.51,to_date('2004-02-10','YYYY-MM-DD'),to_date('2004-02-17',
'YYYY-MM-DD'),to_date('2004-02-12','YYYY-MM-DD'),'Shipped',NULL,487,to_date('2004-02-10','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10219,'S32 2509',35,55.19,4,1931.65,to_date('2004-02-10','YYYY-MM-DD'),to_date('2004-02-17',
'YYYY-MM-DD'),to_date('2004-02-12','YYYY-MM-DD'),'Shipped',NULL,487,to_date('2004-02-10','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10220,'S12 1108',32,100,2,7181.44,to_date('2004-02-12','YYYY-MM-DD'),to_date('2004-02-19',
'YYYY-MM-DD'),to_date('2004-02-16','YYYY-MM-DD'),'Shipped',NULL,189,to_date('2004-02-12','YYYY-MM-DD'),1,2,2004);
INSERT INTO ORDERFACT VALUES(10220,'S12 3148',30,100,3,4713.6,to_date('2004-02-12','YYYY-MM-DD'),to_date('2004-02-19',
'YYYY-MM-DD'),to_date('2004-02-16','YYYY-MM-DD'),'Shipped',NULL,189,to_date('2004-02-12','YYYY-MM-DD'),1,2,2004);
```















# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES(10246,'S24 2840',49,36,07,6,1767.43,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-13','YYYY-MM-DD'),to_date('2004-05-06','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10246,'S24 4048',46,100,1,6311.2,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-13','YYYY-MM-DD'),to_date('2004-05-06','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10246,'S32 2509',35,48,7,7,1704.5,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-13','YYYY-MM-DD'),to_date('2004-05-06','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10246,'S50 1392',22,100,3,2928.42,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-13','YYYY-MM-DD'),to_date('2004-05-06','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10247,'S12 1108',44,100,2,10606.2,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-08','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10247,'S12 3148',25,100,3,4381.25,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-08','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10247,'S12 3891',27,100,1,4157.73,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-08','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10247,'S18 4027',48,100,5,6756,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-08','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10247,'S32 3207',40,49,71,6,1988.4,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-08','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10247,'S50 1514',49,63,85,4,3128.65,to_date('2004-05-05','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-08','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2004-05-05','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S10 4757',20,100,3,2910.4,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S18 3029',21,73.98,1,1553.58,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S18 3140',32,100,12,3802.56,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S18 3259',42,100,14,5082.42,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S18 4522',42,75.48,11,3170.16,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S24 2011',48,100,10,6960.48,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S24 3151',30,100,5,3053.7,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S24 3816',23,76.31,2,1755.13,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S700 1138',36,71.34,6,2568.24,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S700 1938',40,100,13,4157.2,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S700 2610',32,75.89,4,2428.48,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S700 3505',30,100,7,3245.4,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S700 3962',35,90.37,8,3162.95,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10248,'S72 3212',23,65.52,9,1506.96,to_date('2004-05-07','YYYY-MM-DD'),to_date('2004-05-14','YYYY-MM-DD'),NULL,'Cancelled','Order was mistakenly placed. The warehouse noticed the lack of documentation.',131,to_date('2004-05-07','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10249,'S18 3856',46,100,5,5600.5,to_date('2004-05-08','YYYY-MM-DD'),to_date('2004-05-17','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),'Shipped','Can we deliver the new Ford Mustang models by end-of-quarter?',173,to_date('2004-05-08','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10249,'S24 2841',20,67.82,1,1356.4,to_date('2004-05-08','YYYY-MM-DD'),to_date('2004-05-17','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),'Shipped','Can we deliver the new Ford Mustang models by end-of-quarter?',173,to_date('2004-05-08','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10249,'S24 3420',25,69.7,2,1742.5,to_date('2004-05-08','YYYY-MM-DD'),to_date('2004-05-17','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),'Shipped','Can we deliver the new Ford Mustang models by end-of-quarter?',173,to_date('2004-05-08','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10249,'S700 2047',40,95.95,4,3838,to_date('2004-05-08','YYYY-MM-DD'),to_date('2004-05-17','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),'Shipped','Can we deliver the new Ford Mustang models by end-of-quarter?',173,to_date('2004-05-08','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10249,'S72 1253',32,57.61,3,1843.52,to_date('2004-05-08','YYYY-MM-DD'),to_date('2004-05-17','YYYY-MM-DD'),to_date('2004-05-11','YYYY-MM-DD'),'Shipped','Can we deliver the new Ford Mustang models by end-of-quarter?',173,to_date('2004-05-08','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10250,'S18 1662',45,100,14,8160.3,to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-19','YYYY-MM-DD'),to_date('2004-05-15','YYYY-MM-DD'),'Shipped',NULL,450,to_date('2004-05-11','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10250,'S18 2581',27,98.84,4,2668.68,to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-19','YYYY-MM-DD'),to_date('2004-05-15','YYYY-MM-DD'),'Shipped',NULL,450,to_date('2004-05-11','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10250,'S24 1785',31,88.63,6,2747.53,to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-19','YYYY-MM-DD'),to_date('2004-05-15','YYYY-MM-DD'),'Shipped',NULL,450,to_date('2004-05-11','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10250,'S24 2000',32,87.6,1,2803.2,to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-19','YYYY-MM-DD'),to_date('2004-05-15','YYYY-MM-DD'),'Shipped',NULL,450,to_date('2004-05-11','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10250,'S24 3949',40,75.06,13,3002.4,to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-19','YYYY-MM-DD'),to_date('2004-05-15','YYYY-MM-DD'),'Shipped',NULL,450,to_date('2004-05-11','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10250,'S24 4278',37,74.62,5,2760.94,to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-19','YYYY-MM-DD'),to_date('2004-05-15','YYYY-MM-DD'),'Shipped',NULL,450,to_date('2004-05-11','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10250,'S32 1374',31,100,2,3282.28,to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-19','YYYY-MM-DD'),to_date('2004-05-15','YYYY-MM-DD'),'Shipped',NULL,450,to_date('2004-05-11','YYYY-MM-DD'),2,5,2004);
INSERT INTO ORDERFACT VALUES(10250,'S32 4289',50,61.22,7,3061.45,to_date('2004-05-11','YYYY-MM-DD'),to_date('2004-05-19','YYYY-MM-DD'),to_date('2004-05-15','YYYY-MM-DD'),'Shipped',NULL,450,to_date('2004-05-11','YYYY-MM-DD'),2,5,2004);
```









# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES(10259,'S24 2300',47,100,9,5285.62,to_date('2004-06-15','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),to_date('2004-06-17','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-06-15','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10259,'S24 2840',31,33.24,5,1030.44,to_date('2004-06-15','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),to_date('2004-06-17','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-06-15','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10259,'S32 1268',45,86.68,11,3900.6,to_date('2004-06-15','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),to_date('2004-06-17','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-06-15','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10259,'S32 2509',40,43.83,6,1753.2,to_date('2004-06-15','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),to_date('2004-06-17','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-06-15','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10259,'S50 1392',29,100,2,3054.57,to_date('2004-06-15','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),to_date('2004-06-17','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-06-15','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S12 1108',46,100,5,10514.7,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S12 3148',30,100,6,5121.6,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S12 3891',44,100,4,7536.76,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S18 3140',32,100,1,4196.16,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S18 3259',29,88.74,3,2573.46,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S18 4027',23,100,8,3567.53,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S24 4048',23,100,10,2366.7,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S32 3207',27,57.17,9,1543.59,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S50 1514',21,55.65,7,1168.65,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10260,'S700 1938',33,85.74,2,2829.42,to_date('2004-06-16','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),NULL,'Cancelled','Customer heard complaints from their customers and called to cancel this order. Will notify the Sales Manager.',357,to_date('2004-06-16','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10261,'S10 4757',27,100,1,3378.24,to_date('2004-06-17','YYYY-MM-DD'),to_date('2004-06-25','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2004-06-17','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10261,'S18 4522',20,89.53,9,1790.6,to_date('2004-06-17','YYYY-MM-DD'),to_date('2004-06-25','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2004-06-17','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10261,'S24 2011',36,100,8,4512.6,to_date('2004-06-17','YYYY-MM-DD'),to_date('2004-06-25','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2004-06-17','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10261,'S24 3151',22,91.17,3,2005.74,to_date('2004-06-17','YYYY-MM-DD'),to_date('2004-06-25','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2004-06-17','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10261,'S700 1138',34,62.4,2,2108,to_date('2004-06-17','YYYY-MM-DD'),to_date('2004-06-25','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2004-06-17','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10261,'S700 2610',44,68.67,2,3021.48,to_date('2004-06-17','YYYY-MM-DD'),to_date('2004-06-25','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2004-06-17','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10261,'S700 3505',25,88.15,5,2203.75,to_date('2004-06-17','YYYY-MM-DD'),to_date('2004-06-25','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2004-06-17','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10261,'S700 3962',50,81.43,6,4071.5,to_date('2004-06-17','YYYY-MM-DD'),to_date('2004-06-25','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2004-06-17','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10261,'S72 3212',29,50.78,7,1472.62,to_date('2004-06-17','YYYY-MM-DD'),to_date('2004-06-25','YYYY-MM-DD'),to_date('2004-06-22','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2004-06-17','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S18 1662',49,100,9,6567.96,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S18 3029',32,84.3,15,2697.6,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S18 3856',34,100,14,4103.46,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S24 1785',34,97.38,1,3310.92,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S24 2841',24,67.14,10,1611.36,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S24 3420',46,70.35,11,3236.1,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S24 3816',49,87.21,16,4273.29,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S24 3949',48,61.42,8,2948.16,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S32 4289',40,79.11,2,3164.4,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S50 1341',49,37.97,3,1860.53,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S700 1691',40,84.03,4,3361.2,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S700 2047',44,94.14,13,4142.16,to_date('2004-06-24','YYYY-MM-DD'),to_date('2004-07-01','YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to renegotiate.',141,to_date('2004-06-24','YYYY-MM-DD'),2,6,2004);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
01', 'YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to
renegotiate.',141,to_date('2004-06-24', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S700_2466',33,90.75,6,2994.75,to_date('2004-06-24', 'YYYY-MM-DD'),to_date('2004-07-
01', 'YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to
renegotiate.',141,to_date('2004-06-24', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S700_3167',27,76.5,2052,to_date('2004-06-24', 'YYYY-MM-DD'),to_date('2004-07-01',
'YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to
renegotiate.',141,to_date('2004-06-24', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S700_4002',35,71.07,7,2487.45,to_date('2004-06-24', 'YYYY-MM-DD'),to_date('2004-07-
01', 'YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to
renegotiate.',141,to_date('2004-06-24', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10262,'S72_1253',21,57.11,12,1199.31,to_date('2004-06-24', 'YYYY-MM-DD'),to_date('2004-07-
01', 'YYYY-MM-DD'),NULL,'Cancelled','This customer found a better offer from one of our competitors. Will call back to
renegotiate.',141,to_date('2004-06-24', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S10_1678',34,100,2,3676.76,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S10_2016',40,100,5,4472,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S10_4698',41,100,4,8336.94,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S12_2823',48,100,1,6434.4,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S18_2581',33,86.17,10,2843.61,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-
04', 'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S18_2625',34,58.75,6,1997.5,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S24_1578',42,100,3,4307.52,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S24_2000',37,62.46,7,2311.02,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S24_4278',24,75.35,11,1808.4,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S32_1374',31,79.91,8,2477.21,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10263,'S700_2834',47,100,9,5465.16,to_date('2004-06-28', 'YYYY-MM-DD'),to_date('2004-07-04',
'YYYY-MM-DD'),to_date('2004-07-02', 'YYYY-MM-DD'),'Shipped',NULL,175,to_date('2004-06-28', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10264,'S18_3782',48,54.71,3,2626.08,to_date('2004-06-30', 'YYYY-MM-DD'),to_date('2004-07-06',
'YYYY-MM-DD'),to_date('2004-07-01', 'YYYY-MM-DD'),'Shipped','Customer will send a truck to our local warehouse on
7/1/2004',362,to_date('2004-06-30', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10264,'S18_4721',20,100,2,2410.6,to_date('2004-06-30', 'YYYY-MM-DD'),to_date('2004-07-06',
'YYYY-MM-DD'),to_date('2004-07-01', 'YYYY-MM-DD'),'Shipped','Customer will send a truck to our local warehouse on
7/1/2004',362,to_date('2004-06-30', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10264,'S24_2360',37,65.16,6,2408.7,to_date('2004-06-30', 'YYYY-MM-DD'),to_date('2004-07-06',
'YYYY-MM-DD'),to_date('2004-07-01', 'YYYY-MM-DD'),'Shipped','Customer will send a truck to our local warehouse on
7/1/2004',362,to_date('2004-06-30', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10264,'S24_4620',47,83.27,1,3913.69,to_date('2004-06-30', 'YYYY-MM-DD'),to_date('2004-07-06',
'YYYY-MM-DD'),to_date('2004-07-01', 'YYYY-MM-DD'),'Shipped','Customer will send a truck to our local warehouse on
7/1/2004',362,to_date('2004-06-30', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10264,'S32_2206',20,32.59,4,651.8,to_date('2004-06-30', 'YYYY-MM-DD'),to_date('2004-07-06',
'YYYY-MM-DD'),to_date('2004-07-01', 'YYYY-MM-DD'),'Shipped','Customer will send a truck to our local warehouse on
7/1/2004',362,to_date('2004-06-30', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10264,'S32_4485',34,97.97,7,3330.98,to_date('2004-06-30', 'YYYY-MM-DD'),to_date('2004-07-06',
'YYYY-MM-DD'),to_date('2004-07-01', 'YYYY-MM-DD'),'Shipped','Customer will send a truck to our local warehouse on
7/1/2004',362,to_date('2004-06-30', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10264,'S50_4713',47,89.5,5,4206.5,to_date('2004-06-30', 'YYYY-MM-DD'),to_date('2004-07-06',
'YYYY-MM-DD'),to_date('2004-07-01', 'YYYY-MM-DD'),'Shipped','Customer will send a truck to our local warehouse on
7/1/2004',362,to_date('2004-06-30', 'YYYY-MM-DD'),2,6,2004);
INSERT INTO ORDERFACT VALUES(10265,'S18_3278',45,86.84,2,3907.8,to_date('2004-07-02', 'YYYY-MM-DD'),to_date('2004-07-09',
'YYYY-MM-DD'),to_date('2004-07-07', 'YYYY-MM-DD'),'Shipped',NULL,471,to_date('2004-07-02', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10265,'S18_3482',49,100,1,8427.02,to_date('2004-07-02', 'YYYY-MM-DD'),to_date('2004-07-09',
'YYYY-MM-DD'),to_date('2004-07-07', 'YYYY-MM-DD'),'Shipped',NULL,471,to_date('2004-07-02', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S12_1099',44,100,14,9160.36,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S12_3380',22,100,12,2454.54,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S12_3990',35,76.61,15,2681.35,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-
14', 'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S12_4675',40,100,11,4468.4,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S18_1129',21,100,6,2526.51,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S18_1589',36,100,2,5196.6,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S18_1889',33,74.69,10,2464.77,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-
14', 'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S18_1984',49,100,5,6203.4,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S18_2870',20,100,3,2824.8,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S18_3232',29,100,7,4812.55,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S18_3685',33,100,4,5035.14,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S24_1628',28,48.3,1,1352.4,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S24_2972',34,40.4,8,1373.6,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S24_3371',47,62.45,13,2935.15,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-
14', 'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10266,'S24_3856',24,100,9,2932.08,to_date('2004-07-06', 'YYYY-MM-DD'),to_date('2004-07-14',
'YYYY-MM-DD'),to_date('2004-07-10', 'YYYY-MM-DD'),'Shipped',NULL,386,to_date('2004-07-06', 'YYYY-MM-DD'),3,7,2004);
INSERT INTO ORDERFACT VALUES(10267,'S18_4933',36,75.55,1,2719.8,to_date('2004-07-07', 'YYYY-MM-DD'),to_date('2004-07-17',
```















# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
'YYYY-MM-DD'),to_date('2004-09-01','YYYY-MM-DD'),'Shipped',NULL,298,to_date('2004-08-30','YYYY-MM-DD'),3,8,2004);
INSERT INTO ORDERFACT VALUES(10287,'S18 4721',34,100,17,4300.32,to_date('2004-08-30','YYYY-MM-DD'),to_date('2004-09-06',
'YYYY-MM-DD'),to_date('2004-09-01','YYYY-MM-DD'),'Shipped',NULL,298,to_date('2004-08-30','YYYY-MM-DD'),3,8,2004);
INSERT INTO ORDERFACT VALUES(10287,'S24 2972',36,39.65,6,1427.4,to_date('2004-08-30','YYYY-MM-DD'),to_date('2004-09-06',
'YYYY-MM-DD'),to_date('2004-09-01','YYYY-MM-DD'),'Shipped',NULL,298,to_date('2004-08-30','YYYY-MM-DD'),3,8,2004);
INSERT INTO ORDERFACT VALUES(10287,'S24 3371',20,67.97,11,1359.4,to_date('2004-08-30','YYYY-MM-DD'),to_date('2004-09-06',
'YYYY-MM-DD'),to_date('2004-09-01','YYYY-MM-DD'),'Shipped',NULL,298,to_date('2004-08-30','YYYY-MM-DD'),3,8,2004);
INSERT INTO ORDERFACT VALUES(10287,'S24 3856',36,100,7,4297.32,to_date('2004-08-30','YYYY-MM-DD'),to_date('2004-09-06',
'YYYY-MM-DD'),to_date('2004-09-01','YYYY-MM-DD'),'Shipped',NULL,298,to_date('2004-08-30','YYYY-MM-DD'),3,8,2004);
INSERT INTO ORDERFACT VALUES(10287,'S24 4620',40,88.12,16,3524.8,to_date('2004-08-30','YYYY-MM-DD'),to_date('2004-09-06',
'YYYY-MM-DD'),to_date('2004-09-01','YYYY-MM-DD'),'Shipped',NULL,298,to_date('2004-08-30','YYYY-MM-DD'),3,8,2004);
INSERT INTO ORDERFACT VALUES(10288,'S18 1589',20,100,14,2936.8,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S18 1749',32,100,5,5875.2,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S18 2248',28,61.75,4,1729,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S18 2325',31,100,2,3822.92,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S18 4409',35,80.99,6,2834.65,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S18 4933',23,73.41,7,1688.43,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S24 1046',36,66.14,11,2381.04,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S24 1628',50,52.32,13,2616,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S24 1937',29,38.17,11,1106.93,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S24 2766',35,80.87,9,2830.45,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S24 2887',48,100,8,6539.04,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S24 3191',34,68.49,10,2328.66,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S24 3432',41,100,12,4873.26,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10288,'S24 3969',33,40.62,3,1340.46,to_date('2004-09-01','YYYY-MM-DD'),to_date('2004-09-11',
'YYYY-MM-DD'),to_date('2004-09-05','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2004-09-01','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10289,'S18 1342',38,100,2,4567.98,to_date('2004-09-03','YYYY-MM-DD'),to_date('2004-09-13',
'YYYY-MM-DD'),to_date('2004-09-04','YYYY-MM-DD'),'Shipped','We need to keep in close contact with their Marketing VP. He
is the decision maker for all their purchases.',167,to_date('2004-09-03','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10289,'S18 1367',24,56.07,1,1345.68,to_date('2004-09-03','YYYY-MM-DD'),to_date('2004-09-13',
'YYYY-MM-DD'),to_date('2004-09-04','YYYY-MM-DD'),'Shipped','We need to keep in close contact with their Marketing VP. He
is the decision maker for all their purchases.',167,to_date('2004-09-03','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10289,'S18 2795',43,100,3,8272.34,to_date('2004-09-03','YYYY-MM-DD'),to_date('2004-09-13',
'YYYY-MM-DD'),to_date('2004-09-04','YYYY-MM-DD'),'Shipped','We need to keep in close contact with their Marketing VP. He
is the decision maker for all their purchases.',167,to_date('2004-09-03','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10289,'S24 2022',45,48.38,4,2177.1,to_date('2004-09-03','YYYY-MM-DD'),to_date('2004-09-13',
'YYYY-MM-DD'),to_date('2004-09-04','YYYY-MM-DD'),'Shipped','We need to keep in close contact with their Marketing VP. He
is the decision maker for all their purchases.',167,to_date('2004-09-03','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10290,'S18 3320',26,96.23,2,2501.98,to_date('2004-09-07','YYYY-MM-DD'),to_date('2004-09-15',
'YYYY-MM-DD'),to_date('2004-09-13','YYYY-MM-DD'),'Shipped',NULL,198,to_date('2004-09-07','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10290,'S24 4258',45,100,1,5171.4,to_date('2004-09-07','YYYY-MM-DD'),to_date('2004-09-15',
'YYYY-MM-DD'),to_date('2004-09-13','YYYY-MM-DD'),'Shipped',NULL,198,to_date('2004-09-07','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S10 1949',37,100,11,7136.19,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S10 4962',30,100,4,3855.9,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S12 1666',41,100,8,6387.8,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S18 1097',41,100,10,4687.94,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S18 2432',26,57.73,2,1500.98,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S18 2949',47,100,12,5713.79,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S18 2957',37,50.59,14,1871.83,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S18 3136',23,100,13,2866.26,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S18 4600',48,100,5,5288.64,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S18 4668',29,51.82,9,1502.78,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S24 2300',48,100,1,5398.08,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S32 1268',26,83.79,3,2178.54,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S32 3522',32,71.75,7,2296,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10291,'S700 2824',28,100,6,3256.96,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-17',
'YYYY-MM-DD'),to_date('2004-09-14','YYYY-MM-DD'),'Shipped',NULL,448,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10292,'S12 4473',21,100,8,2214.87,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-18',
'YYYY-MM-DD'),to_date('2004-09-11','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with
Finance.',131,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10292,'S18 2238',26,100,7,4554.94,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-18',
'YYYY-MM-DD'),to_date('2004-09-11','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with
Finance.',131,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
INSERT INTO ORDERFACT VALUES(10292,'S18 2319',41,100,11,4528.86,to_date('2004-09-08','YYYY-MM-DD'),to_date('2004-09-18',
'YYYY-MM-DD'),to_date('2004-09-11','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with
Finance.',131,to_date('2004-09-08','YYYY-MM-DD'),3,9,2004);
```









# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
'YYYY-MM-DD'),to_date('2003-10-07','YYYY-MM-DD'),'Shipped',NULL,201,to_date('2003-10-06','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10302,'S24 3191',48,74.48,6,3575.04,to_date('2003-10-06','YYYY-MM-DD'),to_date('2003-10-16',
'YYYY-MM-DD'),to_date('2003-10-07','YYYY-MM-DD'),'Shipped',NULL,201,to_date('2003-10-06','YYYY-MM-DD'),4,10,2003);
INSERT INTO ORDERFACT VALUES(10303,'S18 2248',46,49.04,2,2255.84,to_date('2004-10-06','YYYY-MM-DD'),to_date('2004-10-14',
'YYYY-MM-DD'),to_date('2004-10-09','YYYY-MM-DD'),'Shipped','Customer inquired about remote controlled models and gold
models.',484,to_date('2004-10-06','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10303,'S24 3969',24,40.21,1,965.04,to_date('2004-10-06','YYYY-MM-DD'),to_date('2004-10-14',
'YYYY-MM-DD'),to_date('2004-10-09','YYYY-MM-DD'),'Shipped','Customer inquired about remote controlled models and gold
models.',484,to_date('2004-10-06','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S10 1949',47,100.6,10172.7,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S12 1666',39,100.3,6396,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 1097',46,98.5,4508,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 1342',37,95.55,13,3535.35,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 1367',37,48.52,12,1795.24,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 2325',24,100.17,2440.8,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 2795',20,100.14,3577.6,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 2949',46,100.7,4613.8,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 2957',24,64.96,9,1559.04,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 3136',26,85.87,8,2232.62,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 3320',38,100.11,3958.46,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S18 4668',34,49.3,4,1676.2,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S24 1937',23,30.2,16,694.6,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S24 2022',44,39.42,15,1734.48,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S24 4258',33,100.10,3342.57,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S32 3522',36,73.04,2,2629.44,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10304,'S700 2824',40,100.1,4208,to_date('2004-10-11','YYYY-MM-DD'),to_date('2004-10-20',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,256,to_date('2004-10-11','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S10 4962',38,100.13,6680.78,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S12 4473',38,100.5,4773.18,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S18 2238',27,100.4,3934.44,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S18 2319',36,100.8,4816.08,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S18 2432',41,53.48,11,2192.68,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S18 3232',37,100.9,7455.87,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S18 4600',22,99.29,14,2184.38,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S24 1444',45,61.85,2,2783.25,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S24 2300',24,100.10,3189.6,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S24 2840',48,31.47,6,1510.56,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S24 4048',36,100.1,4641.48,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S32 1268',28,100.12,3155.04,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S32 2509',40,57.9,7,2316,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10305,'S50 1392',42,100.3,4618.32,to_date('2004-10-13','YYYY-MM-DD'),to_date('2004-10-22',
'YYYY-MM-DD'),to_date('2004-10-15','YYYY-MM-DD'),'Shipped','Check on availability.',286,to_date('2004-10-13','YYYY-MM-
DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10306,'S12 1108',31,100.13,6570.76,to_date('2004-10-14','YYYY-MM-DD'),to_date('2004-10-21',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2004-10-14','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10306,'S12 3148',34,100.14,4982.7,to_date('2004-10-14','YYYY-MM-DD'),to_date('2004-10-21',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2004-10-14','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10306,'S12 3891',20,100.12,3633.4,to_date('2004-10-14','YYYY-MM-DD'),to_date('2004-10-21',
'YYYY-MM-DD'),to_date('2004-10-17','YYYY-MM-DD'),'Shipped',NULL,187,to_date('2004-10-14','YYYY-MM-DD'),4,10,2004);
INSERT INTO ORDERFACT VALUES(10306,'S18 3140',32,100.9,3759.04,to_date('2004-10-14','YYYY-MM-DD'),to_date('2004-10-21',
```















# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES (10322,'S24 1937',20,100,3,2624,to_date('2004-11-04','YYYY-MM-DD'),to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-10','YYYY-MM-DD'),'Shipped','Customer has worked with some of our vendors in the past and is aware of their MSRP',363,to_date('2004-11-04','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10322,'S24 2022',30,100,4,3500.1,to_date('2004-11-04','YYYY-MM-DD'),to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-10','YYYY-MM-DD'),'Shipped','Customer has worked with some of our vendors in the past and is aware of their MSRP',363,to_date('2004-11-04','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10323,'S18 3320',33,91,27,2,3011.91,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-09','YYYY-MM-DD'),'Shipped',NULL,128,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10323,'S18 4600',47,100,1,6203.06,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-09','YYYY-MM-DD'),'Shipped',NULL,128,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S12 3148',27,54,33,1,1466.91,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S12 4473',26,58,38,7,1517.88,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S18 2238',47,100,8,7207.45,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S18 2319',33,37,48,10,1236.84,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S18 3232',27,100,12,3155.49,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S18 4027',49,100,13,5379.71,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S18 4668',38,100,6,6832.02,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S24 1444',25,69,16,14,1729,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S24 2300',31,100,2,3820.44,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S24 2840',30,100,9,3338.1,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S24 4258',33,100,3,6267.69,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S32 1268',20,98,18,11,1963.6,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S32 3522',48,100,4,8209.44,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10324,'S700 2824',34,100,5,4248.3,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-11','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,181,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10325,'S10 4757',47,64,93,6,3051.71,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,121,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10325,'S12 1108',42,64,8,2688,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,121,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10325,'S12 3891',24,100,1,2583.6,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,121,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10325,'S18 3140',24,69,12,9,1658.88,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,121,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10325,'S24 4048',44,100,5,5325.76,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,121,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10325,'S32 2509',38,100,3,8844.12,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,121,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10325,'S32 3207',28,100,2,5377.4,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,121,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10325,'S50 1392',38,100,4,5190.42,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,121,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10325,'S50 1514',44,100,7,5932.96,to_date('2004-11-05','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),to_date('2004-11-08','YYYY-MM-DD'),'Shipped',NULL,121,to_date('2004-11-05','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10326,'S18 3259',32,100,6,3807.68,to_date('2004-11-09','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),to_date('2004-11-10','YYYY-MM-DD'),'Shipped',NULL,144,to_date('2004-11-09','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10326,'S18 4522',50,86,01,5,4300.5,to_date('2004-11-09','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),to_date('2004-11-10','YYYY-MM-DD'),'Shipped',NULL,144,to_date('2004-11-09','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10326,'S24 2011',41,100,4,4333.29,to_date('2004-11-09','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),to_date('2004-11-10','YYYY-MM-DD'),'Shipped',NULL,144,to_date('2004-11-09','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10326,'S24 3151',41,85,85,3,3519.85,to_date('2004-11-09','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),to_date('2004-11-10','YYYY-MM-DD'),'Shipped',NULL,144,to_date('2004-11-09','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10326,'S24 3816',20,92,25,2,1845,to_date('2004-11-09','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),to_date('2004-11-10','YYYY-MM-DD'),'Shipped',NULL,144,to_date('2004-11-09','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10326,'S700 1138',39,60,1,2340,to_date('2004-11-09','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),to_date('2004-11-10','YYYY-MM-DD'),'Shipped',NULL,144,to_date('2004-11-09','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10327,'S18 1662',25,100,6,2804.75,to_date('2004-11-10','YYYY-MM-DD'),to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),'Resolved','Order was disputed and resolved on 12/1/04. The Sales Manager was involved. Customer claims the scales of the models don't match what was discussed.',145,to_date('2004-11-10','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10327,'S18 2581',45,100,8,4781.7,to_date('2004-11-10','YYYY-MM-DD'),to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),'Resolved','Order was disputed and resolved on 12/1/04. The Sales Manager was involved. Customer claims the scales of the models don't match what was discussed.',145,to_date('2004-11-10','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10327,'S18 3029',25,45,86,5,1146.5,to_date('2004-11-10','YYYY-MM-DD'),to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),'Resolved','Order was disputed and resolved on 12/1/04. The Sales Manager was involved. Customer claims the scales of the models don't match what was discussed.',145,to_date('2004-11-10','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10327,'S700 1938',20,100,7,3469.2,to_date('2004-11-10','YYYY-MM-DD'),to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),'Resolved','Order was disputed and resolved on 12/1/04. The Sales Manager was involved. Customer claims the scales of the models don't match what was discussed.',145,to_date('2004-11-10','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10327,'S700 2610',21,96,31,1,2022.51,to_date('2004-11-10','YYYY-MM-DD'),to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),'Resolved','Order was disputed and resolved on 12/1/04. The Sales Manager was involved. Customer claims the scales of the models don't match what was discussed.',145,to_date('2004-11-10','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES (10327,'S700 3505',43,80,2,3440,to_date('2004-11-10','YYYY-MM-DD'),to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),'Resolved','Order was disputed and resolved on 12/1/04. The Sales Manager was involved. Customer claims the scales of the models don't match what was discussed.',145,to_date('2004-11-10','YYYY-MM-DD'),4,11,2004);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES(10327,'S700_3962',37,86.61,3,3204.57,to_date('2004-11-10','YYYY-MM-DD'),to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),'Resolved','Order was disputed and resolved on 12/1/04. The Sales Manager was involved. Customer claims the scales of the models don't match what was discussed.',145,to_date('2004-11-10','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10327,'S72_3212',37,86.74,4,3209.38,to_date('2004-11-10','YYYY-MM-DD'),to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-13','YYYY-MM-DD'),'Resolved','Order was disputed and resolved on 12/1/04. The Sales Manager was involved. Customer claims the scales of the models don't match what was discussed.',145,to_date('2004-11-10','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S18_3856',34,100,6,3815.48,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S24_1785',47,87.54,14,4114.38,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S24_2841',48,58.92,1,2828.16,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S24_3420',20,72.98,2,1459.6,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S24_3949',35,76.43,3,2675.05,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S24_4278',43,60.86,4,2616.98,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S32_4289',24,81.17,5,1948.08,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S50_1341',34,51.93,7,1765.62,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S700_1691',27,100,8,2762.1,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S700_2047',41,100,9,4156.58,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S700_2466',37,100,10,4021.53,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S700_2834',33,100,11,4072.2,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S700_3167',33,64,13,2112,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10328,'S700_4002',39,85.87,12,3348.93,to_date('2004-11-12','YYYY-MM-DD'),to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-18','YYYY-MM-DD'),'Shipped','Customer very concerned about the exact color of the models. There is high risk that he may dispute the order because there is a slight color mismatch',278,to_date('2004-11-12','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S10_1678',42,100,1,4396.14,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S10_2016',20,100,2,3176,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S10_4698',26,100,3,5868.2,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S12_1099',41,71.47,5,2930.27,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S12_2823',24,100,6,3542.64,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S12_3380',46,83.63,13,3846.98,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S12_3990',33,100,14,3607.56,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S12_4675',39,64.74,15,2524.86,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S18_1889',29,100,9,2954.81,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S18_2625',38,100,12,5266.04,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S18_3278',38,59.1,10,2245.8,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S24_1578',30,87.78,7,2633.4,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S24_2000',37,94.43,4,3493.91,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10329,'S32_1374',45,63.91,11,2875.95,to_date('2004-11-15','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),to_date('2004-11-16','YYYY-MM-DD'),'Shipped',NULL,131,to_date('2004-11-15','YYYY-MM-DD'),4,11,2004);
```







# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES(10333,'S18 1097',29,40.25,7,1167.25,to_date('2004-11-18','YYYY-MM-DD'),to_date('2004-11-27','YYYY-MM-DD'),to_date('2004-11-20','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2004-11-18','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10333,'S18 2949',31,90.17,5,2795.27,to_date('2004-11-18','YYYY-MM-DD'),to_date('2004-11-27','YYYY-MM-DD'),to_date('2004-11-20','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2004-11-18','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10333,'S18 3320',46,100.2,11336.7,to_date('2004-11-18','YYYY-MM-DD'),to_date('2004-11-27','YYYY-MM-DD'),to_date('2004-11-20','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2004-11-18','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10333,'S18 4668',24,79.86,8,1916.64,to_date('2004-11-18','YYYY-MM-DD'),to_date('2004-11-27','YYYY-MM-DD'),to_date('2004-11-20','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2004-11-18','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10333,'S24 4258',39,100.1,4424.16,to_date('2004-11-18','YYYY-MM-DD'),to_date('2004-11-27','YYYY-MM-DD'),to_date('2004-11-20','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2004-11-18','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10333,'S32 3522',33,73.69,4,2431.77,to_date('2004-11-18','YYYY-MM-DD'),to_date('2004-11-27','YYYY-MM-DD'),to_date('2004-11-20','YYYY-MM-DD'),'Shipped',NULL,129,to_date('2004-11-18','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10334,'S10 4962',26,100.2,3188.12,to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-28','YYYY-MM-DD'),NULL,'On Hold','The outstanding balance for this customer exceeds their credit limit. Order will be shipped when a payment is received.',144,to_date('2004-11-19','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10334,'S18 2319',46,100.6,5814.86,to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-28','YYYY-MM-DD'),NULL,'On Hold','The outstanding balance for this customer exceeds their credit limit. Order will be shipped when a payment is received.',144,to_date('2004-11-19','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10334,'S18 2432',34,61.38,1,2086.92,to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-28','YYYY-MM-DD'),NULL,'On Hold','The outstanding balance for this customer exceeds their credit limit. Order will be shipped when a payment is received.',144,to_date('2004-11-19','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10334,'S18 3232',20,100.3,2878.8,to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-28','YYYY-MM-DD'),NULL,'On Hold','The outstanding balance for this customer exceeds their credit limit. Order will be shipped when a payment is received.',144,to_date('2004-11-19','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10334,'S18 4600',49,100.4,6763.47,to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-28','YYYY-MM-DD'),NULL,'On Hold','The outstanding balance for this customer exceeds their credit limit. Order will be shipped when a payment is received.',144,to_date('2004-11-19','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10334,'S24 2300',42,100.5,5528.04,to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-28','YYYY-MM-DD'),NULL,'On Hold','The outstanding balance for this customer exceeds their credit limit. Order will be shipped when a payment is received.',144,to_date('2004-11-19','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10335,'S24 2840',33,37.13,2,1225.29,to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-29','YYYY-MM-DD'),to_date('2004-11-23','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2004-11-19','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10335,'S32 1268',44,100.1,4746.28,to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-29','YYYY-MM-DD'),to_date('2004-11-23','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2004-11-19','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10335,'S32 2509',40,60.6,3,2424,to_date('2004-11-19','YYYY-MM-DD'),to_date('2004-11-29','YYYY-MM-DD'),to_date('2004-11-23','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2004-11-19','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S12 1108',33,57.22,10,1888.26,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S12 3148',33,100.11,4059.33,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S12 3891',49,63.38,1,3105.62,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S12 4473',38,100.3,6372.6,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S18 2238',49,100.6,7460.74,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S18 3140',48,100.12,5778.24,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S18 3259',21,100.7,2230.41,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S24 1444',45,100.4,5972.4,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S24 4048',31,100.5,4618.69,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S32 3207',31,84.71,9,2626.01,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S50 1392',23,100.8,3141.57,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10336,'S700 2824',46,100.2,9558.8,to_date('2004-11-20','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),to_date('2004-11-24','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',172,to_date('2004-11-20','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10337,'S10 4757',25,48.05,8,1201.25,to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-30','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),'Shipped',NULL,424,to_date('2004-11-21','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10337,'S18 4027',36,100.3,5679.36,to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-30','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),'Shipped',NULL,424,to_date('2004-11-21','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10337,'S18 4522',29,100.2,4498.19,to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-30','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),'Shipped',NULL,424,to_date('2004-11-21','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10337,'S24 2011',29,71.97,4,2087.13,to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-30','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),'Shipped',NULL,424,to_date('2004-11-21','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10337,'S50 1514',21,100.6,2296.77,to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-30','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),'Shipped',NULL,424,to_date('2004-11-21','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10337,'S700 1938',36,70.3,9,2530.8,to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-30','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),'Shipped',NULL,424,to_date('2004-11-21','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10337,'S700 3505',31,89.38,1,2770.78,to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-30','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),'Shipped',NULL,424,to_date('2004-11-21','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10337,'S700 3962',36,71.89,7,2588.04,to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-30','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),'Shipped',NULL,424,to_date('2004-11-21','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10337,'S72 3212',42,97.16,5,4080.72,to_date('2004-11-21','YYYY-MM-DD'),to_date('2004-11-30','YYYY-MM-DD'),to_date('2004-11-26','YYYY-MM-DD'),'Shipped',NULL,424,to_date('2004-11-21','YYYY-MM-DD'),4,11,2004);
INSERT INTO ORDERFACT VALUES(10338,'S18 1662',41,100.1,5624.79,to_date('2004-11-22','YYYY-MM-DD'),to_date('2004-12-02','YYYY-MM-DD'),to_date('2004-11-27','YYYY-MM-DD'),'Shipped',NULL,381,to_date('2004-11-22','YYYY-MM-DD'),4,11,2004);
```















# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES (10360,'S72 3212',31,96.44,11,2989.64,to_date('2004-12-16','YYYY-MM-DD'),to_date('2004-12-22','YYYY-MM-DD'),to_date('2004-12-18','YYYY-MM-DD'),'Shipped',NULL,496,to_date('2004-12-16','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S10 1678',20,72.55,13,1451,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S10 2016',26,51.15,8,1329.9,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S24 3420',34,100.6,3871.92,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S24 3949',26,100.7,3710.98,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S24 4278',25,62.46,1,1561.5,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S32 4289',49,72.33,2,3544.17,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S50 1341',33,82.59,3,2725.47,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S700 1691',20,60.54,4,1210.8,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S700 2047',24,45.39,14,1089.36,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S700 2466',26,100.9,2754.7,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S700 2834',44,72.42,5,3186.48,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S700 3167',44,100.10,5001.92,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S700 4002',35,100.11,4277.35,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10361,'S72 1253',23,95.2,12,2189.6,to_date('2004-12-17','YYYY-MM-DD'),to_date('2004-12-24','YYYY-MM-DD'),to_date('2004-12-20','YYYY-MM-DD'),'Shipped',NULL,282,to_date('2004-12-17','YYYY-MM-DD'),4,12,2004);
INSERT INTO ORDERFACT VALUES (10362,'S10 4698',22,100.4,3664.1,to_date('2005-01-05','YYYY-MM-DD'),to_date('2005-01-16','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,161,to_date('2005-01-05','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10362,'S12 2823',22,100.1,3877.06,to_date('2005-01-05','YYYY-MM-DD'),to_date('2005-01-16','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,161,to_date('2005-01-05','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10362,'S18 2625',23,49.67,3,1142.41,to_date('2005-01-05','YYYY-MM-DD'),to_date('2005-01-16','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,161,to_date('2005-01-05','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10362,'S24 1578',50,96.92,2,4846,to_date('2005-01-05','YYYY-MM-DD'),to_date('2005-01-16','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,161,to_date('2005-01-05','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S12 1099',33,85.39,3,2817.87,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S12 3380',34,96.73,4,3288.82,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S12 3990',34,81.62,5,2775.08,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S12 4675',46,88.45,6,4068.7,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S18 1889',22,100.7,3686.54,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S18 3278',46,60.3,10,2773.8,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S18 3482',24,100.11,4142.64,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S18 3782',32,89.12,12,2851.84,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S18 4721',28,58.18,13,1629.04,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S24 2000',21,100.8,3595.62,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S24 2360',43,61.23,14,2632.99,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S24 3371',21,100.15,2447.76,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S24 3856',31,94.58,1,2931.98,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S24 4620',43,100.9,5154.41,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10363,'S32 1374',50,100.2,6576.5,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-10','YYYY-MM-DD'),'Shipped',NULL,334,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10364,'S32 2206',48,48.28,1,2317.44,to_date('2005-01-06','YYYY-MM-DD'),to_date('2005-01-17','YYYY-MM-DD'),to_date('2005-01-09','YYYY-MM-DD'),'Shipped',NULL,350,to_date('2005-01-06','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10365,'S18 1129',30,87.06,1,2611.8,to_date('2005-01-07','YYYY-MM-DD'),to_date('2005-01-18','YYYY-MM-DD'),to_date('2005-01-11','YYYY-MM-DD'),'Shipped',NULL,320,to_date('2005-01-07','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10365,'S32 4485',22,100.3,3425.18,to_date('2005-01-07','YYYY-MM-DD'),to_date('2005-01-18','YYYY-MM-DD'),to_date('2005-01-11','YYYY-MM-DD'),'Shipped',NULL,320,to_date('2005-01-07','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10365,'S50 4713',44,100.2,4984.32,to_date('2005-01-07','YYYY-MM-DD'),to_date('2005-01-18','YYYY-MM-DD'),to_date('2005-01-11','YYYY-MM-DD'),'Shipped',NULL,320,to_date('2005-01-07','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10366,'S18 1984',34,100.3,4207.84,to_date('2005-01-10','YYYY-MM-DD'),to_date('2005-01-19','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),'Shipped',NULL,381,to_date('2005-01-10','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10366,'S18 2870',49,100.2,6144.6,to_date('2005-01-10','YYYY-MM-DD'),to_date('2005-01-19','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),'Shipped',NULL,381,to_date('2005-01-10','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10366,'S18 3232',34,100.1,6275.72,to_date('2005-01-10','YYYY-MM-DD'),to_date('2005-01-19','YYYY-MM-DD'),to_date('2005-01-12','YYYY-MM-DD'),'Shipped',NULL,381,to_date('2005-01-10','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10367,'S18 1589',49,56.3,1,2758.7,to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-21','YYYY-MM-DD'),to_date('2005-01-16','YYYY-MM-DD'),'Resolved','This order was disputed and resolved on 2/1/2005. Customer claimed that container with shipment was damaged. FedEx's investigation proved this wrong.',205,to_date('2005-01-12','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10367,'S18 1749',37,100.3,4703.81,to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-21','YYYY-MM-DD'),to_date('2005-01-16','YYYY-MM-DD'),'Resolved','This order was disputed and resolved on 2/1/2005. Customer claimed that container with shipment was damaged. FedEx's investigation proved this wrong.',205,to_date('2005-01-12','YYYY-MM-DD'),1,1,2005);
INSERT INTO ORDERFACT VALUES (10367,'S18 2248',45,100.4,8884.8,to_date('2005-01-12','YYYY-MM-DD'),to_date('2005-01-21','YYYY-MM-DD'),to_date('2005-01-16','YYYY-MM-DD'),'Resolved','This order was disputed and resolved on 2/1/2005. Customer
```

Instalación de PENTAHO BI Server en ORACLE | 16 de junio de 2010













# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES(10383,'S32_3207',44,36.07,8,1587.08,to_date('2005-02-22','YYYY-MM-DD'),to_date('2005-03-02','YYYY-MM-DD'),to_date('2005-02-25','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-02-22','YYYY-MM-DD'),1,2,2005);
INSERT INTO ORDERFACT VALUES(10383,'S50_1392',29,100,13,3087.05,to_date('2005-02-22','YYYY-MM-DD'),to_date('2005-03-02','YYYY-MM-DD'),to_date('2005-02-25','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-02-22','YYYY-MM-DD'),1,2,2005);
INSERT INTO ORDERFACT VALUES(10383,'S50_1514',38,60.06,10,2282.28,to_date('2005-02-22','YYYY-MM-DD'),to_date('2005-03-02','YYYY-MM-DD'),to_date('2005-02-25','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-02-22','YYYY-MM-DD'),1,2,2005);
INSERT INTO ORDERFACT VALUES(10384,'S10_4757',34,100,4,4846.7,to_date('2005-02-23','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),to_date('2005-02-27','YYYY-MM-DD'),'Shipped',NULL,321,to_date('2005-02-23','YYYY-MM-DD'),1,2,2005);
INSERT INTO ORDERFACT VALUES(10384,'S24_2011',28,80.54,3,2255.12,to_date('2005-02-23','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),to_date('2005-02-27','YYYY-MM-DD'),'Shipped',NULL,321,to_date('2005-02-23','YYYY-MM-DD'),1,2,2005);
INSERT INTO ORDERFACT VALUES(10384,'S24_3151',43,97.87,2,4208.41,to_date('2005-02-23','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),to_date('2005-02-27','YYYY-MM-DD'),'Shipped',NULL,321,to_date('2005-02-23','YYYY-MM-DD'),1,2,2005);
INSERT INTO ORDERFACT VALUES(10384,'S700_1938',49,100,1,6397.44,to_date('2005-02-23','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),to_date('2005-02-27','YYYY-MM-DD'),'Shipped',NULL,321,to_date('2005-02-23','YYYY-MM-DD'),1,2,2005);
INSERT INTO ORDERFACT VALUES(10385,'S24_3816',37,85.54,2,3164.98,to_date('2005-02-28','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-01','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-02-28','YYYY-MM-DD'),1,2,2005);
INSERT INTO ORDERFACT VALUES(10385,'S700_1138',25,77.34,1,1933.5,to_date('2005-02-28','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-01','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-02-28','YYYY-MM-DD'),1,2,2005);
INSERT INTO ORDERFACT VALUES(10386,'S18_1662',25,54.57,7,1364.25,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S18_2581',21,74.77,18,1570.17,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S18_3029',37,93.01,5,3441.37,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S18_3856',22,57.55,6,1266.1,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S24_1785',33,41.71,11,1376.43,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S24_2841',39,55.96,1,2182.44,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S24_3420',35,63.76,9,2231.6,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S24_3949',41,73.32,12,3006.12,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S24_4278',50,63.34,8,3167,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S700_2047',29,85.76,13,2487.04,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S700_2466',37,83.84,14,3102.08,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S700_2610',37,100,10,5017.57,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S700_3167',32,94.34,17,3018.88,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S700_3505',45,92.08,2,4143.6,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S700_3962',30,95.48,3,2864.4,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S700_4002',44,86.4,15,3801.6,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S72_1253',50,87.15,16,4357.5,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10386,'S72_3212',43,100,4,5417.57,to_date('2005-03-01','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Resolved','Disputed then Resolved on 3/15/2005. Customer doesn't like the craftsmaship of the models.',141,to_date('2005-03-01','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10387,'S32_1374',44,94.9,1,4175.6,to_date('2005-03-02','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),'Shipped','We need to keep in close contact with their Marketing VP. He is the decision maker for all their purchases.',148,to_date('2005-03-02','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10388,'S10_1678',42,76.36,4,3207.12,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2005-03-03','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10388,'S10_2016',50,44.51,5,2225.5,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2005-03-03','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10388,'S10_4698',21,86.77,7,1822.17,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2005-03-03','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10388,'S12_2823',44,100,6,5951.44,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2005-03-03','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10388,'S32_4289',35,100,8,3918.95,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2005-03-03','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10388,'S50_1341',27,100,1,3211.38,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2005-03-03','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10388,'S700_1691',46,100,2,10066.6,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2005-03-03','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10388,'S700_2834',50,100,3,7154.5,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),'Shipped',NULL,462,to_date('2005-03-03','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES(10389,'S12_1099',26,99.04,4,2575.04,to_date('2005-03-03','YYYY-MM-DD'),to_date('2005-03-09','YYYY-MM-DD'),to_date('2005-03-06','YYYY-MM-DD'),1,3,2005);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES (10393,'S12 4473',32,100,10,3236.16,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10393,'S18 2238',20,69,81,11,1396.2,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10393,'S18 2319',38,100,7,3805.32,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10393,'S18 4600',30,100,9,3625.8,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10393,'S18 4668',44,100,1,4849.24,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10393,'S24 2300',33,100,2,5835.39,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10393,'S24 4258',33,98,18,3,3239.94,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10393,'S32 1268',38,100,4,5521.4,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10393,'S32 3522',31,57,86,5,1793.66,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10393,'S700 2824',21,100,6,2146.83,to_date('2005-03-11','YYYY-MM-DD'),to_date('2005-03-22','YYYY-MM-DD'),to_date('2005-03-14','YYYY-MM-DD'),'Shipped','They want to reevaluate their terms agreement with Finance.',323,to_date('2005-03-11','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10394,'S18 3232',22,100,5,3353.02,to_date('2005-03-15','YYYY-MM-DD'),to_date('2005-03-25','YYYY-MM-DD'),to_date('2005-03-19','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-03-15','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10394,'S18 4027',37,100,1,6376.58,to_date('2005-03-15','YYYY-MM-DD'),to_date('2005-03-25','YYYY-MM-DD'),to_date('2005-03-19','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-03-15','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10394,'S24 1444',31,50,29,2,1558.99,to_date('2005-03-15','YYYY-MM-DD'),to_date('2005-03-25','YYYY-MM-DD'),to_date('2005-03-19','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-03-15','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10394,'S24 2840',46,38,9,6,1789.4,to_date('2005-03-15','YYYY-MM-DD'),to_date('2005-03-25','YYYY-MM-DD'),to_date('2005-03-19','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-03-15','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10394,'S24 4048',37,100,7,5207.75,to_date('2005-03-15','YYYY-MM-DD'),to_date('2005-03-25','YYYY-MM-DD'),to_date('2005-03-19','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-03-15','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10394,'S32 2509',36,62,77,3,2259.72,to_date('2005-03-15','YYYY-MM-DD'),to_date('2005-03-25','YYYY-MM-DD'),to_date('2005-03-19','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-03-15','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10394,'S32 3207',30,60,28,4,1808.4,to_date('2005-03-15','YYYY-MM-DD'),to_date('2005-03-25','YYYY-MM-DD'),to_date('2005-03-19','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-03-15','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10395,'S10 4757',32,100,2,3370.56,to_date('2005-03-17','YYYY-MM-DD'),to_date('2005-03-24','YYYY-MM-DD'),to_date('2005-03-23','YYYY-MM-DD'),'Shipped','We must be cautious with this customer. Their VP of Sales resigned. Company may be heading down.',250,to_date('2005-03-17','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10395,'S12 1108',33,69,12,1,2280.96,to_date('2005-03-17','YYYY-MM-DD'),to_date('2005-03-24','YYYY-MM-DD'),to_date('2005-03-23','YYYY-MM-DD'),'Shipped','We must be cautious with this customer. Their VP of Sales resigned. Company may be heading down.',250,to_date('2005-03-17','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10395,'S50 1392',46,100,4,5692.96,to_date('2005-03-17','YYYY-MM-DD'),to_date('2005-03-24','YYYY-MM-DD'),to_date('2005-03-23','YYYY-MM-DD'),'Shipped','We must be cautious with this customer. Their VP of Sales resigned. Company may be heading down.',250,to_date('2005-03-17','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10395,'S50 1514',45,100,3,8977.05,to_date('2005-03-17','YYYY-MM-DD'),to_date('2005-03-24','YYYY-MM-DD'),to_date('2005-03-23','YYYY-MM-DD'),'Shipped','We must be cautious with this customer. Their VP of Sales resigned. Company may be heading down.',250,to_date('2005-03-17','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10396,'S12 3891',33,100,3,6109.29,to_date('2005-03-23','YYYY-MM-DD'),to_date('2005-04-02','YYYY-MM-DD'),to_date('2005-03-28','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-03-23','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10396,'S18 3140',33,100,2,5273.73,to_date('2005-03-23','YYYY-MM-DD'),to_date('2005-04-02','YYYY-MM-DD'),to_date('2005-03-28','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-03-23','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10396,'S18 3259',24,89,75,4,2154,to_date('2005-03-23','YYYY-MM-DD'),to_date('2005-04-02','YYYY-MM-DD'),to_date('2005-03-28','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-03-23','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10396,'S18 4522',45,100,5,4739.4,to_date('2005-03-23','YYYY-MM-DD'),to_date('2005-04-02','YYYY-MM-DD'),to_date('2005-03-28','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-03-23','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10396,'S24 2011',49,100,6,5720.75,to_date('2005-03-23','YYYY-MM-DD'),to_date('2005-04-02','YYYY-MM-DD'),to_date('2005-03-28','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-03-23','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10396,'S24 3151',27,83,2,7,2246.4,to_date('2005-03-23','YYYY-MM-DD'),to_date('2005-04-02','YYYY-MM-DD'),to_date('2005-03-28','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-03-23','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10396,'S24 3816',37,90,57,8,3351.09,to_date('2005-03-23','YYYY-MM-DD'),to_date('2005-04-02','YYYY-MM-DD'),to_date('2005-03-28','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-03-23','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10396,'S700 1138',39,66,67,1,2600.13,to_date('2005-03-23','YYYY-MM-DD'),to_date('2005-04-02','YYYY-MM-DD'),to_date('2005-03-28','YYYY-MM-DD'),'Shipped',NULL,124,to_date('2005-03-23','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10397,'S700 1938',32,80,55,5,2577.6,to_date('2005-03-28','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-04-01','YYYY-MM-DD'),'Shipped',NULL,242,to_date('2005-03-28','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10397,'S700 2610',22,66,5,4,1463,to_date('2005-03-28','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-04-01','YYYY-MM-DD'),'Shipped',NULL,242,to_date('2005-03-28','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10397,'S700 3505',48,100,3,5192.64,to_date('2005-03-28','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-04-01','YYYY-MM-DD'),'Shipped',NULL,242,to_date('2005-03-28','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10397,'S700 3962',36,100,2,3789.72,to_date('2005-03-28','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-04-01','YYYY-MM-DD'),'Shipped',NULL,242,to_date('2005-03-28','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10397,'S72 3212',34,62,24,1,2116.16,to_date('2005-03-28','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-04-01','YYYY-MM-DD'),'Shipped',NULL,242,to_date('2005-03-28','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S18 1662',33,100,11,4215.09,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S18 2581',34,76,88,15,2613.92,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S18 3029',28,72,26,18,2023.28,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S18 3856',45,100,17,4811.85,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S24 1785',43,100,16,5552.16,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES (10398,'S24 2841',28,57.55,3,1611.4,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S24 3420',34,71.67,13,2436.78,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S24 3949',41,68.24,2,2797.84,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S24 4278',45,78.25,14,3521.25,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S32 4289',22,67.41,4,1483.02,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S50 1341',49,36.66,5,1796.34,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S700 1691',47,87.69,6,4121.43,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S700 2047',36,100.7,3910.32,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S700 2466',22,86.76,8,1908.72,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S700 2834',23,100.9,2810.83,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S700 3167',29,65.6,10,1902.4,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S700 4002',36,87.36,12,3144.96,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10398,'S72 1253',34,40.22,1,1367.48,to_date('2005-03-30','YYYY-MM-DD'),to_date('2005-04-09','YYYY-MM-DD'),to_date('2005-03-31','YYYY-MM-DD'),'Shipped',NULL,353,to_date('2005-03-30','YYYY-MM-DD'),1,3,2005);
INSERT INTO ORDERFACT VALUES (10399,'S10 1678',40,100.8,4555.2,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),'Shipped',NULL,496,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10399,'S10 2016',51,100.7,6308.7,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),'Shipped',NULL,496,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10399,'S10 4698',22,100.6,3493.6,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),'Shipped',NULL,496,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10399,'S12 2823',29,100.5,4761.22,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),'Shipped',NULL,496,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10399,'S18 2625',30,68.44,4,2053.2,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),'Shipped',NULL,496,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10399,'S24 1578',57,100.3,6038.58,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),'Shipped',NULL,496,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10399,'S24 2000',58,89.12,2,5168.96,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),'Shipped',NULL,496,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10399,'S32 1374',32,99.89,1,3196.48,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-12','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),'Shipped',NULL,496,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10400,'S10 4757',64,100.9,9661.44,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10400,'S18 1662',34,100.1,6433.82,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10400,'S18 3029',30,74.84,7,2245.2,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10400,'S18 3856',58,100.6,7307.42,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10400,'S24 2841',24,61.66,2,1479.84,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10400,'S24 3420',38,57.2,3,2173.6,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10400,'S24 3816',42,72.96,8,3064.32,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10400,'S700 2047',46,87.8,5,4038.8,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10400,'S72 1253',20,56.12,4,1122.4,to_date('2005-04-01','YYYY-MM-DD'),to_date('2005-04-11','YYYY-MM-DD'),to_date('2005-04-04','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',450,to_date('2005-04-01','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10401,'S18 2581',42,76.03,3,3193.26,to_date('2005-04-03','YYYY-MM-DD'),to_date('2005-04-03','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10401,'S24 1785',38,96.29,5,3659.02,to_date('2005-04-03','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10401,'S24 3949',64,60.05,12,3843.2,to_date('2005-04-03','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10401,'S24 4278',52,81.14,4,4219.28,to_date('2005-04-03','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10401,'S32 1374',49,100.1,4992.61,to_date('2005-04-03','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10401,'S32 4289',62,77.73,6,4819.26,to_date('2005-04-03','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10401,'S50 1341',56,35.35,7,1979.6,to_date('2005-04-03','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10401,'S700 1691',11,100.8,1135.31,to_date('2005-04-03','YYYY-MM-DD'),to_date('2005-04-14','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
03', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10401,'S700_2466',85,88.75,10,7543.75,to_date('2005-04-03', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10401,'S700_2834',21,96.11,2,2018.31,to_date('2005-04-03', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10401,'S700_3167',77,92,9,7084,to_date('2005-04-03', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10401,'S700_4002',28,72.55,11,2031.4,to_date('2005-04-03', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',328,to_date('2005-04-03', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10402,'S10_2016',45,100,1,5833.8,to_date('2005-04-07', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-12', 'YYYY-MM-DD'),'Shipped',NULL,406,to_date('2005-04-07', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10402,'S18_2625',55,55.72,2,3064.6,to_date('2005-04-07', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-12', 'YYYY-MM-DD'),'Shipped',NULL,406,to_date('2005-04-07', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10402,'S24_2000',59,87.6,3,5168.4,to_date('2005-04-07', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-12', 'YYYY-MM-DD'),'Shipped',NULL,406,to_date('2005-04-07', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10403,'S10_1678',24,100,7,2434.56,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-18', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,201,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10403,'S10_4698',66,100,9,11886.6,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-18', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,201,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10403,'S12_2823',66,100,6,8648.64,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-18', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,201,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10403,'S18_3782',36,52.22,1,1879.92,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-18', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,201,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10403,'S24_1578',46,100,8,5287.7,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-18', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,201,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10403,'S24_2360',27,79.65,4,2150.55,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-18', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,201,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10403,'S32_2206',30,40.23,2,1206.9,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-18', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,201,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10403,'S32_4485',45,100,5,5189.4,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-18', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,201,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10403,'S50_4713',31,68.34,3,2118.54,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-18', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,201,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10404,'S12_1099',64,100,3,13199.4,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,323,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10404,'S12_3380',43,100,1,4696.46,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,323,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10404,'S12_3990',77,74.21,4,5714.17,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,323,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10404,'S18_3278',90,73.17,6,6585.3,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,323,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10404,'S18_3482',28,100,5,3745.28,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,323,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10404,'S18_4721',48,100,8,6928.32,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,323,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10404,'S24_3371',49,62.45,2,3060.05,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,323,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10404,'S24_4620',48,93.77,7,4500.96,to_date('2005-04-08', 'YYYY-MM-DD'),to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-11', 'YYYY-MM-DD'),'Shipped',NULL,323,to_date('2005-04-08', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10405,'S12_4675',97,93.28,5,9048.16,to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-24', 'YYYY-MM-DD'),to_date('2005-04-20', 'YYYY-MM-DD'),'Shipped',NULL,209,to_date('2005-04-14', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10405,'S18_1889',61,73.92,4,4509.12,to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-24', 'YYYY-MM-DD'),to_date('2005-04-20', 'YYYY-MM-DD'),'Shipped',NULL,209,to_date('2005-04-14', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10405,'S18_3232',55,100,1,8289.05,to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-24', 'YYYY-MM-DD'),to_date('2005-04-20', 'YYYY-MM-DD'),'Shipped',NULL,209,to_date('2005-04-14', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10405,'S24_2972',47,44.56,2,2094.32,to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-24', 'YYYY-MM-DD'),to_date('2005-04-20', 'YYYY-MM-DD'),'Shipped',NULL,209,to_date('2005-04-14', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10405,'S24_3856',76,100,3,11739.7,to_date('2005-04-14', 'YYYY-MM-DD'),to_date('2005-04-24', 'YYYY-MM-DD'),to_date('2005-04-20', 'YYYY-MM-DD'),'Shipped',NULL,209,to_date('2005-04-14', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10406,'S18_1129',61,100,3,8374.69,to_date('2005-04-15', 'YYYY-MM-DD'),to_date('2005-04-25', 'YYYY-MM-DD'),to_date('2005-04-21', 'YYYY-MM-DD'),'Disputed','Customer claims container with shipment was damaged during shipping and some items were missing. I am talking to FedEx about this.',145,to_date('2005-04-15', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10406,'S18_1984',48,100,2,7169.28,to_date('2005-04-15', 'YYYY-MM-DD'),to_date('2005-04-25', 'YYYY-MM-DD'),to_date('2005-04-21', 'YYYY-MM-DD'),'Disputed','Customer claims container with shipment was damaged during shipping and some items were missing. I am talking to FedEx about this.',145,to_date('2005-04-15', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10406,'S18_3685',65,100,1,10468.9,to_date('2005-04-15', 'YYYY-MM-DD'),to_date('2005-04-25', 'YYYY-MM-DD'),to_date('2005-04-21', 'YYYY-MM-DD'),'Disputed','Customer claims container with shipment was damaged during shipping and some items were missing. I am talking to FedEx about this.',145,to_date('2005-04-15', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10407,'S18_1589',59,100,11,7048.14,to_date('2005-04-22', 'YYYY-MM-DD'),to_date('2005-05-04', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-22', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10407,'S18_1749',76,100,2,14082.8,to_date('2005-04-22', 'YYYY-MM-DD'),to_date('2005-05-04', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-22', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10407,'S18_2248',42,72.65,1,3051.3,to_date('2005-04-22', 'YYYY-MM-DD'),to_date('2005-05-04', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-22', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10407,'S18_2870',41,100,12,6386.16,to_date('2005-04-22', 'YYYY-MM-DD'),to_date('2005-05-04', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-22', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10407,'S18_4409',6,90.19,3,541.14,to_date('2005-04-22', 'YYYY-MM-DD'),to_date('2005-05-04', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-22', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10407,'S18_4933',66,66.99,4,4421.34,to_date('2005-04-22', 'YYYY-MM-DD'),to_date('2005-05-04', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-22', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES(10407,'S24_1046',26,76.43,8,1987.18,to_date('2005-04-22', 'YYYY-MM-DD'),to_date('2005-05-04', 'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
22', 'YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10407,'S24 1628',64,40.25,10,2576,to_date('2005-04-22','YYYY-MM-DD'),to_date('2005-05-04',
'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-
22','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10407,'S24 2766',76,94.5,6,7182,to_date('2005-04-22','YYYY-MM-DD'),to_date('2005-05-04',
'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-
22','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10407,'S24 2887',59,98.65,5,5820.35,to_date('2005-04-22','YYYY-MM-DD'),to_date('2005-05-04',
'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-
22','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10407,'S24 3191',13,81.33,7,1057.29,to_date('2005-04-22','YYYY-MM-DD'),to_date('2005-05-04',
'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-
22','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10407,'S24 3432',43,86.73,9,3729.39,to_date('2005-04-22','YYYY-MM-DD'),to_date('2005-05-04',
'YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',450,to_date('2005-04-
22','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10408,'S24 3969',15,36.93,1,553.95,to_date('2005-04-22','YYYY-MM-DD'),to_date('2005-04-29',
'YYYY-MM-DD'),to_date('2005-04-27','YYYY-MM-DD'),'Shipped',NULL,398,to_date('2005-04-22','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10409,'S18 2325',6,100,2,785.64,to_date('2005-04-23','YYYY-MM-DD'),to_date('2005-05-05',
'YYYY-MM-DD'),to_date('2005-04-24','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2005-04-23','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10409,'S24 1937',61,29.54,1,1801.94,to_date('2005-04-23','YYYY-MM-DD'),to_date('2005-05-05',
'YYYY-MM-DD'),to_date('2005-04-24','YYYY-MM-DD'),'Shipped',NULL,166,to_date('2005-04-23','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10410,'S18 1342',65,100,7,7612.8,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10',
'YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357,to_date('2005-04-29','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10410,'S18 1367',44,58.22,6,2561.68,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10',
'YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357,to_date('2005-04-29','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10410,'S18 2795',56,100,8,7749.28,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10',
'YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357,to_date('2005-04-29','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10410,'S18 2949',47,100,1,5523.44,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10',
'YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357,to_date('2005-04-29','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10410,'S18 2957',53,58.09,3,3078.77,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10',
'YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357,to_date('2005-04-29','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10410,'S18 3136',34,100,2,3916.46,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10',
'YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357,to_date('2005-04-29','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10410,'S18 3320',44,84.33,5,3710.52,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10',
'YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357,to_date('2005-04-29','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10410,'S24 2022',31,45.25,9,1402.75,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10',
'YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357,to_date('2005-04-29','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10410,'S24 4258',50,86.68,4,4334,to_date('2005-04-29','YYYY-MM-DD'),to_date('2005-05-10',
'YYYY-MM-DD'),to_date('2005-04-30','YYYY-MM-DD'),'Shipped',NULL,357,to_date('2005-04-29','YYYY-MM-DD'),2,4,2005);
INSERT INTO ORDERFACT VALUES (10411,'S10 1949',23,100,9,4140.23,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08',
'YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2005-05-01','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10411,'S10 4962',27,100,2,4427.73,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08',
'YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2005-05-01','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10411,'S12 1666',40,100,6,6232,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08',
'YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2005-05-01','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10411,'S18 1097',27,100,8,3213,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08',
'YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2005-05-01','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10411,'S18 4600',46,100,3,5235.72,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08',
'YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2005-05-01','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10411,'S18 4668',35,59.87,7,2095.45,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08',
'YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2005-05-01','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10411,'S32 1268',26,100,1,2904.72,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08',
'YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2005-05-01','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10411,'S32 3522',27,69.16,5,1867.32,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08',
'YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2005-05-01','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10411,'S700 2824',34,100,4,3576.8,to_date('2005-05-01','YYYY-MM-DD'),to_date('2005-05-08',
'YYYY-MM-DD'),to_date('2005-05-06','YYYY-MM-DD'),'Shipped',NULL,233,to_date('2005-05-01','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S12 4473',54,100,5,5951.34,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S18 2238',41,100,4,6712.93,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S18 2319',56,98.18,8,5498.08,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S18 2432',47,61.99,11,2913.53,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S18 3232',60,100,9,11887.8,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S24 1444',21,52.6,2,1104.6,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S24 2300',70,100,10,8498,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S24 2840',30,36.07,6,1082.1,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S24 4048',31,100,1,4253.2,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S32 2509',19,48.7,7,925.3,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10412,'S50 1392',26,100,3,3460.86,to_date('2005-05-03','YYYY-MM-DD'),to_date('2005-05-13',
'YYYY-MM-DD'),to_date('2005-05-05','YYYY-MM-DD'),'Shipped',NULL,141,to_date('2005-05-03','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10413,'S12 1108',36,100,2,8677.8,to_date('2005-05-05','YYYY-MM-DD'),to_date('2005-05-14',
'YYYY-MM-DD'),to_date('2005-05-09','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this
shipping',175,to_date('2005-05-05','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10413,'S12 3148',47,100,3,8236.75,to_date('2005-05-05','YYYY-MM-DD'),to_date('2005-05-14',
'YYYY-MM-DD'),to_date('2005-05-09','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this
shipping',175,to_date('2005-05-05','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10413,'S12 3891',22,100,1,3387.78,to_date('2005-05-05','YYYY-MM-DD'),to_date('2005-05-14',
'YYYY-MM-DD'),to_date('2005-05-09','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this
shipping',175,to_date('2005-05-05','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES (10413,'S18 4027',49,100,5,6896.75,to_date('2005-05-05','YYYY-MM-DD'),to_date('2005-05-14',
'YYYY-MM-DD'),to_date('2005-05-09','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this
shipping',175,to_date('2005-05-05','YYYY-MM-DD'),2,5,2005);
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES(10413,'S32_3207',24,49.71,6,1193.04,to_date('2005-05-05','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),to_date('2005-05-09','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',175,to_date('2005-05-05','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10413,'S50_1514',51,63.85,4,3256.35,to_date('2005-05-05','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),to_date('2005-05-09','YYYY-MM-DD'),'Shipped','Customer requested that DHL is used for this shipping',175,to_date('2005-05-05','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S10_4757',19,100,3,2764.88,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S18_3029',44,73.98,1,3255.12,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S18_3140',41,100,12,4872.03,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S18_3259',48,100,14,5808.48,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S18_4522',16,75.48,11,1207.68,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S24_2011',23,100,10,3335.23,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S24_3151',60,100,5,6107.4,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer Credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S24_3816',51,76.31,2,3891.81,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S700_1138',37,71.34,6,2639.58,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S700_1938',34,100,13,3533.62,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S700_2610',31,75.89,4,2352.59,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S700_3505',28,100,7,3029.04,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S700_3962',27,90.37,8,2439.99,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10414,'S72_3212',47,65.52,9,3079.44,to_date('2005-05-06','YYYY-MM-DD'),to_date('2005-05-13','YYYY-MM-DD'),NULL,'On Hold','Customer credit limit exceeded. Will ship when a payment is received.',362,to_date('2005-05-06','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10415,'S18_3856',51,100,5,6209.25,to_date('2005-05-09','YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),to_date('2005-05-12','YYYY-MM-DD'),'Disputed','Customer claims the scales of the models don't match what was discussed. I keep all the paperwork though to prove otherwise',471,to_date('2005-05-09','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10415,'S24_2841',21,67.82,1,1424.22,to_date('2005-05-09','YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),to_date('2005-05-12','YYYY-MM-DD'),'Disputed','Customer claims the scales of the models don't match what was discussed. I keep all the paperwork though to prove otherwise',471,to_date('2005-05-09','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10415,'S24_3420',18,69.7,2,1254.6,to_date('2005-05-09','YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),to_date('2005-05-12','YYYY-MM-DD'),'Disputed','Customer claims the scales of the models don't match what was discussed. I keep all the paperwork though to prove otherwise',471,to_date('2005-05-09','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10415,'S700_2047',32,95.95,4,3070.4,to_date('2005-05-09','YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),to_date('2005-05-12','YYYY-MM-DD'),'Disputed','Customer claims the scales of the models don't match what was discussed. I keep all the paperwork though to prove otherwise',471,to_date('2005-05-09','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10415,'S72_1253',42,57.61,3,2419.62,to_date('2005-05-09','YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),to_date('2005-05-12','YYYY-MM-DD'),'Disputed','Customer claims the scales of the models don't match what was discussed. I keep all the paperwork though to prove otherwise',471,to_date('2005-05-09','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S18_1662',24,100,14,4352.16,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S18_2581',15,98.84,4,1482.6,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S24_1785',47,88.63,6,4165.61,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S24_2000',32,87.6,1,2803.2,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S24_3949',18,75.06,13,1351.08,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S24_4278',48,74.62,5,3581.76,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S32_1374',45,100,2,4764.6,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S32_4289',26,61.22,7,1591.72,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S50_1341',37,51.93,8,1921.41,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S700_1691',23,91.34,9,2100.82,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S700_2466',22,100,11,2457.18,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S700_2834',41,100,3,5642.83,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S700_3167',39,67.2,10,2620.8,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10416,'S700_4002',43,62.19,12,2674.17,to_date('2005-05-10','YYYY-MM-DD'),to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-14','YYYY-MM-DD'),'Shipped',NULL,386,to_date('2005-05-10','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10417,'S10_1678',66,100,2,7516.08,to_date('2005-05-13','YYYY-MM-DD'),to_date('2005-05-19',
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Disputed','Customer doesn't like the colors and precision of the
models.',141,to_date('2005-05-13','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10417,'S10 2016',45,100,5,5887.35,to_date('2005-05-13','YYYY-MM-DD'),to_date('2005-05-19',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Disputed','Customer doesn't like the colors and precision of the
models.',141,to_date('2005-05-13','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10417,'S10 4698',56,100,4,9218.16,to_date('2005-05-13','YYYY-MM-DD'),to_date('2005-05-19',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Disputed','Customer doesn't like the colors and precision of the
models.',141,to_date('2005-05-13','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10417,'S12 2823',21,100,1,3447.78,to_date('2005-05-13','YYYY-MM-DD'),to_date('2005-05-19',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Disputed','Customer doesn't like the colors and precision of the
models.',141,to_date('2005-05-13','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10417,'S18 2625',36,61.18,6,2202.48,to_date('2005-05-13','YYYY-MM-DD'),to_date('2005-05-19',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Disputed','Customer doesn't like the colors and precision of the
models.',141,to_date('2005-05-13','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10417,'S24 1578',35,100,3,3550.05,to_date('2005-05-13','YYYY-MM-DD'),to_date('2005-05-19',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Disputed','Customer doesn't like the colors and precision of the
models.',141,to_date('2005-05-13','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10418,'S18 3278',16,76.39,2,1222.24,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24',
'YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412,to_date('2005-05-16','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10418,'S18 3482',27,100,1,4445.01,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24',
'YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412,to_date('2005-05-16','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10418,'S18 3782',33,52.84,5,1743.72,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24',
'YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412,to_date('2005-05-16','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10418,'S18 4721',28,100,4,3833.2,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24',
'YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412,to_date('2005-05-16','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10418,'S24 2360',52,65.8,8,3421.6,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24',
'YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412,to_date('2005-05-16','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10418,'S24 4620',10,87.31,3,873.1,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24',
'YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412,to_date('2005-05-16','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10418,'S32 2206',43,48.28,6,2076.04,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24',
'YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412,to_date('2005-05-16','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10418,'S32 4485',50,100,9,5664,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24',
'YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412,to_date('2005-05-16','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10418,'S50 4713',40,72.41,7,2896.4,to_date('2005-05-16','YYYY-MM-DD'),to_date('2005-05-24',
'YYYY-MM-DD'),to_date('2005-05-20','YYYY-MM-DD'),'Shipped',NULL,412,to_date('2005-05-16','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S12 1099',12,100,13,1961.28,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S12 3380',10,100,11,1092.2,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S12 3990',34,90.17,14,3065.78,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S12 4675',32,100,10,3832.64,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S18 1129',38,100,5,4464.24,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S18 1589',37,100,1,5202.94,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S18 1889',39,83.93,9,3273.27,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S18 1984',34,100,4,4594.76,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S18 2870',55,100,2,7695.6,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S18 3232',35,100,6,5926.9,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S18 3685',43,100,3,5589.14,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S24 2972',15,42.67,7,640.05,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S24 3371',55,52.66,12,2896.3,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10419,'S24 3856',70,100,8,9240,to_date('2005-05-17','YYYY-MM-DD'),to_date('2005-05-28',
'YYYY-MM-DD'),to_date('2005-05-19','YYYY-MM-DD'),'Shipped',NULL,382,to_date('2005-05-17','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S18 1749',37,100,5,5283.6,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S18 2248',36,63.57,4,2288.52,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S18 2325',45,100,2,4977,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S18 4409',66,92.95,6,6134.7,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S18 4933',36,57.73,7,2078.28,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S24 1046',60,64.67,11,3880.2,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S24 1628',37,60.37,13,2233.69,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S24 1937',45,26.88,1,1209.6,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S24 2766',39,100,9,3933.93,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S24 2887',55,96.3,8,5296.5,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S24 3191',35,96.74,10,3385.9,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S24 3432',26,100,12,2617.16,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10420,'S24 3969',15,43.49,3,652.35,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-07',
'YYYY-MM-DD'),NULL,'In Process',NULL,282,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10421,'S18 2795',35,100,1,5433.75,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-06',
'YYYY-MM-DD'),NULL,'In Process','Custom shipping instructions were sent to warehouse',124,to_date('2005-05-29','YYYY-MM-
DD'),2,5,2005);
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO ORDERFACT VALUES(10421,'S24 2022',40,45.7,2,1828,to_date('2005-05-29','YYYY-MM-DD'),to_date('2005-06-06','YYYY-MM-DD'),NULL,'In Process','Custom shipping instructions were sent to warehouse',124,to_date('2005-05-29','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10422,'S18 1342',51,95.55,2,4873.05,to_date('2005-05-30','YYYY-MM-DD'),to_date('2005-06-11','YYYY-MM-DD'),NULL,'In Process',NULL,157,to_date('2005-05-30','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10423,'S18 1367',25,51.75,1,1293.75,to_date('2005-05-30','YYYY-MM-DD'),to_date('2005-06-11','YYYY-MM-DD'),NULL,'In Process',NULL,157,to_date('2005-05-30','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10423,'S18 2949',10,88.14,1,881.4,to_date('2005-05-30','YYYY-MM-DD'),to_date('2005-06-05','YYYY-MM-DD'),NULL,'In Process',NULL,314,to_date('2005-05-30','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10423,'S18 2957',31,53.72,3,1665.32,to_date('2005-05-30','YYYY-MM-DD'),to_date('2005-06-05','YYYY-MM-DD'),NULL,'In Process',NULL,314,to_date('2005-05-30','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10423,'S18 3136',21,84.82,2,1781.22,to_date('2005-05-30','YYYY-MM-DD'),to_date('2005-06-05','YYYY-MM-DD'),NULL,'In Process',NULL,314,to_date('2005-05-30','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10423,'S18 3320',21,89.29,5,1875.09,to_date('2005-05-30','YYYY-MM-DD'),to_date('2005-06-05','YYYY-MM-DD'),NULL,'In Process',NULL,314,to_date('2005-05-30','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10423,'S24 4258',28,78.89,4,2208.92,to_date('2005-05-30','YYYY-MM-DD'),to_date('2005-06-05','YYYY-MM-DD'),NULL,'In Process',NULL,314,to_date('2005-05-30','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10424,'S10 1949',50,100,6,12001,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-08','YYYY-MM-DD'),NULL,'In Process',NULL,141,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10424,'S12 1666',49,100,3,7969.36,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-08','YYYY-MM-DD'),NULL,'In Process',NULL,141,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10424,'S18 1097',54,100,5,7182,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-08','YYYY-MM-DD'),NULL,'In Process',NULL,141,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10424,'S18 4668',26,59.87,4,1556.62,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-08','YYYY-MM-DD'),NULL,'In Process',NULL,141,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10424,'S32 3522',44,61.41,2,2702.04,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-08','YYYY-MM-DD'),NULL,'In Process',NULL,141,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10424,'S700 2824',46,80.92,1,3722.32,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-08','YYYY-MM-DD'),NULL,'In Process',NULL,141,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S10 4962',38,100,12,5894.94,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S12 4473',33,100,4,4692.6,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S18 2238',28,100,3,5318.04,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S18 2319',38,99.41,7,3777.58,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S18 2432',19,49.22,10,935.18,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S18 3232',28,100,8,3793.16,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S18 4600',38,100,13,4325.16,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S24 1444',55,46.82,1,2575.1,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S24 2300',49,100,9,5510.54,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S24 2840',31,33.24,5,1030.44,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S32 1268',41,86.68,11,3553.88,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S32 2509',11,43.83,6,482.13,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
INSERT INTO ORDERFACT VALUES(10425,'S50 1392',18,100,2,1895.94,to_date('2005-05-31','YYYY-MM-DD'),to_date('2005-06-07','YYYY-MM-DD'),NULL,'In Process',NULL,119,to_date('2005-05-31','YYYY-MM-DD'),2,5,2005);
--

INSERT INTO DIM_TIME VALUES(to_date('2003-01-06','YYYY-MM-DD'),1,1,2003,'Jan','January','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-01-09','YYYY-MM-DD'),1,1,2003,'Jan','January','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-01-10','YYYY-MM-DD'),1,1,2003,'Jan','January','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-01-29','YYYY-MM-DD'),1,1,2003,'Jan','January','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-01-31','YYYY-MM-DD'),1,1,2003,'Jan','January','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-02-11','YYYY-MM-DD'),2,1,2003,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-02-17','YYYY-MM-DD'),2,1,2003,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-02-24','YYYY-MM-DD'),2,1,2003,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-03-03','YYYY-MM-DD'),3,1,2003,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-03-10','YYYY-MM-DD'),3,1,2003,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-03-18','YYYY-MM-DD'),3,1,2003,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-03-24','YYYY-MM-DD'),3,1,2003,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-03-25','YYYY-MM-DD'),3,1,2003,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-03-26','YYYY-MM-DD'),3,1,2003,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2003-04-01','YYYY-MM-DD'),4,2,2003,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-04-04','YYYY-MM-DD'),4,2,2003,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-04-11','YYYY-MM-DD'),4,2,2003,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-04-16','YYYY-MM-DD'),4,2,2003,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-04-21','YYYY-MM-DD'),4,2,2003,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-04-28','YYYY-MM-DD'),4,2,2003,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-04-29','YYYY-MM-DD'),4,2,2003,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-05-07','YYYY-MM-DD'),5,2,2003,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-05-08','YYYY-MM-DD'),5,2,2003,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-05-20','YYYY-MM-DD'),5,2,2003,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-05-21','YYYY-MM-DD'),5,2,2003,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-05-28','YYYY-MM-DD'),5,2,2003,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-06-03','YYYY-MM-DD'),6,2,2003,'Jun','June','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-06-06','YYYY-MM-DD'),6,2,2003,'Jun','June','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-06-12','YYYY-MM-DD'),6,2,2003,'Jun','June','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-06-16','YYYY-MM-DD'),6,2,2003,'Jun','June','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-06-25','YYYY-MM-DD'),6,2,2003,'Jun','June','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-06-27','YYYY-MM-DD'),6,2,2003,'Jun','June','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2003-07-01','YYYY-MM-DD'),7,3,2003,'Jul','July','QTR3','Quarter 3');
INSERT INTO DIM_TIME VALUES(to_date('2003-07-02','YYYY-MM-DD'),7,3,2003,'Jul','July','QTR3','Quarter 3');
INSERT INTO DIM_TIME VALUES(to_date('2003-07-04','YYYY-MM-DD'),7,3,2003,'Jul','July','QTR3','Quarter 3');
```







# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
INSERT INTO DIM_TIME VALUES(to_date('2005-01-23','YYYY-MM-DD'),1,1,2005,'Jan','January','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-01-26','YYYY-MM-DD'),1,1,2005,'Jan','January','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-01-31','YYYY-MM-DD'),1,1,2005,'Jan','January','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-02','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-03','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-08','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-09','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-10','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-16','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-17','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-22','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-23','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-02-28','YYYY-MM-DD'),2,1,2005,'Feb','February','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-01','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-02','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-03','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-04','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-09','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-10','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-11','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-15','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-17','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-23','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-28','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-03-30','YYYY-MM-DD'),3,1,2005,'Mar','March','QTR1','Quarter 1');
INSERT INTO DIM_TIME VALUES(to_date('2005-04-01','YYYY-MM-DD'),4,2,2005,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-04-03','YYYY-MM-DD'),4,2,2005,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-04-07','YYYY-MM-DD'),4,2,2005,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-04-08','YYYY-MM-DD'),4,2,2005,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-04-14','YYYY-MM-DD'),4,2,2005,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-04-15','YYYY-MM-DD'),4,2,2005,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-04-22','YYYY-MM-DD'),4,2,2005,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-04-23','YYYY-MM-DD'),4,2,2005,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-04-29','YYYY-MM-DD'),4,2,2005,'Apr','April','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-01','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-03','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-05','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-06','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-09','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-10','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-13','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-16','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-17','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-29','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-30','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');
INSERT INTO DIM_TIME VALUES(to_date('2005-05-31','YYYY-MM-DD'),5,2,2005,'May','May','QTR2','Quarter 2');

INSERT INTO CUSTOMER_W_TER VALUES(103,'Atelier graphique','Schmitt','Carine','40.32.2555','54, rue
Royale',NULL,'Nantes',NULL,'44000','France',1370,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(112,'Signal Gift Stores','King','Sue','7025551838','8489 Strong St.',NULL,'Las
Vegas','NV','83030','USA',1166,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(114,'Australian Collectors, Co.','Ferguson','Peter','03 9520 4555','636 St Kilda
Road','Level 3','Melbourne','Victoria','3004','Australia',1611,100,'APAC');
INSERT INTO CUSTOMER_W_TER VALUES(119,'La Rochelle Gifts','Labrunne','Janine','40.67.8555','67, rue des Cinquante
Otages',NULL,'Nantes',NULL,'44000','France',1370,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(121,'Baane Mini Imports','Bergulfsen','Jonas','07-98 9555','Erling Skakkes gate
78',NULL,'Stavern',NULL,'4110','Norway',1504,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(124,'Mini Gifts Distributors Ltd.','Nelson','Valarie','4155551450','5677 Strong
St.',NULL,'San Rafael','CA','97562','USA',1165,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(125,'Havel ' || chr(38) || ' Zbyszek Co.','Plestrzeniewicz','Zbyszek','(26) 642-7555','ul.
Filtrowa 68',NULL,'Warszawa',NULL,'01-012','Poland',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(128,'Blauer See Auto, Co.','Keitel','Roland','+49 69 66 90 2555','Lyonerstr.
34',NULL,'Frankfurt',NULL,'60528','Germany',1504,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(129,'Mini Wheels Co.','Murphy','Julie','6505555787','5557 North Pendale Street',NULL,'San
Francisco','CA','94217','USA',1165,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(131,'Land of Toys Inc.','Yu','Kwai','2125557818','897 Long Airport
Avenue',NULL,'NYC','NY','10022','USA',1323,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(141,'Euro+ Shopping Channel','Freyre','Diego','(91) 555 94 44','C/ Moralzarzal,
86',NULL,'Madrid',NULL,'28034','Spain',1370,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(144,'Volvo Model Replicas, Co.','Berglund','Christina','0921-12 3555','Berguvsu00e4gen
8',NULL,'Luleu00e5',NULL,'S-958 22','Sweden',1504,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(145,'Danish Wholesale Imports','Petersen','Jytte','31 12 3555','Vinbu00e6ltet
34',NULL,'Kobenhavn',NULL,'1734','Denmark',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(146,'Saveley ' || chr(38) || ' Henriot, Co.','Saveley','Mary','78.32.5555','2, rue du
Commerce',NULL,'Lyon',NULL,'69004','France',1337,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(148,'Dragon Souveniers, Ltd.','Natividad','Eric','+65 221 7555','Bronz Sok., Bronz Apt.
3/6 Tesvikiye',NULL,'Singapore',NULL,'079903','Singapore',1621,100,'Japan');
INSERT INTO CUSTOMER_W_TER VALUES(151,'Muscle Machine Inc.','Young','Jeff','2125557413','4092 Furth Circle','Suite
400',NULL,'NYC','NY','10022','USA',1286,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(157,'Diecast Classics Inc.','Yu','Kyung','2155551555','7586 Pompton
St.',NULL,'Allentown','PA','70267','USA',1216,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(161,'Technics Stores Inc.','Hirano','Juri','6505556809','9408 Furth
Circle',NULL,'Burlingame','CA','94217','USA',1165,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(166,'Handji Gifts ' || chr(38) || ' Co.','Victorino','Wendy','+65 224 1555','Village Close -
106 Linden Road Sandown','2nd Floor','Singapore',NULL,'069045','Singapore',1612,100,'APAC');
INSERT INTO CUSTOMER_W_TER VALUES(167,'Herku Gifts','Oeztan','Veysel','+47 2267 3215','Drammen 121, PR 744
Sentrum',NULL,'Bergen',NULL,'N 5804','Norway',1504,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(168,'American Souvenirs Inc.','Franco','Sue','2035557845','149 Spinnaker Dr.','Suite
101','New Haven','CT','97823','USA',1286,0,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(169,'Porto Imports Co.','de Castro','Isabel','(1) 356-5555','Estrada da sauu00fade n.
58',NULL,'Lisboa',NULL,'1756','Portugal',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(171,'Daedalus Designs Imports','Rancu00e9','Martine','20.16.1555','184, chaussu00e9e de
```

# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
Tournai',NULL,'Lille',NULL,'59000','France',1370,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(172,'La Corne D'abondance, Co.', 'Bertrand', 'Marie', '(1) 42.34.2555', '265, boulevard
Charonne',NULL,'Paris',NULL,'75012','France',1337,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(173,'Cambridge Collectables Co.', 'Tseng', 'Kyung', '6175555555', '4658 Baden
Av.',NULL,'Cambridge', 'MA', '51247', 'USA', 1188, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(175,'Gift Depot Inc.', 'King', 'Julie', '2035552570', '25593 South Bay
Ln.',NULL,'Bridgewater', 'CT', '97562', 'USA', 1323, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(177,'Osaka Souvenirs Co.', 'Kentary', 'Mory', '+81 06 6342 5555', 'Dojima Avanza 4F, 1-6-20
Dojima, Kita-ku',NULL,'Osaka', 'Osaka', '530-0003', 'Japan', 1621, 100, 'Japan');
INSERT INTO CUSTOMER_W_TER VALUES(181,'Vitachrome Inc.', 'Frick', 'Michael', '2125551500', '2678 Kingston Rd.', 'Suite
101', 'NYC', 'NY', '10022', 'USA', 1286, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(186,'Toys of Finland, Co.', 'Karttunen', 'Matti', '90-224 8555', 'Keskuskatu
45',NULL,'Helsinki',NULL,'21240','Finland',1501,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(187,'AV Stores, Co.', 'Ashworth', 'Victoria', '(171) 555-1555', 'Fauntleroy
Circus',NULL,'Manchester',NULL,'EC2 5NT','UK',1501,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(189,'Clover Collections, Co.', 'Cassidy', 'Dean', '+353 1862 1555', '25 Maiden Lane', 'Floor
No. 4', 'Dublin', NULL, '2', 'Ireland', 1504, 100, 'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(198,'Auto-Moto Classics Inc.', 'Taylor', 'Leslie', '6175558428', '16780 Pompton
St.',NULL,'Brickhaven', 'MA', '58339', 'USA', 1216, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(201,'UK Collectables, Ltd.', 'Devon', 'Elizabeth', '(171) 555-2282', 'Berkeley Gardens 12
Brewery',NULL,'Liverpool',NULL,'WV1 6LT','UK',1501,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(202,'Canadian Gift Exchange Network', 'Tannamuri', 'Yoshi', '(604) 555-3392', '1900 Oak
St.',NULL,'Vancouver', 'BC', 'V3F 2K1', 'Canada', 1323, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(204,'Online Mini Collectables', 'Barajas', 'Miguel', '6175557555', '7635 Spinnaker
Dr.',NULL,'Brickhaven', 'MA', '58339', 'USA', 1188, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(205,'Toys4GrownUps.com', 'Young', 'Julie', '6265557265', '78934 Hillside
Dr.',NULL,'Pasadena', 'CA', '90003', 'USA', 1166, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(206,'Asian Shopping Network, Co.', 'Walker', 'Brydey', '+612 9411 1555', 'Penthouse Level,
Suntec Tower Three, 8 Temasek',NULL,'Singapore',NULL,'038988','Singapore',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(209,'Mini Caravy', 'Citeaux', 'Fr', 'u00e9d\u00e9rique', '88.60.1555', '24, place
Kl\u00e9ber',NULL,'Strasbourg',NULL,'67000','France',1370,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(211,'King Kong Collectables, Co.', 'Sunwoo', 'Michael', '+852 2251 1555', 'Bank of China
Tower, 1 Garden Road', 'Level 25', 'Central Hong Kong',NULL,'','Hong Kong',1621,100,'Japan');
INSERT INTO CUSTOMER_W_TER VALUES(216,'Enaco Distributors', 'Saavedra', 'Eduardo', '(93) 203 4555', 'Rambla de Catalu\u00f1a,
23',NULL,'Barcelona',NULL,'08022','Spain',1702,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(219,'Boards || chr(38) || Toys Co.', 'Young', 'Leslie', '3105552373', '4097 Douglas
Av.',NULL,'Glendale', 'CA', '92561', 'USA', 1166, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(223,'Nat\u00fcrlich Autos', 'Kloss', 'Horst', '0372-555188', 'Taucherstra\u00df
e 10',NULL,'Cunewalde',NULL,'01307','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(227,'Heintze Collectables', 'Ibsen', 'Palle', '86 21 3555', 'Smagsloget
45',NULL,'u00c5rhus',NULL,'8200','Denmark',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(233,'Qu\u00e9bec Home Shopping Network', 'Fresni', 'Jean', '(514) 555-8054', '43 rue
St. Laurent',NULL,'Mont\u00e9real', 'Qc', 'H1J 1C3', 'Canada', 1286, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(237,'ANG Resellers', 'Camino', 'Alejandra', '(91) 745 6555', 'Gran V\u00e9da,
1',NULL,'Madrid',NULL,'28001','Spain',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(239,'Collectable Mini Designs Co.', 'Thompson', 'Valarie', '7605558146', '361 Furth
Circle',NULL,'San Diego', 'CA', '91217', 'USA', 1166, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(240,'giftsbymail.co.uk', 'Bennett', 'Helen', '(198) 555-8888', 'Garden House Crowther
Way',NULL,'Coves', 'Isle of Wight', 'PO31 7PJ', 'UK', 1501, 100, 'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(242,'Alpha Cognac', 'Roulet', 'Annette', '61.77.6555', '1 rue Alsace-
Lorraine',NULL,'Toulouse',NULL,'31000','France',1370,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(247,'Messner Shopping Network', 'Messner', 'Renate', '069-0555984', 'Magazinweg
7',NULL,'Frankfurt',NULL,'60528','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(249,'Amica Models || chr(38) || Co.', 'Accorti', 'Paolo', '011-4988555', 'Via Monte Bianco
34',NULL,'Torino',NULL,'10100','Italy',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(250,'Lyon Souvenirs', 'Da Cunha', 'Daniel', '+33 1 46 62 7555', '27 rue du Colonel Pierre
Avia',NULL,'Paris',NULL,'75508','France',1337,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(256,'Auto Associ\u00e9s || chr(38) || Cie.', 'Tonini', 'Daniel', '30.59.8555', '67, avenue
de l'Europe',NULL,'Versailles',NULL,'78000','France',1370,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(259,'Toms Spezialit\u00e4ten, Ltd', 'Pfalzheim', 'Henriette', '0221-5554327', 'Mehrerheimerstr.
369',NULL,'K\u00f6ln',NULL,'50739','Germany',1504,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(260,'Royal Canadian Collectables, Ltd.', 'Lincoln', 'Elizabeth', '(604) 555-4555', '23
Tsawassen Blvd.',NULL,'Tsawassen', 'BC', 'T2F 8M4', 'Canada', 1323, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(273,'Franken Gifts, Co.', 'Franken', 'Peter', '089-0877555', 'Berliner Platz
43',NULL,'M\u00f6nchen',NULL,'80805','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(276,'Anna's Decorations, Ltd', 'O'Hara', 'Anna', '02 9936 8555', '201 Miller Street', 'Level
15', 'North Sydney', 'NSW', '2060', 'Australia', 1611, 100, 'APAC');
INSERT INTO CUSTOMER_W_TER VALUES(278,'Rovelli Gifts', 'Rovelli', 'Giovanni', '035-640555', 'Via Ludovico il Moro
22',NULL,'Bergamo',NULL,'24100','Italy',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(282,'Souvenirs And Things Co.', 'Huxley', 'Adrian', '+61 2 9495 8555', 'Monitor Money
Building, 815 Pacific Hwy', 'Level 6', 'Chatswood', 'NSW', '2067', 'Australia', 1611, 100, 'APAC');
INSERT INTO CUSTOMER_W_TER VALUES(286,'Marta's Replicas Co.', 'Hernandez', 'Marta', '6175558555', '39323 Spinnaker
Dr.',NULL,'Cambridge', 'MA', '51247', 'USA', 1216, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(293,'BG || chr(38) || E Collectables', 'Pon', 'Ed', '+41 26 425 50 01', 'Rte des Arsenaux
41',NULL,'Fribourg',NULL,'1700','Switzerland',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(298,'Vida Sport, Ltd', 'Holz', 'Michael', '0897-034555', 'Grenzacherweg
237',NULL,'Gen\u00e8ve',NULL,'1203','Switzerland',1702,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(299,'Norway Gifts By Mail, Co.', 'Klaeboe', 'Jan', '+47 2212 1555', 'Drammensveien 126 A, PB
744 Sentrum',NULL,'Oslo',NULL,'N 0106','Norway',1504,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(303,'Schuyler Imports', 'Schuyler', 'Bradley', '+31 20 491 9555', 'Kingsfordweg
151',NULL,'Amsterdam',NULL,'1043 GR','Netherlands',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(307,'Der Hund Imports', 'Anders', 'Maria', '030-0074555', 'Obere Str.
57',NULL,'Berlin',NULL,'12209','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(311,'Oulu Toy Supplies, Inc.', 'Koskitalo', 'Pirkko', '981-443655', 'Torikatu
38',NULL,'Oulu',NULL,'90110','Finland',1501,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(314,'Petit Auto', 'Dewey', 'Catherine', '(02) 5554 67', 'Rue Joseph-Bens
532',NULL,'Bruxelles',NULL,'B-1180','Belgium',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(319,'Mini Classics', 'Frick', 'Steve', '9145554562', '3758 North Pendale Street',NULL,'White
Plains', 'NY', '24067', 'USA', 1323, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(320,'Mini Creations Ltd.', 'Tam', 'Wing C', '5085559555', '4575 Hillside Dr.',NULL,'New
Bedford', 'MA', '50553', 'USA', 1188, 100, 'NA');
INSERT INTO CUSTOMER_W_TER VALUES(321,'Corporate Gift Ideas Co.', 'Brown', 'Julie', '6505551386', '7734 Strong St.',NULL,'San
```



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
Francisco','CA','94217','USA',1165,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(323,'Down Under Souvenirs, Inc','Graham','Mike','+64 9 312 5555','162-164 Grafton
Road','Level 2','Auckland',NULL,'','New Zealand',1612,100,'APAC');
INSERT INTO CUSTOMER_W_TER VALUES(324,'Stylish Desk Decors, Co.','Brown','Ann','(171) 555-0297','35 King
George',NULL,'London',NULL,'WX3 6FW','UK',1501,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(328,'Tekni Collectables Inc.','Brown','William','2015559350','7476 Moss
Rd.',NULL,'Newark','NJ','94019','USA',1323,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(333,'Australian Gift Network, Co','Calaghan','Tony','61-7-3844-6555','31 Duncan St. West
End',NULL,'South Brisbane','Queensland','4101','Australia',1611,100,'APAC');
INSERT INTO CUSTOMER_W_TER VALUES(334,'Suominen Souvenirs','Suominen','Kalle','+358 9 8045 555','Software Engineering
Center, SEC Oy',NULL,'Espoo',NULL,'FIN-02271','Finland',1501,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(335,'Cramer Spezialit\u00e4ten, Ltd','Cramer','Philip','0555-09555','Maubelstr.
90',NULL,'Brandenburg',NULL,'14776','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(339,'Classic Gift Ideas, Inc','Cervantes','Francisca','2155554695','782 First
Street',NULL,'Philadelphia','PA','71270','USA',1188,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(344,'CAF Imports','Fernandez','Jesus','+34 913 728 555','Merchants House, 27-30
Merchant's Quay',NULL,'Madrid',NULL,'28023','Spain',1702,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(347,'Men 'R' US Retailers, Ltd.','Chandler','Michael','2155554369','6047 Douglas
Av.',NULL,'Los Angeles','CA','91003','USA',1166,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(348,'Asian Treasures, Inc.','McKenna','Patricia','2967 555','8 Johnstown
Road',NULL,'Cork','Co. Cork',NULL,'Ireland',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(350,'Marseille Mini Autos','Lebihan','Laurence','91.24.4555','12, rue des
Bouchers',NULL,'Marseille',NULL,'13008','France',100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(353,'Reims Collectables','Henriot','Paul','26.47.1555','59 rue de
l'Abbaye',NULL,'Reims','Reims',NULL,'51100','France',1337,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(356,'SAR Distributors, Co','Kuger','Armand','+27 21 550 3555','Century City-Montague
Gardens PO Box 37177',NULL,'Chempet',NULL,'7442','South Africa',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(357,'GiftsForHim.com','MacKinlay','Wales','64-9-3763555','199 Great North
Road',NULL,'Auckland',NULL,'','New Zealand',1612,100,'APAC');
INSERT INTO CUSTOMER_W_TER VALUES(361,'Kommission Auto','Josephs','Karin','0251-555259','Luisenstr.
48',NULL,'M\u00f4nchen',NULL,'44087','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(362,'Gifts4AllAges.com','Yoshido','Juri','6175559555','8616 Spinnaker
Dr.',NULL,'Boston','MA','51003','USA',1216,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(363,'Online Diecast Creations Co.','Young','Valarie','6035558647','2304 Long Airport
Avenue',NULL,'Nashua','NH','62005','USA',1216,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(369,'Lisboa Souvenirs, Inc','Rodriguez','Lino','(1) 354-2555','Jardim das rosas n.
32',NULL,'Lisboa',NULL,'1675','Portugal',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(376,'Precious Collectables','Wang','Yang','0452-076555','Hauptstr.
29',NULL,'Bern',NULL,'3012','Switzerland',1702,0,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(379,'Collectables For Less Inc.','Nelson','Allen','6175558555','7825 Douglas
Av.',NULL,'Brixhaven','MA','58339','USA',1188,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(381,'Royale Belge','Cartrain','Pascale','(071) 23 67 2555','Boulevard Tirou,
255',NULL,'Charleroi',NULL,'B-6000','Belgium',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(382,'Salzburg Collectables','Pipps','Georg','6562-9555','Geislweg
14',NULL,'Salzburg',NULL,'5020','Austria',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(385,'Cruz '|| chr(38) || ' Sons Co.','Cruz','Arnold','+63 2 555 3587','15 McCallum Street
- NatWest Center #13-03',NULL,'Makati City',NULL,'1227 MM','Philippines',1621,100,'Japan');
INSERT INTO CUSTOMER_W_TER VALUES(386,'L'ordine Souvenirs','Moroni','Maurizio','0522-556555','Strada Provinciale
124',NULL,'Reggio Emilia',NULL,'42100','Italy',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(398,'Tokyo Collectables, Ltd','Shimamura','Akiko','+81 3 3584 0555','2-2-8
Roppongi',NULL,'Minato-ku','Tokyo','106-0032','Japan',1621,100,'Japan');
INSERT INTO CUSTOMER_W_TER VALUES(406,'Auto Canal+ Petit','Perrier','Dominique','(1) 47.55.6555','25, rue
Lauriston',NULL,'Paris',NULL,'75016','France',1337,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(409,'Stuttgart Collectable Exchange','M\u00f4cfler','Rita','0711-555361','Adenauerallee
900',NULL,'Stuttgart',NULL,'70563','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(412,'Extreme Desk Decorations, Ltd','McRoy','Sarah','04 499 9555','101 Lambton
Quay','Level 11','Wellington',NULL,'','New Zealand',1612,100,'APAC');
INSERT INTO CUSTOMER_W_TER VALUES(415,'Bavarian Collectables Imports, Co.','Donnermeyer','Michael','+49 89 61 08
9555','Hansastr. 15',NULL,'Munich',NULL,'80686','Germany',1504,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(424,'Classic Legends Inc.','Hernandez','Maria','2125558493','5905 Pompton St.','Suite
750','NYC','NY','10022','USA',1286,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(443,'Feuer Online Stores, Inc','Feuer','Alexander','0342-555176','Heerstr.
22',NULL,'Leipzig',NULL,'04179','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(447,'Gift Ideas Corp.','Lewis','Dan','2035554407','2440 Pompton
St.',NULL,'Glendale','CT','97561','USA',1323,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(448,'Scandinavian Gift Ideas','Larsson','Maria','0695-34 6555','\u00c5kergatan
24',NULL,'Br\u00e4nne',NULL,'S-844 67','Sweden',1504,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(450,'The Sharp Gifts Warehouse','Frick','Sue','4085553659','3086 Ingle Ln.',NULL,'San
Jose','CA','94217','USA',1165,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(452,'Mini Auto Werke','Mendel','Roland','7675-3555','Kirchgasse
6',NULL,'Graz',NULL,'8010','Austria',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(455,'Super Scale Inc.','Murphy','Leslie','2035559545','567 North Pendale Street',NULL,'New
Haven','CT','97823','USA',1286,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(456,'Microscale Inc.','Kuo','Kee','2125551957','5290 North Pendale Street','Suite
200','NYC','NY','10022','USA',1286,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(458,'Corrida Auto Replicas, Ltd','Sommer','Mart\u00e9n','(91) 555 22 82','C/ Araquil,
67',NULL,'Madrid',NULL,'28023','Spain',1702,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(459,'Warburg Exchange','Ottlieb','Sven','0241-039123','Walserweg
21',NULL,'Aachen',NULL,'52066','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(462,'FunGiftIdeas.com','Benitez','Violeta','5085552555','1785 First Street',NULL,'New
Bedford','MA','50553','USA',1216,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(465,'Anton Designs, Ltd.','Anton','Carmen','+34 913 728555','c/ Gobelos, 19-1 Urb. La
Florida',NULL,'Madrid',NULL,'28023','Spain',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(471,'Australian Collectables, Ltd','Connelly','Sean','61-9-3844-6555','7 Allen
Street',NULL,'Glen Waverly','Victoria','3150','Australia',1611,100,'APAC');
INSERT INTO CUSTOMER_W_TER VALUES(473,'Frau da Collezione','Ricotti','Franco','+39 022515555','20093 Cologno Monzese, via
Alessandro Volta 16',NULL,'Milan',NULL,'','Italy',1401,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(475,'West Coast Collectables Co.','Thompson','Steve','3105553722','3675 Furth
Circle',NULL,'Burbank','CA','94019','USA',1166,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(477,'Mit Vergn\u00f4gen '|| chr(38) || ' Co.','Moos','Hanna','0621-08555','Forsterstr.
57',NULL,'Mannheim',NULL,'68306','Germany',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(480,'Kremlin Collectables, Co.','Semenov','Alexander','+7 812 293 0521','2 Pobedy
```

Instalación de PENTAHO BI Server en ORACLE | 16 de junio de 2010



# Instalación de PENTAHO BI Server en ORACLE

Para versiones de ORACLE 11g R1 y R2

```
Square',NULL,'Saint Petersburg',NULL,'196143','Russia',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(481,'Raanan Stores, Inc','Altagar,G M','Raanan','+ 972 9 959 8555','3 Hagalim
Blv.',NULL,'Herzlia',NULL,'47625','Israel',NULL,0,NULL);
INSERT INTO CUSTOMER_W_TER VALUES(484,'Iberia Gift Imports, Corp.','Roel','Jos\u00e9 Pedro','(95) 555 82 82','C/ Romero,
33',NULL,'Sevilla',NULL,'41101','Spain',1702,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(486,'Motor Mint Distributors Inc.','Hernandez','Rosa','2155559857','11328 Douglas
Av.',NULL,'Philadelphia','PA','71270','USA',1323,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(487,'Signal Collectibles Ltd.','Taylor','Sue','4155554312','2793 Furth
Circle',NULL,'Brisbane','CA','94217','USA',1165,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(489,'Double Decker Gift Stores, Ltd','Hardy','Thomas','(171) 555-7555','120 Hanover
Sq.',NULL,'London',NULL,'WAL 1DP','UK',1501,100,'EMEA');
INSERT INTO CUSTOMER_W_TER VALUES(495,'Diecast Collectables','Franco','Valarie','6175552555','6251 Ingle
Ln.',NULL,'Boston','MA','51003','USA',1188,100,'NA');
INSERT INTO CUSTOMER_W_TER VALUES(496,'Kelly's Gift Shop','Snowden','Tony','+64 9 5555500','Arenales 1938
3'A',NULL,'Auckland',NULL,'','New Zealand',1612,100,'APAC');

commit;
```

## ANEXO 7. SCRIPT DE INSERCIÓN DE DATOS DE “QUARTZ”

```
insert into qrtz_locks
  values ('TRIGGER_ACCESS');
insert into qrtz_locks
  values ('JOB_ACCESS');
insert into qrtz_locks
  values ('CALENDAR_ACCESS');
insert into qrtz_locks
  values ('STATE_ACCESS');
insert into qrtz_locks
  values ('MISFIRE_ACCESS');

commit ;
```

## ANEXO 8. SCRIPT DE INSERCIÓN DE DATOS DE “HIBUSER”

```
insert into hibuser.datasources
  (name
  , maxactconn
  , driverclass
  , idleconn
  , username
  , password
  , url
  , query
  , wait)
  values ('SampleData'
  , 20
  , 'oracle.jdbc.driver.OracleDriver'
  , 5
  , 'pentaho_user'
  , 'cGFzc3dvcmQ='
  , 'jdbc:oracle:thin:@localhost:1521:ORCL'
  , 'select 1 from dual'
  , 1000);

commit ;
```

Hay que tener en cuenta que en esta línea hay que cambiar la url para que apunte al servidor ORACLE, puerto correcto e INSTANCIA ORACLE correcta.